

2022 Product Catalog

Welcome to our Digital Product Catalog. We have compiled a comprehensive list of everything we stock and sell. It encompasses over 2,000 different products that are available every single day. Of course, we also have the ability to special order just about anything; if it's wood, we can source it.

If you want to learn more about a specific product, click on the green "Website Link" button and it will take you directly to our product web page with more detailed information.

Our whole philosophy is to source the best building materials in the world and provide quick and reliable access to them for any sized job, big or small.

Thank you for your support!



Page Guide

- **1 5:** Introduction
- 6 16: Lumber Products
- 17 25: Boards and Pattern Stock
- 26 42: Western Red Cedar
- 43 54: Trus Joist Engineered Wood
- 55 70: OSB, Plywood, & Specialty Panels
- 71 81: James Hardie Siding, Trim, & Accessories
- 82 89: Boral Trim & Siding, Miratec, & Royal PVC Products
- 90 94: Versetta Panelized Stone & Specialty Sidings
- 95 100: Primed Radiata, Poplar, Oak, Douglas Fir
- 101 108: Decking & Porch, TigerDeck, Zuri



2022 Product Brochure

Fast Facts:

-30 Acres and 200,000 Sq Ft of Enclosed Warehouse Space -16 Sales Reps, 17 Drivers, 20 Yardmen -23 Flatbeds, 1 Curtainside, 2 Roll-off Trailers, 2 Hotshot Trailers -Over 2,000 SKU's in Inventory and On Ground -7 Midwest Distribution Centers in Total -Family Owned and Operated



Forest Products Supply

Our Website

http://www.fp-supply.com/st-louis-resources.html



Visit our website for more information on all of our products.

Simply go to <u>www.fp-supply.com</u>, and then go to resources and select St. Louis.

Here you'll have detailed access to all of our products. Every product page includes relevant information you're looking for, including available sizes, photos, videos, PDF's of installation guides, product brochures, MSDS sheets, specifier's guides, and more.

The best part is that everything is designed for the dealer to be able to share with their customers, so we don't include any pricing on these pages. Use this as a selling tool and share these product pages and links with your customers to help close sales. It's also a mobile friendly site, so you can access this on a jobsite with a smartphone or tablet.

We also have access to our price pages online via a user login page. With this, you can quote jobs at all hours of the day and have quick and easy access to all of our pricing.

Stay Connected and Learn



https://www.youtube.com/channel/UCYmpjBFL86rF5E1B7pF9f6Q

We post product videos, installation instructions, featured projects, and more on our YouTube channel. We plan to post regular Product Knowledge videos in 2021 as well. YouTube is a great tool and an excellent way to see how other pros tackle common building challenges.



https://www.instagram.com/forest_products_supply/

We post content of our products being used in the field. This is a simple and easy way to see how material is used, learn about products, and see good work. We like to engage the whole supply chain and often repost content from suppliers, contractors, and builders. Sometimes, a picture is worth a thousand words.

SPF Studs & Dimensional Lumber



Available Stud Sizes:

ltem	Unit Size	Premium	Selects/Market	Contractor	Finger Joint
2x4x92-5/8"	294	\checkmark	\checkmark	\checkmark	
2x4x96"	294	$\mathbf{\overline{A}}$			
2x4x104-5/8"	294	$\mathbf{\overline{\mathbf{A}}}$	$\overline{\checkmark}$		$\mathbf{\overline{A}}$
2x4x116-5/8"	294	\checkmark	\checkmark		\checkmark
2x6x92-5/8"	189	\checkmark	\checkmark	\checkmark	
2x6x96"	189	$\mathbf{\overline{\mathbf{A}}}$			
2x6x104-5/8"	189	$\mathbf{\overline{A}}$	\checkmark		$\mathbf{\overline{A}}$
2x6x116-5/8"	189	\checkmark	$\mathbf{\overline{A}}$		\checkmark

-Special trim sizes are available via a custom cut program at our Kansas City facility

Available Dimensional Sizes:

ltem	Unit Size	Lengths	4-Square	Hiline	MSR 1650	#2&btr
2 x 4	294	8'-20'	$\mathbf{\overline{A}}$	\checkmark	\checkmark	$\mathbf{\overline{A}}$
2 x 6	189	8'-20'	\checkmark	\checkmark	\checkmark	\checkmark
2 x 8	147	8'-20'				\checkmark

WEBSITE LINK

Yellow Pine Dimensional Lumber



Available Sizes:

ltem	Unit Size	Lengths	#1 YP	#2 YP	MSR 2400
2 x 4	208	8' - 20'	\checkmark	\checkmark	\checkmark
2 x 6	128	8' - 20'	\checkmark		V
2 x 8	96	8' - 20'	\checkmark	\checkmark	V
2 x 10	80	8' - 20'	V	\checkmark	V
2 x 12	64	8' - 20'	\checkmark		V
4 x 4	52	8', 12', 16'			

Features & Benefits:

-Superior strength to SPF and Douglas Fir; excellent for floor joist and roof trusses

-We carry the deepest inventory of MSR 2400 Yellow Pine

-Contact us for mill direct quotes

4x4 Timbers



Available Sizes:

ltem	Actual Size	Lengths	Grade	Finish	HT Stamp
4x4 Yellow Pine	3-1/2" x 3-1/2"	8'-16'	#2	KD S4S	Yes
4x4 Douglas Fir	3-1/2" x 3-1/2"	8'-12'	D Grade	KD S4S	No

Features & Benefits:

-Untreated 4x4 Timbers

-#2 SYP is for crating, cribbing, and other industrial applications

-D Grade Douglas Fir is a great option for furniture, mail boxes, railing, and craft projects

Long Length Douglas Fir



Available Sizes:

ltem	Lengths	Unit Size	Grade	Finish	Species
2 x 6	22' - 28'	189	#2&btr	Kiln Dried	Douglas Fir
2 x 8	22'-28'	126	#2&btr	Kiln Dried	Douglas Fir
2 x 10	22' - 28'	105	#2&btr	Kiln Dried	Douglas Fir
2 x 12	22' - 28'	84	#2&btr	Kiln Dried	Douglas Fir

Features & Benefits:

-Available in less than unit quantities

- -Our longest available solid sawn material
- -Excellent for roof rafters or long floor joists

MCA Treated Lumber



ltem	Grade	Lengths	Treatment	Color	Unit Size
2 x 4	#1 Yellow Pine	8'-16'	MCA Ground Contact	Green	104
2 x 6	#1 Yellow Pine	8' - 20'	MCA Ground Contact	Green	64
2 x 8	#1 Yellow Pine	8' - 20'	MCA Ground Contact	Green	48
2 x 10	#1 Yellow Pine	8' - 20'	MCA Ground Contact	Green	40
2 x 10 KDAT	#1 Yellow Pine	12', 14', 16'	MCA G/C Kiln Dried	Green	40
2 x 12	#1 Yellow Pine	8' - 20'	MCA Ground Contact	Green	32
5/4 x 6	Standard	8'-20'	MCA Ground Contact	Green	96
5/4 x 6	Premium	10'-16'	MCA Ground Contact	Green	96
4 x 4	#2 Yellow Pine	8'-10'	MCA Ground Contact	Green	52
6 x 6	#2 Yellow Pine	8'-16'	MCA Ground Contact	Green	32

Features & Benefits:

-Available in less than unit and job-pack quantities

-All MCA treated lumber is a .15 MCA Ground Contact treatment

-Light green treatment that naturally fades with time

WEBSITE LINK

Forest Products Supply

CCA Treated Timbers



Available Sizes:

Item	SKU	Lengths	Unit Size	Grade	Treatment
4 x 4 Treated	44_T2	8'-16'	65	#2&btr SYP	.60 CCA Ground Contact
4 x 6 Treated	46_T2	8' - 20'	48	#2&btr SYP	.60 CCA Ground Contact
6 x 6 Treated	66_T2	8'-24'	32	#2&btr SYP	.60 CCA Ground Contact
8 x 8 Treated	88_T2	8' - 20'	18	#2&btr SYP	.60 CCA Ground Contact

Features & Benefits:

- -Strong .60 CCA Ground Contact treatment to prevent rot and decay
- -A true #2&btr grade with ~30% meeting a #1 grade
- -Very high quality with four square edges and extremely limited splits
- -Available in less than unit and job-pack quantities
- -Custom sizes available on a special-order basis



-Big V T&G allows boards to slide into place seamlessly despite any crook or bow

Treated Boards, Spindles, Fencing



ltem	Grade	Lengths	Treatment	Color	Unit Size
1 x 6 Boards	#2 Yellow Pine	8', 12', 16'	MCA Ground Contact	Green	128
1 x 8 Boards	#2 Yellow Pine	12', 16'	MCA Ground Contact	Green	80
2 x 2 Spindles	#1 Yellow Pine	42", 8'	MCA Ground Contact	Green	360/192
1 x 6 Dog Ear	#2 Yellow Pine	6', 8'	MCA Ground Contact	Green	240
3 x 5 Landscape Timbers	#2 Yellow Pine	8'	MCA Ground Contact	Green	77

Big V Tongue & Groove Treated

Fire Treated Lumber



Available Sizes:

			Interior Fire Treated		
Item	SKU	Lengths	Grade	Application	Brand
2x4	24_FT2	8', 10', 12', 16'	#2 Yellow Pine	Interior	Hoover Pyro-Guard
2x6	26_FT2	8', 12', 16'	#2 Yellow Pine	Interior	Hoover Pyro-Guard
2x8	28_FT2	12', 16'	#2 Yellow Pine	Interior	Hoover Pyro-Guard
2x10	210_FT2	12', 16'	#2 Yellow Pine	Interior	Hoover Pyro-Guard
2x12	212_FT2	12', 16'	#2 Yellow Pine	Interior	Hoover Pyro-Guard
			Exterior Fire Treated		
ltem	SKU	Lengths	Grade	Application	Brand
2x4	24_FTX2	12', 16'	#2 Yellow Pine	Exterior	Hoover Exterior Fire-X
2x6	26_FTX2	12', 16'	#2 Yellow Pine	Exterior	Hoover Exterior Fire-X
2x8	28_FTX2	16'	#2 Yellow Pine	Exterior	Hoover Exterior Fire-X
2x10	210_FTX2	12', 16'	#2 Yellow Pine	Exterior	Hoover Exterior Fire-X

#2 Yellow Pine

Exterior

Features & Benefits:

212_FTX2

2x12

-Available in both Interior and Exterior fire treated

12', 16'

-Fully pressure impregnated treatment; no surface coatings

-All board are individually stamped with fire treatment and rating

WEBSITE LINK

Hoover Exterior Fire-X

Premium Furring Strips

1x2x8

1x3x8

2x2x8

Available Sizes:

ltem	SKU	Unit Size	Grade	Species
1 x 2 x 8	128FSP	648	Premium	SPF
1 x 3 x 8	138FSP	480	Premium	SPF
2 x 2 x8	228FSP	420	Premium	SPF

Features & Benefits:

-Available in full units or half packs

-Premium grade with virtually no bark or wane

-Paper wrapped and sub-bundled

-Special order sizes and cuts are available in full unit quantities

Douglas Fir Timbers



Available Sizes:

Item	Actual Size	Species	Grade	Lengths	Surface	Green/KD
4 x 6	4" x 6"	Douglas Fir	#1 FOHC	8'-24' *	Rough Sawn & S4S	Green
4 x 8	4" x 8"	Douglas Fir	#1 FOHC	8'-24' *	Rough Sawn & S4S	Green
4 x 12	4" x 12"	Douglas Fir	#1 FOHC	8'-24' *	Rough Sawn & S4S	Green
6 x 6	6" x 6"	Douglas Fir	#1 FOHC	8'-24' *	Rough Sawn & S4S	Green
6 x 12	6" x 12"	Douglas Fir	#1 FOHC	8'-24' *	Rough Sawn & S4S	Green
6 x 16	6" x 16"	Douglas Fir	#1 FOHC	8'-24' *	Rough Sawn & S4S	Green
8 x 8	8" x 8"	Douglas Fir	#1 FOHC	8'-24' *	Rough Sawn & S4S	Green
8 x 12	8" x 12"	Douglas Fir	#1 FOHC	8'-24' *	Rough Sawn & S4S	Green
8 x 16	8" x 16"	Douglas Fir	#1 FOHC	8'-24' *	Rough Sawn & S4S	Green
10 x 10	10" x 10"	Douglas Fir	#1 FOHC	8'-24'*	Rough Sawn <mark>&</mark> S4S	Green

Features & Benefits:

-Premium appearance grade timber that is 100% Free of Heart Center and Free of Wane

-Beautiful auburn coloring and even grain

-#1 Grade for predictable strength bearing and spans

-More affordable than comparable Western Red Cedar sizes

-Available in custom sizes and in an S4S finish

Remanufacturing Facility

We have a full remanufacturing facility capable of Precision End Trimming lumber to exact lengths. We also have a comprehensive timber operation with state-of-the-art equipment that can resize and surface (S4S) both Douglas Fir and Western Red Cedar timbers.



P.E.T. Saw:

Beam Saw and Planer:



Forest Products Supply

Boards and Pattern Stock

We've developed a portfolio of high-quality boards and pattern stock that are well designed, affordable, and easy to sell.

The WynnWood Boards and Pattern Stock Advantage

-Premium Canadian ESLP that supersedes standard #2 grading rules

- A 1/16th micro-eased edge on all S4S boards, and the highest quality finish of any board or pattern stock in North America

-Convenient unit sizes and excellent packaging and sub-bundling

-The widest mix of available product and pattern for any conceivable project



Boards

- Premium #2 Canfor Wynnwood Premier
- Clear Finger Jointed Double Primed Radiata Pine

Nickel Gap/V-Groove

- Premium #2 WynnWood Premier
- Clear Finger Jointed Double Primed Radiata Pine

Carsiding

- Premium #2 WynnWood Premier and #3 Rustic Classic
- 1x6 and 1x8 (8' 16')

Beaded

- Premium #2 WynnWood Premier
- 1x4 (12' & 16')

Canfor WynnWood Boards



WYNNWOOD PREMIER

SPECIES: ESLP GRADE STAMP: 2COM & BTR MOISTURE RATING: KD-HT

THIS IS OUR HIGH LINE 2 COM&BTR GRADE.



Available Sizes:

Item	Lengths	Unit Size	Grade	Finish	Species
1 x 4	8'-16'	294	#2 Premier	S4S Eased Edge	ESLP
1 x 6	8'-16'	189	#2 Premier	S4S Eased Edge	ESLP
1 x 8	8'-16'	147	#2 Premier	S4S Eased Edge	ESLP
1 x 10	8'-16'	105	#2 Premier	S4S Eased Edge	ESLP
1 x 12	8'-16'	84	#2 Premier	S4S Eased Edge	ESLP

Features & Benefits:

-The highest quality finish of any board in North America

-Engelman Spruce and Lodgepole Pine mix; small and limited knot structure

-Supersedes NLGA or WWPA grades with 50% less wane, almost no blue stain and strict limits on end splits.

-Micro-eased 1/16th-inch radius edge

-All boards are end waxed and stamped KDHT

Primed Radiata Pine



Available Sizes:

ltem	Lengths	Unit Size	Species	Grade	Finish
1 x 4	16'	99	Radiata Pine	Clear FJ	Double Primed
1 x 6	16'	63	Radiata Pine	Clear FJ	Double Primed
1 x 8	16'	45	Radiata Pine	Clear FJ	Double Primed
1 x 10	16'	36	Radiata Pine	Clear FJ	Double Primed
1 x 12	16'	36	Radiata Pine	Clear FJ	Double Primed
5/4 x 6	16'	42	Radiata Pine	Clear FJ	Double Primed
5/4 x 8	16'	36	Radiata Pine	Clear FJ	Double Primed
5/4 x 12	16'	24	Radiata Pine	Clear FJ	Double Primed

Features & Benefits:

-Imported Chilean Radiata Pine

- -100% clear finger-jointed blocks
- -Double primed boards featuring oil based first coat and acrylic latex second coat
- -Excellent for interior trim
- -One year warranty on primer, 10 year on substrate glue

#3 Common Boards



Available Sizes:

ltem	Lengths	Unit Size	Grade	KDHT Stamp
1 x 4	8'-16'	462	#3 PPLP	Yes
1 x 6	8'-16'	336	#3 PPLP	Yes
1 x 8	8'-16'	252	#3 PPLP	Yes
1 x 10	16'	210	#3 PPLP	Yes
1 x 12	8'-16'	132	#3 PPLP	Yes

Features & Benefits:

-All #3 boards are Ponderosa Pine Lodgepole Pine mix and KDHT stamped

-Excellent for concrete forming, industrial packaging and crating, and roofing

-Sold in full units only

Industrial Boards



Available Sizes:

ltem	Lengths	Mill	Grade	Species	KDHT Stamp
1x3	8' - 12'	WynnWood	#4 +	White Wood	Yes
1x4	8' - 16'	WynnWood	#4 +	White Wood	Yes
1x6	16'	WynnWood	#4 +	White Wood	Yes
1x8	16'	WynnWood	#4 +	White Wood	Yes
1x12	16'	WynnWood	#4 +	White Wood	Yes

Features & Benefits:

-A mill downfall grade that contains a good mix of #3 and even #2 grade boards

- -1x4 is an excellent solution for crating, roof purlins, and concrete forming
- -1x8 is ideal for stair risers and sub-fascia
- -Excellent price and value compared to #3 boards
- -All boards are KDHT stamped

WP4/116 Carsiding




Available Sizes:

Item	Lengths	Unit Size	Exposure	Coverage	Grade	Pattern
1x6 Carsiding	8'-16'	180	5"	240 LF/SQ	#2 Premier	WP4/116
1x8 Carsiding	8'-16'	140	6.75"	180 LF/SQ	#2 Premier	WP4/116
1x6 Rustic Carsiding	8'-16'	180	5"	240 LF/SQ	#3 Classic	WP4/116
1x8 Rustic Carsiding	8'-16'	140	6.75"	180 LF/SQ	#3 Classic	WP4/116

Pine Beaded Ceiling





WEBSITE LINK


Available Sizes:

ltem	Lengths	Unit Size	Exposure	Coverage	Grade	Pattern
1x4 Beaded	12' & 16'	280	3"	400 LF/SQ	#2 Premier	E&CB/WP4

Forest Products Supply

Nickel Gap Shiplap





Available Sizes:

Item	Lengths	Unit Size	Exposure	Coverage	Grade	Finish
1x6 Primed Nickel Gap	16'	63	5"	240 LF/SQ	Clear FJ Radiata	Double Primed
1x8 Primed Nickel Gap	16'	45	6.75″	180 LF/SQ	Clear FJ Radiata	Double Primed
1x6 Raw Pine Nickel Gap	8'-16'	180	5"	240 LF/SQ	#2 Premier	Raw Pine
1x8 Raw Pine Nickel Gap	8'-16'	140	6.75"	180 LF/SQ	#2 Premier	Raw Pine

Features & Benefits:

-Raw Pine product is a #2 White Pine; can be stained, whitewashed, or painted


-Clear primed product is a double primed finger jointed Radiata Pine



Yellow Pine Bullnose Stair Tread

ltem	SKU	Actual Size	Lengths	Unit Size	Grade
2x12 Bullnose	21214YPBN	1-1/2" x 11-1/4"	14'	64	#1 Yellow Pine

1x8 Industrial Stair Riser



ltem	Lengths	Unit Size	Grade	Species	KDHT Stamp
1 x 8 Industrial	14'	147	#4 +	White Wood	Yes

Features & Benefits:

-A mill downfall item that didn't meet premium grades. Contains a mix of #2, #3 and #4 Pon Pine. Priced 20% less than comparable #3 boards.

-Ideal for stair risers and sub-fascia

Western Red Cedar



Cedar is in our DNA, and we focus only on sourcing highquality material from the best manufacturers in the world.

Factors we look for are:

Fiber Quality – We stock premium coastal Western Red Cedar

Color – The darker and richer, the better

Texture & Grain – We want to showcase the natural beauty of Cedar

Assortment – We have the deepest inventory of on-ground Cedar

Our Proud Partners:



Forest Products Supply

Cedar Decking



Interfor Regal AK Architect Knotty Decking



Available Sizes:

ltem	Actual Size	Lengths	Species	Grade	Finish
2 x 4 KD Regal	1-9/16" x 3-9/16"	8'-16'	Western Red Cedar	Architectural Knotty	Kiln Dried
2 x 6 KD Regal	1-9/16" x 3-9/16"	8' - 20'	Western Red Cedar	Architectural Knotty	Kiln Dried

Features & Benefits:

-Coastal Western Red Cedar milled in British Columbia

-The premier Architectural Knotty decking in the Midwest

-Kiln Dried decking: more dimensionally stable, easier to stain, and lighter

-Beautiful rich auburn color with tight uniform grain

-Contains natural oils and resins that make it resistant to rot, decay, and insects

-All knots are sound and tight, maximum knot size = $2^{7/8^{\circ}}$ and wane is strictly limited to the reverse face only

Forest Products Supply

5/4 x 6 Western Red Cedar Decking



Available Sizes:

Item	Actual Size	Lengths	Species Grade	
5/4 x 6 Cedar	1-1/32" x 5-1/2"	8' - 20'	Western Red Cedar Architectural Knott	y

Features & Benefits:

-Roughly 25% less than 2x6 Cedar decking

-Contains natural oils and resins that make it resistant to rot, decay, and insects

-All knots are sound and tight

-Maximum knot size = 2 ^{3/4}



5/4 x 6 Alaskan Yellow Cedar

Available Sizes:

Item	Actual Size	Lengths	Species	Grade
5/4 x 6 Yellow Cedar	1" x 5-1/2"	8' - 20'	Alaskan Yellow Cedar	KD Knotty

Features & Benefits:

-Very cost effective: Roughly 20% less than Western Red Cedar

-Beautiful color with fine, straight grain and a creamy texture

-Incredibly strong and durable with a similar density to Douglas Fir

-Contains natural oils and tannins making it resistant to rot, decay, and insects

-Weather and ages similarly to Western Red Cedar (silverish gray)

Cedar Boards





Available Sizes:

Item	Actual Size	Lengths	Finish	Grade
1x4	3/4" x 3-9/16"	8'-20'	Smooth/Rough	Appearance
1x6	3/4" x 5-9/16"	8'-20'	Smooth/Rough	Appearance
1x8	3/4" x 7-3/8"	8'-20'	Smooth/Rough	Appearance
1x10	3/4" x 9-3/8"	8'-20'	Smooth/Rough	Appearance
1x12	3/4" x 11-3/8"	8'-20'	Smooth/Rough	Appearance

Features & Benefits:

-True Western Red Cedar milled in British Columbia

-Appearance Grade no-hole knotty boards; straight, uniform grain and even texture

-"No Prior Select" meaning that grades are *not pulled out* during production

-S1S2E (smooth one side, two edges)

Cedar Timbers



Available Sizes:

Item	Actual Size	Lengths	Grade	KD/Green
4 x 4 Rough	3-9/16" x 3-9/16"	8'-16'	Appearance Grade	Green
4 x 6 Rough	4" x 6"	8' - 20'	Appearance Grade	Green
4 x 8 Rough	4" x 8"	8' - 20'	Appearance Grade	Green
4 x 10 Rough	4" x 10"	8' - 20'	Appearance Grade	Green
4 x 12 Rough	4" x 12"	8' - 20'	Appearance Grade	Green
6 x 6 Rough	6" x 6"	8'-20'	Appearance Grade	Green
6 x 8 Rough	6" x 8"	8'-20'	Appearance Grade	Green
6 x 12 Rough	6" x 12"	8'-20'	Appearance Grade	Green
8 x 8 Rough	8" x 8"	8' - 20'	Appearance Grade	Green
8 x 12 Rough	8" x 12"	8'-20'	Appearance Grade	Green
4 x 4 Smooth	3-1/4" x 3-1/4"	8'-16'	Appearance Grade	Green
6 x 6 Smooth	5-1/2" x 5-1/2"	8'-20'	Appearance Grade	Green

Features & Benefits:

-Premium coastal Western Red Cedar milled in British Columbia

-Appearance grade no hole knotty cedar with four square edges

-Great for both interior appearance applications, and exterior structural posts/beams

Cedar Dimensional



Available Sizes:

Item	Actual Size	Lengths	KD/Green	Grade
2x2 Smooth	1-9/16" x 1-9/16"	3', 4', 8'	Green	Interfor Regal A.K.
2x4 Smooth	1-9/16" x 3-9/16"	8' - 20'	Green	Interfor Regal A.K.
2x6 Smooth	1-9/16" x 5-9/16"	8' - 20'	Green	Interfor Regal A.K.
2x8 Smooth	1-9/16" x 7-3/8"	8' - 20'	Green	Interfor Special
2x10 Smooth	1-9/16" x 9-3/8"	8' - 20'	Green	Interfor Special
2x12 Smooth	1-9/16" x 11-3/8"	8'- 16'	Green	Interfor Special
2x4 Rough	1-3/4" x 3-3/4"	8' - 20'	Green	Interfor Special
2x6 Rough	1-3/4" x 5-3/4"	8' - 20'	Green	Interfor Special
2x8 Rough	1-3/4" x 7-3/4"	8' - 20'	Green	Interfor Special
2x10 Rough	1-3/4" x 9-3/4"	8' - 20'	Green	Interfor Special
2x12 Rough	1-3/4" x 11-3/4"	8' - 20'	Green	Interfor Special

Features & Benefits:

-Premium coastal Western Red Cedar milled in British Columbia

-All Cedar is a no-hole knotty appearance grade with extremely limited wane

-Rough cedar is a full rough cut and run through a rougher header for a highquality appearance

Cedar Split Rail Fencing



ltem	Length	Girth	Species	Unit Size
10' Split Rail	10'	12" - 14"	Red Cedar	155
2-Hole Line Post	64"	18"+	Red Cedar	72
2-Hole Corner Post	64"	18"+	Red Cedar	72
2-Hole End Post	64"	18"+	Red Cedar	72
3-Hole Line Post	78"	18"+	Red Cedar	72
3-Hole Corner Post	78"	18"+	Red Cedar	72
3-Hole End Post	78"	18" +	Red Cedar	72

2-Hole posts are 34"-40" tall once installed. 3-Hole posts are 48"-54" tall once installed

Cedar Dog Ear Fencing



ltem	SKU	Actual Size	Finish	Unit Size	Species
3/4" x 6' Dog Ear	166CDE	3/4" x 5-1/2" x 6'	Rough/Rough	336	Western Red
5/8" x 6' Dog Ear	5866CDJ	5/8" x 5-1/2" x 6'	Rough/Rough	528	Japanese Sugi

Modern Horizontal Cedar Fencing





ltem	Size	Species	Qty per 8' Section
Line Post	4x4x8	Western Red Cedar	1 piece
Middle Support Post	2x4x8	Western Red Cedar	1 piece
Horizontal Boards	1x6x8	Western Red Cedar	13 pieces
Top Cap (optional)	1x6x8	Western Red Cedar	1 piece
Fascia (optional)	1x4x8	Western Red Cedar	1 piece

Features & Benefits:

-Creates a modern and sophisticated look, perfect for restaurants and patios

-Long lasting, easy to maintain, and fast installation



ltem	Exposure	Coverage	Lengths	Kiln Dried	Grade
1/2" x 6"Clear	4"	300 LF/SQ	3' - 20' R/L	Yes	Clear
1/2" x 8" Clear	6"	200 LF/SQ	3' - 20' R/L	Yes	Clear
3/4" x 8" Knotty	6"	200 LF/SQ	8'-20'	Yes	Arch. Knotty
3/4" x 10" Knotty	8"	150 LF/SQ	8'-20'	Yes	Arch. Knotty

Features & Benefits:

-Premium coastal Western Red Cedar siding milled in British Columbia

-Contains natural oils and resins that make it resistant to rot, decay, and insects

-Kiln dried, lightweight, and easy to work with

34

Cedar V-Joint Siding






Available Sizes:

Item	Actual Size	Finish	Coverage	Lengths	KD/Green	Grade
1x6 V-Joint	11/16" x 5-3/8"	Smooth/Rough	240 LF/SQ	8' - 20'	KD	Architect Knotty
1x8 V-Joint	11/16" x 7-3/8"	Smooth/Rough	180 LF/SQ	8' - 20'	KD	Architect Knotty

Cedar Channel Siding



Available Sizes:

ltem	Exposure	Finish	Coverage	Lengths	KD/Green	Grade
1x8 Channel	6-1/4"	Rough	195 LF/SQ	8' - 20'	КD	Architect Knotty
1x10 Channel	8-1/4"	Rough	145 LF/SQ	8' - 20'	KD	Architect Knotty


WEB<u>SITE LINK</u>

Cedar Nickel Gap

Rough Face

Smooth Face





Elite Fineline (1/8th Gap) Paneling

Available Sizes:

ltem	Lengths	Exposure	Coverage	Finish	Species
1x6 Fineline	8' - 16'	5"	240 LF/SQ	Smooth/Rough	Western Red Cedar
1x8 Fineline	8' - 16'	6-3/4"	180 LF/SQ	Smooth/Rough	Western Red Cedar

Features & Benefits:

-Modern tongue & groove profile with a built-in 1/8" nickel gap

-Premium coastal Western Red Cedar

-Reversible product with a rough sawn face and smooth back

Wavy Edge Cedar Siding



Available Sizes:

Item	Actual Dimension	Lengths	Exposure	Coverage
1x10 Wavy Edge	15/16" x 10"	8' -16'	7.5"	160 LF/SQ

Features & Benefits:

-Coastal Western Red Cedar milled in British Columbia

-Tight-knot appearance grade

-Natural and variable wavy edge for an authentic rustic look

Shakertown Cedar Panel Siding



Available Sizes:

Item	Size	Coverage	Finish
7" Even Butt Keyway Style	7" Face x 8' Panel	22 Pcs/Square	Raw Cedar

Features & Benefits:

-Strikingly beautiful and professional look

-Pre-assembled panel with the highest quality Cedar Shingle

-Even butt and keyway style for clean modern age look

-Self aligning, blind nailing line, and overlapping end joint for fast and easy installation

-Can be special ordered with a factory finish stain

Rainscreen



Available Sizes:

Item	SKU	Thickness	Actual Size	Coverage
Rainscreen	SLICKER	6mm	.25" x 39.37" x 46.5'	150 Sq Ft
Rainscreen WRB	SLICKERHP	6mm	.25" x 39.37" x 61.5'	200 Sq Ft

Features & Benefits:

-Provides protection for wall systems by eliminating moisture between siding and sheathing (Recommended for wood siding but is compatible with fiber cement, vinyl, manufactured stone, stucco, and metal)

-Patented vertical channels direct the bulk of moisture out of the wall assembly (make sure the slicker is installed with the vertical channels oriented up and down so water is able to escape)

-Slicker HP contains a commercial grade housewrap layer for an easy one piece install

-Reduces premature peeling or blistering of siding

-Eliminates the need for furring strips

-Separates the cladding from water resistive barrier

Cedar Shakes



Available Sizes:

ltem	Length	Thickness	Exposure	Grade	Coverage
				#1 Blue Label	
Medium Shakes	24"	1/2" - 3/4"	10"	80% Edge Grain	20 Sq Ft/Bundle
				#1 Blue Label	
Heavy Shakes	24"	3/4" - 5/4"	10"	80% Edge Grain	20 Sq Ft/Bundle
				Standard 100%	
Heavy Std Shakes	24"	3/4" - 5/4"	10"	Flat Grain	20 Sq Ft/Bundle

**Heavy Shakes are also available in Class C Fire Treated and CCA Treated

Features & Benefits:

-Shakes are hand-split to leave a less uniform more natural and rustic look

-Cedar Shake & Shingle Bureau Certified #1 Blue Label Quality – the absolute best

-Available in raw Cedar, Class C Fire Treated, or CCA Treated

-24" long with a 10" exposure – varying widths 4" – 14" wide

Cedar Shingles



Available Sizes:

			Roof		Wall	
ltem	Length	Grade	Exposure	Coverage	Exposure	Coverage
		#1 Blue Label				
16" Fivex	16"	100% Edge Grain	5"	25 Sq Ft	7"	33 Sq Ft
		#1 Blue Label				
18" Perfections	18"	100% Edge Grain	5.5"	25 Sq Ft	7.5"	33 Sq Ft
		#1 Blue Label				
24" Royals	24"	100% Edge Grain	7.5"	25 Sq Ft	10.5"	33 Sq Ft

Features & Benefits:

-Shingles are uniformly sawn for a consistent and even thickness and provide a uniform machine-like look

-Cedar Shake & Shingle Bureau Certified #1 Blue Label Quality – the absolute best

-Can be used for booth roofing and sidewalls

-Varying widths ranging from 3'' - 14'' wide; average width is 6'' - 8'' wide

41

Cedar Shake & Shingle Accessories

Hip & Ridge







Available Sizes:

WEBSITE LINK

Item	Length	Grade	Coverage
		#1 Blue Label	
Hip & Ridge	24"	100% Edge Grain	16-2/3 LF
#3 Starter	18"	#3 Grade	50 Sq Ft
#4 Undercourse	18"	#4 Grade	50 Sq Ft

Cedar Breather



Engineered Wood Products



Trus Joist Engineered Wood Products are the #1 rated I-Joist by Builder Magazine, and have been for 15 years running.

They are the only brand with a full suite of engineered wood products including I-Joists, LVL Microllam, PSL Parallam, and LSL Timberstrand.

From performance, to assortment, to quality, Trus Joist is the clear market leader and has the proven performance that builders trust nationwide. Additionally, we have a team of five engineers that can help with questions, design, and trouble-shooting from start to finish.



Consulting

Our Services

Design





Jobsite Delivery



Forest Products Supply

TJI I-Joists



Available Sizes:

ltem	SKU	Flange	L/360 Span*	L/480 Span*	Lengths	Unit Size
9-1/2" TJI 110	9TJI110	1-3/4"	17'-2"	15'-6"	12'-48'	43
_11-7/8" TJI 110	11TJI110	1-3/4"	19'-4"	18'-5"	12'-48'	43
	11TJI210	2-1/16"	21'-2"	19'-3"	12'-48'	37
11-7/8" TJI 360	11	2-5/16"	23'-2"	19'-8"	12'-48'	35
11-7/8" TJI 560	11	3-1/2"	26'-3"	23'-8"	12'-48'	23
14" TJI 360	14	2-5/16"	26'-3"	23'-8"	12'-48'	35
14" TJI 560	14	3-1/2"	29'-9"	26'-10"	12'-48'	23
16" TJI 360	16	2-5/16"	29'-0"	26'-3"	12'-48'	35
16" TJI 560	16	3-1/2"	32'-11"	29'-3"	12'-48'	23

*16" O.C. 40 PSF Live Load / 10 PSF Dead Load -- We recommend L/480 for best results

Features & Benefits:

- -The #1 rated I-Joist by Builder Magazine for 15 years running
- -LVL flange for superior fastening power and squeak-free floor
- -Pre-notched holes for easy to run mechanicals
- -Multiple depths and flange widths for any conceivable design
- -18" and 20" TJI's are available on a special-order basis





Available Sizes:

ltem	SKU	Flange	L/360 Span*	L/480 Span*	Lengths	Unit Size
11-7/8" Timberstrand	1511 <u></u> TS	1-1/2"	20' - 10"	18' - 10"	12'-48'	28

*16" O.C. 40 PSF Live Load / 10 PSF Dead Load -- We recommend L/480 for best results

Features & Benefits:

-Meets newest IRC and ICC code for foundation level fire code approval

-Superior strength and span rating to 2x10 or 2x12 Yellow Pine

-Perfectly straight and consistent, and will prevent floor squeaks

-Compatible with the entire Trus Joist system

-Cost-effective solution – no need for sheetrock or additional labor to meet code

LVL Microllam



Depth	Width	SKU	Lengths	E Value	Overlay	Unit Size
5-1/2"	1-3/4"	5ML	12' - 48'	2.0 E	Watershed	48
7-1/4"	1-3/4"	7ML	12'-48'	2.0 E	Watershed	36
9-1/4"	1-3/4"	914ML	12' - 48'	2.0 E	Watershed	30
9-1/2"	1-3/4"	9ML	12' - 48'	2.0 E	Watershed	30
11-1/4"	1-3/4"	1114ML	12'-48'	2.0 E	Watershed	24
11-7/8"	1-3/4"	11ML	12'-48'	2.0 E	Watershed	24
14"	1-3/4"	14ML	12' - 48'	2.0 E	Watershed	18
16"	1-3/4"	16ML	12'-48'	2.0 E	Watershed	18
18"	1-3/4"	18ML	12'-48'	2.0 E	Watershed	12
20"	1-3/4"	20ML	12' - 48'	2.0 E	Watershed	12
24"	1-3/4"	24ML	12'-48'	2.0 E	Watershed	12
11-7/8"	1-3/4"	11NWS	12'-48'	2.0 E	Edge Seal	24

Features & Benefits:

-Waxy watershed overlay finish that beads water and improves long-term storage

-A large mix of depths and lengths for any conceivable application

-Available beam sizing and design by our engineers

Timberstrand Headers & Beams



Available Sizes:

Width	Depth	SKU	Lengths	E-Value	Unit Size
1-3/4"	9-1/2"	19_TH	12'-48'	1.55 E	30
1-3/4"	11-7/8"	111_TH	12'-48'	1.55 E	24
1-3/4"	14"	114_TH	12'-48'	1.55 E	18
3-1/2"	5-1/2"	35_TH	12'-48'	1.55 E	24
3-1/2"	7-1/4"	37_TH	12'-48'	1.55 E	18
3-1/2"	9-1/2"	39 TH	12'-48'	1.55 E	15
3-1/2"	11-7/8"	 311 TH	12'-48'	1.55 E	12
3-1/2"	14"	 314_TH	12'-48'	1.55 E	9

Features & Benefits:

-Perfectly straight – no bowing, twisting, or warping

- -A less expensive alternative to LVL beams and headers
- -A larger allowable hole zone for mechanicals like plumbing and electrical

-Available beam sizing and design by our engineers

Timberstrand Framing



Available Sizes:

ltem	SKU	Actual Size	Lengths	E-Value
2 x 4 Stud	2410458TS	1-1/2" x 3-1/2"	104-5/8"	1.30 E
2 x 6 Stud	2610458TS	1-1/2" x 5-1/2"	104-5/8"	1.30 E
2 x 4 Framing	24_TS	1-1/2" x 3-1/2"	12'-48'	1.30 E
2 x 6 Framing	26_TS	1-1/2" x 5-1/2"	12' - 48'	1.30 E
2 x 8 Framing	28_TS	1-1/2" x 7-1/4"	12'-48'	1.30 E
2 x 4 Treated Plate	2416TSP	1-1/2" x 3-1/2"	16'	1.30 E
2 x 6 Treated Plate	2616TSP	1-1/2" x 5-1/2"	16'	1.30 E

Features & Benefits:

-Perfectly straight – no bowing, twisting, or warping

-A major component in tall walls and two story rooms

-Excellent for kitchens and bathrooms where you need perfectly straight walls

- Helps resist tile, grout, and sheetrock cracks and ensures that cabinets, doors and windows work smoothly and hang straight

PSL Parallams



Available Sizes:

ltem	SKU	Lengths	Brand	E-Value	Application
3-1/2" x 9-1/4"	3914_PL	8' - 48'	Trus Joist Parallam	2.0 E	Beams
3-1/2" x 9-1/2"	39_PL	8' - 48'	Trus Joist Parallam	2.0 E	Beams
3-1/2" x 11-1/4"	31114_PL	8' - 48'	Trus Joist Parallam	2.0 E	Beams
3-1/2" x 11-7/8"	311_PL	8' - 48'	Trus Joist Parallam	2.0 E	Beams
3-1/2" x 14"	314_PL	8' - 48'	Trus Joist Parallam	2.0 E	Beams
3-1/2" x 16"	316_PL	8' - 48'	Trus Joist Parallam	2.0 E	Beams
3-1/2" x 18"	318_PL	8' - 48'	Trus Joist Parallam	2.0 E	Beams
5-1/2" x 9-1/4"	5914_PL	8' - 48'	Trus Joist Parallam	2.0 E	Beams
5-1/2" x 9-1/2"	59_PL	8' - 48'	Trus Joist Parallam	2.0 E	Beams
5-1/2" x 11-1/4"	51114_PL	8' - 48'	Trus Joist Parallam	2.0 E	Beams
5-1/2" x 11-7/8"	511_PL	8' - 48'	Trus Joist Parallam	2.0 E	Beams
5-1/2" x 14"	514_PL	8' - 48'	Trus Joist Parallam	2.0 E	Beams
5-1/2" x 16"	516_PL	8' - 48'	Trus Joist Parallam	2.0 E	Beams
5-1/2" x 18"	518_PL	8' - 48'	Trus Joist Parallam	2.0 E	Beams
3-1/2" x 3-1/2"	33_PL	8' - 48'	Trus Joist Parallam	1.8 E	Columns & Posts
3-1/2" x 5-1/4"	35_PL	8' - 48'	Trus Joist Parallam	1.8 E	Columns & Posts
3-1/2" x 7-1/4"	37_PL	8' - 48'	Trus Joist Parallam	1.8 E	Columns & Posts
5-1/4" x 5-1/4"	55_PL	8' - 48'	Trus Joist Parallam	1.8 E	Columns & Posts
7" x 7"	77_PL	8' - 48'	Trus Joist Parallam	1.8 E	Columns & Posts

Features & Benefits:

-Parallams are the biggest and strongest beams in the EWP family, and are made using parallel strands of lumber that are pressed and glued to form one solid beam

-One piece install, no need for multiple plys and fastening

Douglas Fir Glulam Beams



Available Sizes:

Size	SKU	Lengths	Design Value	Species	Grade
3-1/2" x 9-1/2"	39GL	12'-48'	24F-V4 1.8E	Douglas Fir	Architectural
3-1/2" x 11-7/8"	311GL	12'-48'	24F-V4 1.8E	Douglas Fir	Architectural
3-1/2" x 14"	314GL	12'-48'	24F-V4 1.8E	Douglas Fir	Architectural
5-1/2" x 9-1/2"	59GL	12'-48'	24F-V4 1.8E	Douglas Fir	Architectural
5-1/2" x 11-7/8"	511GL	12'-48'	24F-V4 1.8E	Douglas Fir	Architectural
5-1/2" x 14"	514GL	12'-48'	24F-V4 1.8E	Douglas Fir	Architectural
5-1/2" x 16"	516_GL	12'-48'	24F-V4 1.8E	Douglas Fir	Architectural

Features & Benefits:

-Only Glulam that matches dimensional lumber sizes (3-1/2" and 5-1/2")

-Ensures a perfect fit when framing – no sheetrock or structural connection issues

-Only Glulam that has an Architectural appearance

-Sanded face and micro-eased edge, knots and voids are filled

-Takes stains exceptionally well

-Matches Engineered Wood depths for seamless compatibility

-1.9 True E Stress Rating

Douglas Fir Treated Glulam Beams



Available Sizes:

Size	SKU	Lengths	Design Value	Species	Grade	Treatment
3-1/2" x 9-1/2"	39TGL	12'-48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
3-1/2" x 11-7/8"	311	12'-48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
3-1/2" x 14"	314TGL	12'-48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
3-1/2" x 16"	316TGL	12'-48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
5-1/2" x 9-1/2"	59TGL	12'-48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
5-1/2" x 11-7/8"	511TGL	12'-48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
5-1/2" x 14"	514TGL	12'-48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
5-1/2" x 16"	516TGL	12'-48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated

Features & Benefits:

-Allows for a one piece install that meets code

-Treated with a honey color stain, leaving a visually appealing and attractive beam

-Can be stained any color using an oil based stain

-Helps you eliminate posts and columns, opening up lower level patios and yard space

-Easier to work with than steel - cuts, nails, and handles just like regular timber

<section-header>

Available Sizes:

Item	SKU	Actual Size	Design Value	Unit Size	APA & OSHA Certified
LVL Scaffold Plank	916MLS	1-1/2" x 9-1/4" x 16'	2.0 E	50 pcs	Yes

Features & Benefits:

- -APA & OSHA Approved
- -2.0E for safe and predictable performance
- -Every piece is inspected and machine stress rated
- -End waxed and painted
- -Designed for multiple uses with proper care

LSL Stair Stringers and Steps



Available Sizes:

Item	SKU	Actual Size	Length	Max 2 Stringer Simple Span
Stair Tread	SS	1" x 11-1/2"	16'	45"
11-7/8" Stringer	11RB	1-1/4" x 11-7/8"	16', 20'	8'-4"
14" Stringer	1416RB	1-1/4" x 14"	16'	11'-8"

Features & Benefits:

-The best performing stair system for quiet, sturdy, and long-lasting stairs

-Engineered wood that is perfectly straight and uniform, and will resist bowing, shrinking, and splitting

-Better nail holding capability that will eliminates squeaky stairs

-Limited product warranty

Simpson Hangers

1-3/4" Width - TJI 110 Series, LVL, Timberstrand

SKU/ Model #	Description
HUS1.81/10	1-3/4"x 9-1/4" Flush Face Mount Hanger Heavy
IUS1.81/9	1-3/4"x 9-1/2" Flush Face Mount Hanger
ITS1.81/9.5	1-3/4"x 9-1/2" Top Mount Hanger
ITS1.81/11.88	1-3/4"x 11-7/8" Top Mount Hanger
IUS1.81/11.88	1-3/4"x 11-7/8" Flush Face Mount
SUR1.81/11	1-3/4"x 11-7/8" Flush Face Mount Hanger Skewed Right
SUL1.81/11	1-3/4"x 11-7/8" Flush Face Mount Hanger Skewed Left
IUS1.81/14	1-3/4"x 14" Flush Face Mount Hanger
ITS1.81/14	1-3/4"x 14" Top Mount Hanger
LSSUI25	1-3/4"x 8-1/2" Slopeable/Skewable Hanger

2-1/16" - Width TJI 210 Series

IUS2.06/9	2-1/16"x 9-1/2" Flush Face Mount Hanger
ITS2.06/11.88	2-1/16"x11-7/8" Top Mount Hanger
SUL2.1/11	2-1/16"x 11-7/8 Flush Face Mount Skewed Left 45 Deg.
SUR2.1/11	2-1/16"x 11-7/8 Flush Face Mount Skewed Right 45 Deg.
LSSU2.1	2-1/16"x 8-1/2" Slopeable/ Skewable Hanger
MIT4.28	4-1/8"x 11-7/8" Top Mount Double Hanger
HUL4.28/11	4-1/8"x11-7/8" Flush Face Mount Skewed Left 45 Deg.
HUR4.28/11	4-1/8"x11-7/8" Flush Face Mount Skewed Right 45 Deg.

2-5/16" Width - TJI 360 Series

	2-5/16"x 11-7/8" Flush Face Pount Hanger	IUS2.37	
SUL/SUR F	ITS2.37/11.88 2-5/16"x11-7/8" Top Mount Hanger		
	MIT3511.88-2 4-5/8"x11-7/8" Top mount Double Hanger		
1000	2-5/16"x14" Flush Face Mount Hanger	IUS2.37/14	
	2-5/16"x 14" Top Mount Hanger	ITS2.37/14	
	2-5/16"x 16" Top Mount Hanger (optional Nailing holes)	MIT3516	
	2-5/16"x 16" Top Mount Hanger	ITS2.37/16	
	2-5/16"x 11-3/16" Flush Face Mount Skewed Right	SUR2.37/11	
	2-5/16"x 11-3/16" Flush Face Mount Skewed Left	SUL2.37/16 2-5/16"x 11-3/16	
	2-5/16"x 8-1/2" Slopeable/Skewable Hanger	LSSUI35	

8-1/2" Width - TJI 560 Series, Double LVL, Timberstrand, Parallam					
HHUS410	3-1/2"x 9" Flush Face Mount Hanger (up to 14")				
HUC410	3-1/2"x 9-1/4" Flush Face Mount Concealed Hanger				
MIT49.5	3-1/2"x 9-1/2" Top Mount Hanger				
ITS3.56/11.88	3-1/2"x11-7/8" Top Mount Hanger				
MIT411.88	3-1/2"x11-7/8" Top Mount Hanger				
MIT414	3-1/2"x14" Top Mount Hanger				
MIT416	3-1/2"x 16" Top Mount Hanger				
SUR410/45	3-1/2"x 8-1/2" Flush Face Mount Hanger Skewed Right				
SUL410/45	3-1/2"x 8-1/2" Flush Face Mount Hanger Skewed Left				
LSSU410	3-1/2x 9-1/4 Slopeable/Skeweable Hanger				

5-1/4" Width - Triple LVL, Parallam HHUS5.50/10 5-1/4"x9" Flush Face Mount Hanger (up to 14") HB5.50/11.88 5-1/4"x 11-7/8' Top Mount Hanger

Forest Products Supply

ITS/MIT Top Mount





SUL/SUR Face Mount

HHUS Face Mount



OSB Panels



Item	Dimension	Unit Size	Rating
1/4" Southern	4' x 8'	140	Exposure 1
7/16" Southern	4' x 8'	85	Exposure 1
7/16" Northern	4' x 8'	78	Exposure 1
7/16" No Paint	4' x 8'	<u>85</u>	-
7/16" Radiant Barrier	4' x 8'	78	Exposure 1
7/16" 9' Southern	4' x 9'	82	Exposure 1
7/16" 10' Southern	4'x 10'	87	Exposure 1
7/16" 9' Northern	4' x 9'	78	Exposure 1
15/32" Southern	4' x 8'	72	Exposure 1
15/32" Radiant Barrier	4' x 8'	72	Exposure 1
1/2" Southern	4' x 8'	70	Exposure 1
1/2" Northern	4' x 8'	68	Exposure 1
1/2" Struc-1	4' x 8'	<u>68</u>	Struc-1
19/32" Southern	4' x 8'	63	Exposure 1
5/8" Northern	4' x 8'	54	Exposure 1
5/8" Struc-1	4' x 8'	54	Struc-1
3/4" Square Edge	4' x 8'	48	Exposure 1
3/4" Edge T&G	4' x 8'	48	Exposure 1
3/4" Edge Gold T&G	4' x 8'	48	Exposure 1
3/4" Advantech T&G	4' x 8'	45	Exposure 1
1-1/8" Advantech T&G	4' x 8'	30	Exposure 1

Edge Gold T&G Subfloor





Available Sizes:

ltem	Panel Size	Unit Size	Fastner Grid	Drainage System
3/4" T&G	4' x 8'	48 pcs	Yes	Yes
Special Order:				
7/8" T&G	4' x 8'	39 pcs	Yes	Yes
1-1/8" T&G	4' x 8'	30 pcs	Yes	Yes

Features & Benefits:

-Pound for pound the best bang for your buck in sub-flooring

-50 Year Warranty and a 200 day no-sand guarantee

-Down Pore Drainage System ensures that water properly drains, protecting against edge swell and sanding before installing hardwood flooring or tile

-Fastener Grid that ships face-up, ready for easy and accurate installation

-Roughly 20% less than the cost of Advantech

Advantech T&G Subfloor





Available Sizes:

Item	Panel Size	Unit Size	PS2 Span	Fastener Grid
3/4" T&G	4' x 8'	45	24" O.C.	Yes
1-1/8" T&G	4' x 8'	30	48" O.C.	Yes
Special Order:				
7/8" T&G	4' x 8'	40	32" O.C.	Yes

Features & Benefits:

-The #1 ranked sub-floor product for over a decade

-Lifetime warranty and a 500-day no-sand guarantee

-Three times the bending strength of commodity OSB for superior stiffness and reliability

-A built-in 1/8" gap between each panel for proper spacing

Zip System Sheathing



Available Sizes:

ltem	SKU	Panel Size	Unit Size	Color	Rating
7/16" - 8'	7168Z	4' x 8'	80	Green	Struc-1
7/16" - 9'	7169Z	4' x 9'	70	Green	Struc-1
7/16" - 10'	71610Z	4' x 10'	60	Green	Struc-1
1/2"	128Z	4' x 8'	70	Red	Struc-1
5/8"	588Z	4' x 8'	55	Red	Struc-1

Features & Benefits


-Engineered with a built-in water and energy barrier

-Installs 40% faster than traditional OSB with housewrap

-Roughly \$190 in annual heating and cooling savings in the St. Louis area for an average sized home versus traditional OSB with housewrap

-All panels are Struc-1 Rated

Zip System R-Sheathing



Available Sizes:

ltem	SKU	Panel Size	Unit Size	R-Rating
7/16" R-3.6	15168Z	4' x 8'	32	0.5" Foam R-3.6
7/16" R-6.6	17168Z	4' x 8'	31	1" Foam R-6.6
7/16" R-9.6	R97168Z	4' x 8'	23	1.5" Foam R-9.6
7/16" R-12.6	R127168Z	4' x 8'	18	2" Foam R-12.6

Features & Benefits

-Engineered with a built-in water and energy barrier for extremely good thermal efficiency

-A one-piece panel for easy installation

-All panels are Struc-1 Rated

Advantech Sub-Floor Adhesive





AdvanTech[™] Subfloor Adhesive (6 cans/case)

AdvanTech™ Subfloor Adhesive Cleaner (6 cans/case)

AdvanTech™ Pro-Grade Foam Applicator Gun (4 guns/case)

AdvanTech™ Subfloor Adhesive Starter Kit (1 starter kit = 6 cans adhesive, 1 can cleaner, 1 gun)

Features & Benefits

-More cost-effective than traditional sub-floor adhesive

-400 Lineal Foot of coverage per can (16 4x8 sheets)

-10 Year Squeak-Free Guarantee when used with TJI Engineered Joists and Advantech T&G Sub-Floor

-Can be installed in extreme temperature ranges; adheres to wet or frozen wood

-Low odor & limited mess



Zip Tape & Flashing



SKU	Item Description	Unit of Sale
430ZT	4" x 30' Zip Tape	1 Roll
4ZT	4" x 90' Zip Tape	12 Rolls
6ZT	6" x 90' Zip Tape	4 Rolls
950ZT	9" x 50' Zip Tape	1 Roll
1250ZT	12" x 50' Zip Tape	1 Roll
320ZST	3" x 20' Zip *Stretch* Tape	1 Roll
620ZST	6" x 20' Zip *Stretch* Tape	1 Roll
6ZST	6" x 75' Zip *Stretch* Tape	1 Roll
1020ZST	10" x 20' Zip *Stretch* Tape	1 Roll
10ZST	10" x 75' Zip *Stretch* Tape	1 Roll
ZTG	Zip Tape Gun	1 Gun
ZTR	Zip Tape Roller	1 Roller
29ZLF	29 Ounce Zip Liquid Flash	1 Cartridge

4" Zip Tape Coverage

One 90' roll will cover seven panels on average

Features & Benefits

-Zip System yields an estimated 11% annual heating and cooling savings in the St. Louis market compared to a traditional house wrapped home

-Tape can be applied in wet and dry conditions

-30 year warranty with an allowable 180 day sun exposure

-Incredibly versatile, and can be used for corners, valleys, window flashing, sills, ridges, and more

Fir Plywood



ltem	Thickness	Panel Size	Unit Size	Species
3/8" CDX	11/32"	4' x 8'	90	Douglas Fir
1/2" CDX 4-Ply	15/32"	4' x 8'	66	Douglas Fir
1/2" CDX 5-Ply	15/32"	4' x 8'	66	Douglas Fir
5/8" CDX 4-Ply	19/32"	4' x 8'	53	Douglas Fir
5/8" CDX 5-Ply	19/32"	4' x 8'	53	Douglas Fir
3/4" CDX	23/32"	4' x 8'	44	Douglas Fir
1" CDX	31/32"	4' x 8'	33	Douglas Fir
3/4" CD T&G	23/32"	4' x 8'	44	Douglas Fir
3/4" Sturd-I-Floor T&G	23/32"	4' x 8'	44	Douglas Fir
3/4" BB Plyform	23/32"	4' x 8'	44	Douglas Fir
1/2" ACX	15/32"	4' x 8'	66	Douglas Fir
3/4" ACX	23/32"	4' x 8'	44	Douglas Fir
3/4" AB Marine	23/32"	4' x 8'	44	Douglas Fir

Features & Benefits

-Generally less susceptible to warping and delamination than Yellow Pine

-Strong, stiff, and durable – excellent for roof sheathing or T&G subfloor

MDO & HDO Plywood



Available Sizes:

Item	Thickness	Panel Size	Unit Size	Species
1/2" MDO 1 Side	15/32"	4' x 8'	66	Douglas Fir
1/2" MDO 2 Side	15/32"	4' x 8'	66	Douglas Fir
3/4" MDO 1 Side	23/32"	4' x 8'	44	Douglas Fir
3/4" MDO 2 Side	23/32"	4' x 8'	44	Douglas Fir
1/2" HDO 1 Side	15/32"	4' x 8'	66	Douglas Fir
3/4" HDO 1 Side	23/32"	4' x 8'	44	Douglas Fir

Features & Benefits

-MDO panels have a cardboard like fiber overlay that takes paint exceptionally well

-MDO panels are commonly used for exterior signs

-HDO panels have an extremely tough and durable resin impregnated fiber face

-HDO panels are excellent for concrete forming and industrial applications with frequent chemical or gas contact

-All MDO and HDO panels contain 100% water resistant adhesives

Yellow Pine Plywood



Available Sizes:

Item	Thickness	Size	Unit Size	Species
3/8" CD	3/8"	4' x 8'	<u>90</u>	Yellow Pine
1/2" CD 4-Ply	15/32"	4' x 8'	70	Yellow Pine
5/8" CD 4-Ply	19/32"	4' x 8'	56	Yellow Pine
3/4" CD	23/32"	4' x 8'	46	Yellow Pine
3/4" Sturd-I-Floor T&G	23/32"	4' x 8'	48	Yellow Pine
1/2" CD Struc 1	15/32"	4' x 8'	70	Yellow Pine
5/8" CD Struc 1	19/32"	4' x 8'	56	Yellow Pine
3/4" BBOES Plyform	23/32"	4' x 8'	48	Yellow Pine

Features & Benefits:

-Premium mill quality – GP and Weyerhaeuser stock

-Mill direct quotes available





WATER BARRIER Code-approved WRB integrated onto facer

Item	SKU	Thickness	Size	Application	General Use
Thermo Ply Green	OX4_GRTP	.078″	4'x8', 9', 10'	Structural Sheathing	Moisture Barrier/Sheathing
Thermo Ply Red	OX4_RDTP	.113"	4'x8', 9', 10'	Structural Sheathing	Moisture Barrier/Sheathing
OX-IS Red	OXIS_	1/2"-2"	4'x8', 9', 10'	Structural Sheathing	Moisture Barrier/Sheathing
OX-CI Red	OXCI_	1/2"-2"	4'x8', 9', 10'	Structural Sheathing	Moisture Barrier/Sheathing
OX Seam Tape	OXTAPE		2.78"x165'	Seam Tape	N/A
OX Shield	OXSHIELD	.093"	4'x8'	Surface Protection	Surface Protection

Features & Benefits:

- -IRC & ICC Compliant exterior structural sheathing
- -Code Approved water resistive barrier eliminating the need for housewrap
- -High-performance alternative to OSB
- -Best in class air barrier performance
- -Stable pricing & lightweight

Sanded Plywood



Available Sizes:

Item	Thickness	Size	Unit Size	Species	Grade
3/8" BC	11/32"	4' x 8'	45	Yellw Pine	ВС
1/2" BC	15/32"	4'x8'	36	Yellw Pine	ВС
5/8" BC	19/32"	4' x 8'	29	Yellw Pine	ВС
3/4" BC	23/32"	4' x 8'	24	Yellw Pine	ВС
1/4" AC Radiata	1/4"	4' x 8'	160	Radiata Pine	AC
3/8" AC Radiata	11/32"	4' x 8'	108	Radiata Pine	AC
1/2" AC Radiata	15/32"	4' x 8'	80	Radiata Pine	AC
5/8" AC Radiata	19/32"	4' x 8'	65	Radiata Pine	AC
3/4" AC Radiata	23/32"	4' x 8'	49	Radiata Pine	AC
1" AC Radiata	31/32"	4' x 8'	39	Radiata Pine	AC
1/2" AC Fir	15/32"	4' x 8'	66	Douglas Fir	AC
3/4" AC Fir	19/32"	4' x 8'	44	Douglas Fir	AC


Features & Benefits:

-Excellent for painting and finished work like cabinetry and shelving

-Available in less than unit quantities

66

Pine Plywood Siding



Available Sizes:

Item	Thickness	Size	Unit Size	Species	Grade
3/8" 2" o.c. Beadboard	11/32"	4' x 8'	122	Radiata Pine	Premium
3/8" 8" o.c. T1-11	11/32"	4' x 8'	90	Pine	Premium & Deco
5/8" 4" o.c. T1-11	19/32"	4' x 8'	58	Pine	Premium & Deco
5/8" 8" o.c. T1-11	19/32"	4' x 8'	58	Pine	Premium & Deco
5/8" 12" o.c. RB&B	19/32"	4' x 8'	58	Pine	Premium & Deco

Features & Benefits:

-Easy to install shiplap panels

-Fully approved for exterior siding

-Available in both a premium and deco grade, and less than unit quantities

-Premium will have six repair patches or less and be both painted or stained. Deco grade has no limit on repair patches and will use a glue adhesive to fill gaps, holes, and voids and is generally intended to be painted.

Pressure Treated Plywood



Available Sizes:

ltem	Actual Thickness	Panel Size	Unit Size	Treatment
1/2" Treated	15/32"	4' x 8'	70	ССА
5/8" Treated	19/32"	4' x 8'	58	ССА
3/4" Treated	23/32"	4' x 8'	46	ССА

Features & Benefits:

-Premium CCA Treatment


-Prevents rot and decay – excellent for exterior or moist and damp applications

-Available in less than unit quantities



Forest Products Supply

Fire Treated Plywood





Available Sizes:

ltem	Application	Panel Size	Treatment	Edge Profile
1/2" CD	Interior	4' x 8'	Fire-Retardant	Square Edge
5/8" CD	Interior	4' x 8'	Fire-Retardant	Square Edge
3/4" CD	Interior	4' x 8'	Fire-Retardant	Square Edge
3/4" AC	Interior	4' x 8'	Fire-Retardant	Square Edge
3/4" SIF T&G	Interior	4' x 8'	Fire-Retardant	Tongue & Groove
1/2" CD	Exterior	4' x 8'	Fire-Retardant	Square Edge
5/8" CD	Exterior	4' x 8'	Fire-Retardant	Square Edge
3/4" CD	Exterior	4' x 8'	Fire-Retardant	Square Edge

Features & Benefits:

-Fully pressure impregnated treatment, no top-coatings or false protection

-Class A Fire Treated

-When exposed to fire, non-combustible gas and water vapor are produced and a layer of protective char forms

MDF Panels



Available Sizes:

Item	Actual Size	Brand	Unit Size	Density (Ibs/Sq Ft)	Moisture Content
1/2" MDF	1/2" x 49" x 97"	Roseburg Medite	48	45-55	4-6%
3/4" MDF	3/4" x 49" x 97"	Roseburg Medite	32	45-47	4-6%

Features & Benefits

-Premium MDF panels manufactured to exacting standards

-Commonly used for furniture, cabinets, door parts, store fixtures, toys & musical instruments

-Can be routed, cut, and ripped to size

-Perfectly flat surface that takes paint extremely well

James Hardie Fiber Cement Siding





Statement Collection

The statement collection is James Hardie's pre-finished siding and trim collection in their core colors. All statement items are in stock and ready for prompt shipment, including lap siding, shingles, panels, trim and soffit.

Primed Collection

The primed collection is James Hardie's siding and trim collection in a basic primed finish. Primed collection items are available in wide variety of substrates.

Dream Collection

The dream collection is James Hardie's custom color collection. All of James Hardie's substrates are available in over 700 different colors and can be special ordered to the piece in a quick three-week lead time.





Available Sizes:

Plank, Panel	, Shingle and	l Batten Color	Offering:
--------------	---------------	----------------	-----------

ARCTIC WHITE	COBBLE STONE	NAVAJO BEIGE	MONTEREY TAUPE	KHAKI BROWN	TIMBER BARK	PEARL GRAY	LIGHT MIST
GRAY SLATE	BOOTHBAY BLUE	EVENING BLUE	DEEP OCEAN	NIGHT GRAY	AGED PEWTER	IRON GRAY	MIDNIGHT BLACK
ltem	Description			Actual Size	Exposure	Pcs/Square	Unit Size
nem	Description		r		LAPOSUIC	i co/ oquare	
Lan Sidina	0 75" v 17' C	odarmil I an	c))5" v 1)'	7"	15	
Lap Siding	8.25" x 12' C	edarmil Lap	٤	3.25" x 12'	7"	15	210
Lap Siding Shingles	8.25" x 12' C Straight Edg			8.25" x 12' 8" x 15.25"	7"	<u>15</u> 43	
		e Shingles	4				210
Shingles	Straight Edg	e Shingles dge Shingles	4	8" x 15.25"	7"	43	210 2 Squares
Shingles Shingles	Straight Edg Staggered Ed	e Shingles dge Shingles oth Panel	4	8" x 15.25" 8" x 15.25"	7"	43 50	210 2 Squares 2 Squares
Shingles Shingles Panels	Straight Edg Staggered Ed 4' x 10' Smoo 4' x 10' Ceda	e Shingles dge Shingles oth Panel	44 44	8" x 15.25" 8" x 15.25" 4' x 10'	7"	43 50 2.5	210 2 Squares 2 Squares 50

Features & Benefits:

-All lap, shingles, panels, and battens are in stock and available in ALL 16 colors

-Available in job-pack and less than unit quantities



Trim Color Offering:

ARCTIC WHITE COBBLE STONE MONTEREY TAUPE MIDNIGHT BLACK

ltem	Description	Actual Size	Unit Size
Trim	5/4 x 4 Smooth Trim - Statement	1" x 3.5" x 12'	240
Trim	5/4 x 6 Smooth Trim - Statement	1" x 5.5" x 12'	160
Trim	5/4 x 8 Smooth Trim - Statement	1" x 7.25" x 12'	120
Trim	5/4 x 12 Smooth Trim - Statement	1" x 11.25" x 12'	80
Trim	4/4 x 8 Smooth Trim - Statement	0.75" x 7.25" x 12'	156
Trim	5/4 x 4 Rough Sawn Trim - Statement	1" x 3.5" x 12'	240
Trim	5/4 x 6 Rough Sawn Trim - Statement	1" x 5.5" x 12'	160
Trim	5/4 x 8 Rough Sawn Trim - Statement	1" x 7.25" x 12'	120
Trim	4/4 x 8 Rough Sawn Trim - Statement	0.75" x 7.25" x 12'	156
ltem	Description	Actual Size	Unit Size
Soffit	Cedarmill Vented - Statement *	12" x 12'	216
Soffit	Cedarmill Non-Vented - Statement *	12" x 12'	216

* Available in Arctic White, Cobble Stone, and Timber Bark

Features & Benefits:

-Pre-finished trim is available in six colors in both smooth and rough sawn trim

-Available in job-pack and less than unit quantities



	Prime	ed Lap Siding	Primed Lap Siding					
ltem	Description	SKU	Pcs/Square	Unit Size				
Lap Siding	5.25" X 12' Primed Cedarmill	HPLKCM5	25	360				
Lap Siding	6.25" X 12' Primed Cedarmill	HPLKCM6	20	308				
Lap Siding	7.25" X 12' Primed Cedarmill	HPLKCM7	17	252				
Lap Siding	8.25" X 12' Primed Cedarmill	HPLKCM8	15	230				
Lap Siding	9.25" X 12' Primed Cedarmill	HPLKCM9	13	190				
Lap Siding	12" X 12' Primed Cedarmill	HPLKCM12	10	152				
Lap Siding	5.25" X 12' Primed Smooth	HPLKSM5	25	360				
Lap Siding	6.25" X 12' Primed Smooth	HPLKSM6	20	308				
Lap Siding	7.25" X 12' Primed Smooth	HPLKSM7	17	252				
Lap Siding	8.25" X 12' Primed Smooth	HPLKSM8	15	230				
Lap Siding	9.25" X 12' Primed Smooth	HPLKSM9	13	190				
Lap Siding	12" X 12' Primed Smooth	HPLKSM12	10	152				
	Pri	imed Trim						
ltem	Description	SKU	Actual Size	Unit Size				
Trim	4/4 x 2.5" Smooth Batten	442BSSM	0.75" x 2.5" x 12'	360				
Trim	4/4 x 2.5" Rustic Batten	442BS	0.75" x 2.5" x 12'	360				
Trim	4/4 x 4" Smooth Primed	44412HT	0.75" x 3.5" x 12'	312				
Trim	4/4 x 6" Smooth Primed	44612HT	0.75" x 5.5" x 12'	208				
Trim	4/4 x 8" Smooth Primed	44812HT	0.75" x 7.25" x 12'	156				
Trim	4/4 x 12" Smooth Primed	441212HT	0.75" x 9.25" x 12'	104				
Trim	5/4 x 4" Smooth Primed	54412HT	1" x 3.5" x 12'	240				
Trim	5/4 x 6" Smooth Primed	54612HT	1" x 5.5" x 12'	160				
Trim	5/4 x 8" Smooth Primed	54812HT	1" x 7.25" x 12'	120				
Trim	5/4 x 12" Smooth Primed	541212HT	1" x 11.25" x 12'	80				
	Prii	med Soffit						
Description	Description	SKU	Actual Size	Unit Size				
Soffit	12" Smooth Solid	HSFTSM12	12" x 12'	200				
Soffit	16" Smooth Solid	HSFTSM16	16" x 12'	150				
Soffit	24" Smooth Solid	HSFTSM24	24" x 8'	100				
Soffit	12" Smooth Vented	HSFTSM12V	12" x 12'	200				
Soffit	16" Smooth Vented	HSFTSM16V	16" x 12'	150				
Soffit	24" Smooth Vented	HSFTSM24V	24" x 8'	100				
Soffit	16" Cedarmill Vented	HSFTWG16V	16" x 12'	150				



	Primed Pan	els		
Item	Description	SKU	Thickness	Unit Size
Panels	4' x 8' Smooth Panel - PRIMED	HPNLSM8	5/16"	50
Panels	4' x 9' Smooth Panel - PRIMED	HPNLSM9	5/16"	50
Panels	4' x 10' Smooth Panel - PRIMED	HPNLSM10	5/16"	50
Panels	4' x 8' Cedarmill Panel - PRIMED	HPNLCM8	5/16"	50
Panels	4' x 9' Cedarmill Panel - PRIMED	HPNLCM9	5/16"	50
Panels	4' x 10' Cedarmill Panel - PRIMED	HPNLCM10	5/16"	50
Panels	4' x 8' Sierra 8" O.C. Panel - PRIMED	HPNLS88	5/16"	50
Panels	4' x 9' Sierra 8" O.C. Panel - PRIMED	HPNLS89	5/16"	50
Panels	4' x 10' Sierra 8" O.C. Panel - PRIMED	HPNLS810	5/16"	50
Panels	4' x 8' Stucco Panel - PRIMED	HPNLST8	5/16"	50
Panels	4' x 9' Stucco Panel - PRIMED	HPNLST9	5/16"	50
Panels	4' x 10' Stucco Panel - PRIMED	HPNLST10	5/16"	50
	Primed Shing	gles		
ltem	Description	SKU	Thickness	Unit Size
Shingles	Straight Edge Shingles - PRIMED	HSHGSE	1/4"	2 Squares
Shingles	Staggered Edge Shingles - PRIMED	HSHGSTG	1/4"	2 Squares
Shingles	Half Round Shingles - PRIMED	HSHGHR	1/4"	2 Squares
	HardieBack	er		
ltem	Description	SKU	Thickness	Unit Size
Backer	1/4" 3' x 5' Hardiebacker	HB145	0.25"	60
Backer	1/2" (0.42" actual) 3' x 5' Hardiebacker	HB125	0.42"	50

WEBSITE LINK



Item	Description	Pcs/Square	Colors	Lead Time
Lap Siding	5.25" X 12' Cedarmill Lap - DREAM	25	All Dream Colors	3 Weeks
Lap Siding	6.25" X 12' Cedarmill Lap - DREAM	20	All Dream Colors	3 Weeks
Lap Siding	7.25" X 12' Cedarmill Lap - DREAM	17	All Dream Colors	3 Weeks
Lap Siding	8.25" X 12' Cedarmill Lap - DREAM	15	All Dream Colors	3 Weeks
Lap Siding	5.25" X 12' Smooth Lap - DREAM	25	All Dream Colors	3 Weeks
Lap Siding	6.25" X 12' Smooth Lap - DREAM	20	All Dream Colors	3 Weeks
Lap Siding	7.25" X 12' Smooth Lap - DREAM	17	All Dream Colors	3 Weeks
Lap Siding	8.25" X 12' Smooth Lap - DREAM	15	All Dream Colors	3 Weeks
Lap Siding	8.25" X 12' Beaded Smooth Lap - DREAM	15	All Dream Colors	3 Weeks
Shingles	Straight Edge Shingles - DREAM	1	All Dream Colors	3 Weeks
Shingles	Staggered Edge Shingles - DREAM	1	All Dream Colors	3 Weeks
Panels	4' X 8' Smooth Panel - DREAM	3.1	All Dream Colors	3 Weeks
Panels	4' X 8' Cedarmill Panel - DREAM	3.1	All Dream Colors	3 Weeks
Panels	4' X 10' Smooth Panel - DREAM	2.5	All Dream Colors	3 Weeks
Panels	4' X 10' Cedarmill Panel - DREAM	2.5	All Dream Colors	3 Weeks
Panels	4' X 8' Beaded Porch Panel - DREAM	3.1	All Dream Colors	3 Weeks
Battens	4/4 x 2.5" Smooth Batten - DREAM	-	All Dream Colors	3 Weeks
Battens	4/4 x 2.5" Rough Sawn Batten - DREAM	-	All Dream Colors	3 Weeks

ltem	Description	Actual Size	Colors	Lead Time
Trim	5/4 x 4 Trim - DREAM	1" x 3.5" x 12'	All Dream Colors	3 Weeks
Trim	5/4 x 6 Trim - DREAM	1" x 5.5" x 12'	All Dream Colors	3 Weeks
Trim	5/4 x 8 Trim - DREAM	1" x 7.25" x 12'	All Dream Colors	3 Weeks
Trim	5/4 x 10 Trim - DREAM	1" x 9.25" x 12'	All Dream Colors	3 Weeks
Trim	5/4 x 12 Trim - DREAM	1" x 11.25" x 12'	All Dream Colors	3 Weeks
Trim	4/4 x 4 Trim - DREAM	0.75" x 3.5" x 12'	All Dream Colors	3 Weeks
Trim	4/4 x 6 Trim - DREAM	0.75" x 5.5" x 12'	All Dream Colors	3 Weeks
Trim	4/4 x 8 Trim - DREAM	0.75" x 7.25" x 12'	All Dream Colors	3 Weeks
Trim	4/4 x 10 Trim - DREAM	0.75" x 9.25" x 12'	All Dream Colors	3 Weeks

Item	Description	Actual Size	Colors	Lead Time
Soffit	12" Cedarmill Non-Vented - DREAM	12" x 12'	All Dream Colors	3 Weeks
Soffit	16" Cedarmill Non-Vented - DREAM	16" x 12'	All Dream Colors	3 Weeks
Soffit	24" Cedarmill Non-Vented - DREAM	24" x 8'	All Dream Colors	3 Weeks
Soffit	12" Cedarmill Vented - DREAM	12" x 12'	All Dream Colors	3 Weeks
Soffit	16" Cedarmill Vented - DREAM	16" x 12'	All Dream Colors	3 Weeks
Soffit	24" Cedarmill Vented - DREAM	24" x 8'	All Dream Colors	3 Weeks

0.75" x 11.25" x 12'

All Dream Colors

WEBSITE LINK

3 Weeks

Trim

4/4 x 12 Trim - DREAM

Hardie Color Match Caulk & Touch Up Paint



Available Sizes:

Color	Touch Up Paint SKU	Caulk SKU	Color	Touch Up Paint SKU	Caulk SKU
ARCTIC WHITE	HPAWKP	HCAW	EVENING BLUE	HPEBKP	HCEB
COBBLESTONE	HPCSKP	HCCS	DEEP OCEAN	HPDOKP	HCDO
LIGHT MIST	HPLMKP	HCLM	MONTEREY TAUPE	НРМТКР	HCMT
PEARL GRAY	HPPGKP	HCPG	NAVAJO BEIGE	HPNBKP	HCNB
AGED PEWTER	НРАРКР	HCAP	KHAKI BROWN	НРКВКР	НСКВ
RICH ESPRESSO	HPREKP	HCRE	TIMBEBARK	НРТВКР	НСТВ
GRAY SLATE	HPGSKP	HCGS	HEATHERED MOSS	НРНМКР	HCHM
IRON GRAY	HPIGKP	HCIG	MOUNTAIN SAGE	HPMSKP	HCMS
BOOTHBAY BLUE	НРВВКР	НСВВ	COUNTRYLANE RED	HPCRKP	HCCR

Caulk Features & Benefits:


- -OSI Quad Caulk for exterior door, window, and siding applications
- -Color Matched to James Hardie Colors
- -UV & Water Resistant will not crack or yellow

-1 tube covers 29 lineal feet at 1/4" bead width, or 13 lineal feet at a 3/8" bead width

WEBSITE LINK

77

Gecko Gauges



Available Sizes:

SKU	PCS/ Packaging	Applicable Widths	Adjustable
GECKO	2	5.25"-9.25" Siding	Yes

Features & Benefits:


-Speeds up installation by 47%, according to studies


-Allows for a single person install of lap siding

-Adjustable: works with various siding widths

-Ensures a professional installation with perfect and exact spacing between boards

WEBSITE LINK





Item	SKU	Pad Size	Coverage	Hardie Colors
Gray Bear Skin	HSBG	50 pcs	4-5 Squares	Whites, Blues, Grays
Tan Bear Skin	HSBT	50 pcs	4-5 Squares	Tans & Taupes
Dark Brown Beark Skin	HSBDB	50 pcs	4-5 Squares	Browns

Features & Benefits:

-Peel and stick: Sheets are pre-cut with a stick-it adhesive for the fastest application possible.

-Portable: Clips to belt or tool pouch

-Durable: 20 year UV rating

-Prevents moisture from penetrating butt joint

-Low-cost option to professionally finish James Hardie siding jobs

GatorBar Rebar



Available Sizes:

ltem	SKU	Thickness	Length	Weight	Bundle Size
#3 GatorBar	GB3	3/8" (10mm)	20'	1.8 lbs/stick	25 pcs
#4 GatorBar	GB4	1/2" (13mm)	20'	3.3 lbs/stick	25 pcs
Bends					
Item		SKU	Thickness		Bundle Size
18" x 18" GatorBar 90 Bend		GB31890	3/8" (10mm)		25 pcs
24" x 24" GatorBar 90 Bend		GB32490	3/8" (10mm)		25 pcs

Features & Benefits:

-100% made in the USA

-More affordable, lighter, and stronger than traditional steel rebar

-Increases the lifespan of the concrete

-Price stability - pricing does not fluctuate like steel

-Completely rust resistant, even in high chloride and corrosive environments

-ICC certified for structural use


-#3 GatorBar is equivalent to #4 Steel

80

Tamlyn Mounting Blocks







Available Sizes:

Item	SKU	Color	Application
Tamlyn ExtremeBlock 6" x 8" Split Mount with 1" Hole	MB68SMAW	White/Primed	Electrical/Lighting
Tamlyn ExtremeBlock 6" x 8" Receptacle Box	MB68EBAW	White/Primed	Receptacle Box
Tamlyn ExtremeBlock 8" x 12" with 4" Round Hole	MB8124RAW	White/Primed	Dryer Vent

Features & Benefits:

-Provides proper moisture management around common mechanical openings

-Pairs well with James Hardie Siding

Boral TruExterior Trim

Boral TruExterior Trim

Build something great[™]

Available Sizes:

Item	Actual Size	Length	Unit Size	Finsih
1 x 4 TruExterior	0.75" x 3.5"	16'	208	Primed
1 x 6 TruExterior	0.75" x 5.5"	16'	128	Primed
1 x 8 TruExterior	0.75" x 7.25"	16'	96	Primed
1 x 10 TruExterior	0.75" x 9.25"	16'	80	Primed
1 x 12 TruExterior	0.75" x 11.25"	16'	64	Primed
5/4 x 4 TruExterior	1"x 3.5"	16'	156	Primed
5/4 x 6 TruExterior	1" x 5.5"	16'	96	Primed
5/4 x 8 TruExterior	1" x 7.25"	16'	72	Primed
5/4 x 10 TruExterior	1" x 9.25"	16'	60	Primed
5/4 x 12 TruExterior	1"x11.25"	16'	48	Primed
2 x 4 TruExterior	1.5" x 3.5"	16'	104	Primed
2 x 6 TruExterior	1.5" x 5.5"	16'	64	Primed
2 x 8 TruExterior	1.5" x 7.25"	16'	48	Primed
2 x 10 TruExterior	1.5" x 9.25"	16'	40	Primed
2 x 12 TruExterior	1.5" x 11.25"	16'	32	Primed
5/8 x 6 Beadboard	0.625" x 5.25"	16'	160	Primed
5/8 x 12 Beadboard	0.625" x 10.25"	16'	80	Primed

Features & Benefits:

-Cut. Fasten. Paint. Done.

-User friendly – can be taken straight to grade, approved for masonry contact, no need for flashing, and no need to prime field cut edges

-Can be routed, mitered, and detailed unlike any other exterior trim

BORAL®

Boral TruExterior Siding

Boral TruExterior Trim



Build something great[™]

Available Sizes:

	SKU	Nominal Size	Actual Size	Pcs/Square	Unit Size
Nickel Gap	BT1616NGSL	1 x 6 x 16	11/16" x 5-1/2" x 16'	14.3	128
/ Shiplap	BT1816NGSL	1 x 8 x 16	11/16" x 7-1/4" x 16'	10.7	96
	*BT1616VRS	1 x 6 x 16	11/16" x 5-1/2" x 16'	15.0	128
V-Rustic	BT1816VRS	1 x 8 x 16	11/16" x 7-1/2" x 16'	10.7	96
	*BT11016VRS	1 x 10 x 16	11/16" x 9-1/2" x 16'	8.3	80
	*BT1616CS	1 x 6 x 16	11/16" x 5-1/2" x 16'	15.0	128
Channel	BT1816CS	1 x 8 x 16	11/16" x 7-1/2" x 16'	10.7	96
	*BT11016CS	1 x 10 x 16	11/16" x 9-1/2" x 16'	8.3	80
Cove /	*BT1616CDS	1 x 6 x 16	11/16" x 5-1/2" x 16'	15.0	128
-	BT1816CDS	1 x 8 x 16	11/16" x 7-1/4" x 16'	11.1	96
Dutch	*BT11016CDS	1 x 10 x 16	11/16" x 9-1/4" x 16'	8.6	80
Channel	*BT1616CBS	1 x 6 x 16	11/16" x 5-1/2" x 16'	15.0	128
	*BT1816CBS	1 x 8 x 16	11/16" x 7-1/2" x 16'	10.7	96
Bevel	*BT11016CBS	1 x 10 x 16	11/16" x 9-1/2" x 16'	8.3	80

* Special Order, ~ 4 week lead time

Features & Benefits:

-Cut. Fasten. Paint. Done.

-Unique craftsman profiles that are historically accurate; unlike any other siding products available

-Installs with regular woodworking tools

83

Miratec Trim



Available Sizes:

Item	SKU	Actual Size	Lengths	Unit Size	Finish
1 x 2	12BM	0.75" x 2"	16'	168	Primed
1 x 3	13M	0.75" x 2.75"	16'	192	Primed
1 x 4	14M	0.75" x 3.5"	16'	144	Primed
1 x 6	16M	0.75" x 5.5"	16'	96	Primed
1 x 8	18M	0.75" x 7.25"	16'	72	Primed
1 x 10	110M	0.75" x 9.25"	16'	60	Primed
1 x 12	112M	0.75" x 11.25"	16'	48	Primed
1 x 16	116M	0.75" x 15.5"	16'	30	Primed
5/4 x 4	544M	1" x 3.5"	16'	108	Primed
5/4 x 6	546M	1" x 5.5"	16'	72	Primed
5/4 x 8	548M	1" x 7.25"	16'	54	Primed
5/4 x 10	5410M	1" x 9.25"	16'	45	Primed
5/4 x 12	5412M	1" x 11.25"	16'	36	Primed
5/4 x 16	5416M	1" x 15.5"	16'	24	Primed
5/8 x 3	583M	0.625" x 2.5"	16'	320	Primed
5/8 x 4	584M	0.625" x 3.5"	16'	240	Primed

Features & Benefits:

-Industry best 50-year warranty - resists moisture, rot and termites

-Half the cost of PVC and other premium composite trims

-Excellent woodgrain finish and pairs well with James Hardie siding

Royal PVC Trim



Available Sizes:

Item	Actual Size	Lengths	Unit Size	Texture	Packaging
1x4	0.75" x 3.5"	18'	117	Smooth/Woodgrain	Unwrapped
1x6	0.75" x 5.5"	18'	72	Smooth/Woodgrain	Unwrapped
1x8	0.75" x 7.25"	18'	54	Smooth/Woodgrain	Unwrapped
1x10	0.75" x 9.25"	18'	45	Smooth/Woodgrain	Unwrapped
1x12	0.75" 11.25"	18'	36	Smooth/Woodgrain	Unwrapped
1x16	0.75" x 15.25"	18'	27	Smooth/Woodgrain	Unwrapped
5/4x4	1" x 3.5"	18'	91	Smooth/Woodgrain	Unwrapped
5/4x6	1" x 5.5"	18'	56	Smooth/Woodgrain	Unwrapped
5/4x8	1" x 7.25"	18'	42	Smooth/Woodgrain	Unwrapped
5/4x10	1" x 9.25"	18'	35	Smooth/Woodgrain	Unwrapped
5/4x12	1" 11.25"	18'	28	Smooth/Woodgrain	Unwrapped

Features & Benefits:

-100% Cellular PVC with a lifetime Never Rot Warranty

-Moisture, termite, mold, and mildew resistant, and bendable for curved applications

-Pre-finished white, lightweight, and easy to work with

Royal PVC Trim

Wrapped PVC & Smooth/Smooth

1x4	0.75" x 3.5"	8', 12' 18'	118	Smooth/Woodgrain	Wrapped
1x6	0.75" x 5.5"	8', 12' 18'	72	Smooth/Woodgrain	Wrapped
1x8	0.75" x 7.25"	12' 18'	54	Smooth/Woodgrain	Wrapped
1x10	0.75" x 9.25"	18'	45	Smooth/Woodgrain	Wrapped
1x12	0.75" 11.25"	8', 12' 18'	36	Smooth/Woodgrain	Wrapped
5/4x4	1" x 3.5"	12', 18'	<i>90</i>	Smooth/Woodgrain	Wrapped
5/4x6	1" x 5.5"	12', 18'	56	Smooth/Woodgrain	Wrapped
5/4x8	1" x 7.25"	18'	42	Smooth/Woodgrain	Wrapped
5/4x10	1" x 9.25"	18'	35	Smooth/Woodgrain	Wrapped
5/4x12	1" 11.25"	18'	28	Smooth/Woodgrain	Wrapped
1x2	0.75" x 2"	18'	270	Smooth/Smooth	Unwrapped
1x4	0.75" x 3.5"	18'	118	Smooth/Smooth	Wrapped
1x6	0.75" x 5.5"	18'	72	Smooth/Smooth	Wrapped
1x8	0.75" x 7.25"	18'	54	Smooth/Smooth	Wrapped
1x10	0.75" x 9.25"	18'	45	Smooth/Smooth	Wrapped
1x12	0.75" 11.25"	18'	36	Smooth/Smooth	Wrapped
5/4x4	1" x 3.5"	18'	<u>90</u>	Smooth/Smooth	Wrapped
5/4x6	1" x 5.5"	18'	56	Smooth/Smooth	Wrapped
5/4x8	1" x 7.25"	18'	42	Smooth/Smooth	Wrapped
5/4x10	1" x 9.25"	18'	35	Smooth/Smooth	Wrapped
5/4x12	1" 11.25"	18'	28	Smooth/Smooth	Wrapped

Available Sizes:

Features & Benefits:

-Shrink wrapped to prevent dust dirt and debris during storage and on the jobsite

-100% Cellular PVC with a lifetime Never Rot Warranty

-Moisture, termite, mold, and mildew resistant, and bendable for curved applications

86

Royal PVC Panels & Beadboard



Available Panel Sizes:

Thickness	Width	Available Lengths	Texture
3/8"	4'	8', 10'	Smooth/Smooth
1/2"	4'	8', 10'	Smooth/Smooth
3/4"	4'	8', 10', 12'	Smooth/Smooth
1"	4'	8', 12'	Smooth/Smooth

Available Beadboard Sizes:

ltem	Actual Size	Lengths	Profile
Beaded Profile #9734	1/2" x 6"	16'	2.5" O.C. Bead
Beaded Profile #2352	3/8" x 5-1/2"	16'	1.55" O.C. Bead





Forest Products Supply

Royal PVC Mouldings

Royal I	PVC Mouldings	
Item	SKU	Profile 2448 Brick Mould
2" X 17' Brick Mould WM180 #2448	RMBRM17	1 1/4"
2" X 18' Brick Mould WM180 #2448	RMBRM18	2" 2853 Crown WM53
	RMCM3	9/18" 2 3/4" 2435 Crown WM49
3-5/8" x 16' WM49 Crown #2435	RMCM	9/16" 2592 Crown WM47 3 ⁵ /s"
4-5/8" x 16' WM47 Crown #2592	RMCM5	11/16" 7491 Crown WM45 4 5/6" 9/16"
5-1/4" x 16' WM45 Crown #7491	RMCM6	5 1/4" 7158 Rams Crown
16' Rams Crown #7158	RMRC	1 13/12* 7202 Rake Mould
16' Rake Mould WM287 #7202	RMRM	2598 Bed Mould WM75
16' Bed Mould WM75 #2598	RMBM	9/35" 2599 Shingle Mould WM210
16' Shingle Mould WM210 #2599	RMSM	11/12" 15/1" 2021 Scotia/Cove WM93
16' Scotia/Cove/ISC WM93 #2021	RMSCO	3/4" 2450 Base Cap WM164
16' Base Cap WM164 #2450	RMBC	11/16" 11/16"
16' 3/4" Quarter Round WM 105 #2689	RMQR	2689 Quarter Round WM105
_1-1/2" x 1-1/2" x 12' Square #2542	RMSQ12	1 1/2"
_16' Drip Cap #2449	RMDC	1 1/2" 2449 Drip Cap
16' Sill Nose #7631 (Historic Sill)	RMSN7631	1 ⁵ /8" 7631 Sill Nose
16' Sub Sill #2345	RMSN2345	2345 Sill Nose
16' Garage Door Thermo Stop #2149	RMGDS	1 1/2" 2149 Garage Door Stop
18' Deco Screen / Plant Mold Trim #9724	RM533PM18	11/16" 7/16" 2" 1 3/4"



WEBSITE LINK

Royal PVC Columns



Contrac	tor Series	Traditional Series		
6 x 6 6 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7	Capital	6 x 6 Ar - Capita - Capita - Capita - Capita		
12 x 12 79 	Base		Base	
Material	Actual Inside Dimension	Actual Outside Dimensio	n Length Fi	

ltem	Material	Actual Inside Dimension	Actual Outside Dimension	Length	Finish
6" x 6" Column Wrap	PVC	5-3/4" x 5-3/4"	6-3/4" x 6-3/4"	10'	Smooth
12" x 12" Column Wrap	PVC	10-1/4" x 10 -1/4"	11-1/4" x 11-1/4"	10'	Smooth

Contractor and Traditional Base & Cap are available for 6" Columns

Features & Benefits:

-Pre-assembled interlocking PVC Columns with a 25-year warranty

- -Packaged with a protective film wrap for protection from dirt and dust
- -Two different base and cap profiles available for 6" columns

Versetta Panelized Stone





Available Sizes:

Stone				
Item	Actual Size	Texture	Profile	Bundle Size
Plum Creek	8" High x 36" Wide	Ledgestone & Tight-Cut	Flat & Universal Corner	2 pcs (4 Sq Ft)/Bundle
Tera Rosa	8" High x 36" Wide	Ledgestone & Tight-Cut	Flat & Universal Corner	2 pcs (4 Sq Ft)/Bundle
Sterling	8" High x 36" Wide	Ledgestone & Tight-Cut	Flat & Universal Corner	2 pcs (4 Sq Ft)/Bundle
Mission Point	8" High x 36" Wide	Ledgestone & Tight-Cut	Flat & Universal Corner	2 pcs (4 Sq Ft)/Bundle
Northern Ash	8" High x 36" Wide	Ledgestone & Tight-Cut	Flat & Universal Corner	2 pcs (4 Sq Ft)/Bundle
Sand	8" High x 36" Wide	Ledgestone & Tight-Cut	Flat & Universal Corner	2 pcs (4 Sq Ft)/Bundle
Accessories				
Item	Actual Size	Color	Bundle Size	
Stone Wainscot Cap	36" Wide	Taupe, Charcoal, Stone Grey	2 pcs per Bundle	
PVC Wainscot Cap	16' Long	White, Taupe, Light Gray, Dark Gray	Sold Individually	
Trim Stone	8" High x 36" Wide	Taupe & Charcoal	2 pcs per Bundle	
Starter Strip	10' Long	Таире	Sold Individually	
J-Channel	10' Long	Таире	Sold Individually	
Light Box	10" High x 8" Wide	Таире	Sold Individually	
Receptacle Box	8" High x 6" Wide	Таире	Sold Individually	

Features & Benefits:

-Panelized stone system that installs like siding without the need for a mason

-Real concrete-based stone that has an authentic look and feel

-Installs for roughly \$20/square foot (\$16 for material, \$4 for labor)

LEDGESTONE

The rugged texture and purposeful irregularity offer an exposed and well-worn look that suggests years in the elements.

SPEED

TIGHT-CUT

The traditional look of quarried limestone fitted tightly together to emulate rural $19^{\rm th}$ century American architecture.



Ledgestone is the more popular selling style with two out of every three jobs going Ledgestone.

<section-header>DECRESENTATIONS SUSTINGImage: December of the problem of the pro

Mission Point, Plum Creek and Sterling are the most popular colors and are used on roughly 75% of jobs.

- Installs with screws or nails
 - No metal lath or scratch coat necessary to install
 - Panels interlock with tongue & groove system
 - Built-in rain screen
 - Pre-drilled weep holes allow water to escape
 - No seasonal restrictions on installation

Forest Products Supply

WEBSITE LINK

Versetta PVC Wainscot Cap





Available Sizes:

Color	SKU	Material	Length	Touch-Up Paint
White	RMVRWCW	Royal PVC	16'	-
Таире	RMVRWCT	Royal PVC	16'	RMPT - 4oz Bottle
Light Gray	RMVRWCLG	Royal PVC	16'	RMPLG - 4oz Bottle
Dark Gray	RMVRWCDG	Royal PVC	16'	RMPDG - 4oz Bottle

Features & Benefits:

-Huge project savings: nearly 1/10th the cost of the Stone Wainscot Cap

-Dramatically lowers overall cost of exterior wainscot projects


-Full 16' pieces that eliminate and reduce seems

-High quality Kynar factory finished paint


-Lightweight, durable, and easy to install

-Excellent transition to vinyl and lap siding

TigerDeck Rainscreen Siding



Profile:



Available Sizes:

ltem 1. C. Deinensen, Siding	Material	Actual Size	Available Lengths
1x6 Rainscreen Siding	TigerDeck	0.7" x 5.125"	8' - 14'
Accessories			
ltem	Brand	Coverage	
Rainscreen Clips & Screws	Viking Clip	235 Sq Ft	
Rainscreen Clips & Screws	Viking Clip	50 Sq Ft	

Features & Benefits:


-Modern and clean look, well suited for commercial and multi-family projects

-Extremely durable and tough (50+ year life expectancy)

-Simply clip system installation and beautiful natural color and grain

Log Cabin Siding





Available Sizes:

ltem	SKU	Lengths	Exposure	Coverage	Species
2x8 Log Cabin	28_LCS	12', 14', 16'	6-5/8"	181 LF/Square	SPF
2x8 Hand Hewn Log Cabin	28_HHLCS	16'	6-5/8"	181 LF/Square	SPF

Features & Benefits:

-Replicates the look of log cabin siding in an easy to install shiplap connection

-Milled out of an SPF whitewood

-The Hand Hewn is a more rustic look that replicates an axe cut with irregular cuts and hewns throughout

-Smooth Log Cabin has a 3/4" reveal between each piece and Hand Hewn is what is known as log to log

Primed Radiata Pine



Available Sizes:

ltem	SKU	Actual Size	Length	Unit Size	Species	Finish
1 x 4	1416PRPFJ	0.75" x 3.5"	16'	99	Clear FJ Radiata Pine	Double Primed
1 x 6	1616PRPFJ	0.75" x 5.5"	16'	63	Clear FJ Radiata Pine	Double Primed
1 x 8	1816PRPFJ	0.75" x 7.25"	16'	45	Clear FJ Radiata Pine	Double Primed
1 x 10	11016PRPFJ	0.75" x 9.25"	16'	36	Clear FJ Radiata Pine	Double Primed
1 x 12	11216PRPFJ	0.75" x 11.25"	16'	36	Clear FJ Radiata Pine	Double Primed
5/4 x 6	54616PRPFJ	1" x 5.5"	16'	40	Clear FJ Radiata Pine	Double Primed
5/4 x 12	541216PRPFJ	1" x 11.25"	16'	24	Clear FJ Radiata Pine	Double Primed
5/4 x 6 Stool	PWS	1" x 5.5"	14'	50	Clear FJ Radiata Pine	Double Primed
5/4 x 8 Stool	PWS8	1" x 7.25"	14'	36	Clear FJ Radiata Pine	Double Primed

Features & Benefits:

-Imported Chilean Radiata Pine

- -100% clear finger-jointed blocks
- -Double primed boards featuring oil based first coat and acrylic latex second coat

-Excellent for interior trim

-One year warranty on primer, 10 year on substrate glue

WEBSITE LINK

Clear S4S Solid Poplar



Available Sizes:

Item	SKU	Actual Size	Length	Unit Size	Species	Grade
1 x 4 Poplar	14PCB	0.75" x 3.5"	8'-16' R/L	250 BF	Poplar	Clear S4S Solid
1 x 6 Poplar	16PCB	0.75" x 5.5"	8'-16'R/L	250 BF	Poplar	Clear S4S Solid
1 x 8 Poplar	18PCB	0.75" x 7.25"	8'-16'R/L	250 BF	Poplar	Clear S4S Solid
<u>1 x 12 Poplar</u>	112PCB	0.75" x 11.25"	8'-16'R/L	250 BF	Poplar	Clear S4S Solid
5/4 x 6 Poplar	546PCB	1"x5.5"	8'-16'R/L	250 BF	Poplar	Clear S4S Solid
5/4 x 8 Poplar	548PCB	1" x 7.25"	8'-16' R/L	250 BF	Poplar	Clear S4S Solid
1 x 4 Pulled To Length	14_PCB	0.75" x 3.5"	8', 10, 12'	-	Poplar	Clear S4S Solid
1 x 6 Pulled To Length	16_PCB	0.75" x 5.5"	8', 10, 12'	-	Poplar	Clear S4S Solid

Features & Benefits

- -C&btr S4S will be a clear board with the rare pencil sized knot
- -Light, soft, and carpenter friendly wood that will easily cut and nail
- -High level of dimensional stability
- -Excellent for painting or staining
- -Great for trim work, stairs, cabinets, shelving, and more

Clear S4S Finger Joint Poplar



Available Sizes:

Item	SKU	Actual Size	Lengths	Unit Size	Species	Grade
1 x 4 FJ Poplar	14PCBFJ	0.75" x 3.5"	10'-16'	84 PCS	Poplar	Clear S4S FJ
1 x 6 FJ Poplar	16PCBFJ	0.75" x 5.5"	10' - 16'	48 PCS	Poplar	Clear S4S FJ
1 x 8 FJ Poplar	18PCBFJ	0.75" x 7.25"	10' - 16'	48 PCS	Poplar	Clear S4S FJ
1 x 12 FJ Poplar	112PCBFJ	0.75" x 11.25"	10' - 16'	48 PCS	Poplar	Clear S4S FJ
5/4 x 12 FJ Poplar	5412PCBFJ	1" x 11.25"	10' - 16'	32 PCS	Poplar	Clear S4S FJ

Features & Benefits

- -Clear blocks for excellent paint adhesion and appearance
- -Finger Jointed for prime lengths
- -Machines and cuts just like regular poplar
- -Great for trim work, cabinetry, and shelving
- -All material is S4S, square edge

WEBSITE LINK

C&btr Douglas Fir



Available Sizes:

Item	SKU	Actual Size	Lengths	Unit Size	Species	Grade
1 x 4 Clear Fir	14FCB	0.75" X 3.5"	6' - 20' R/L	1000 BF	Douglas Fir	Clear S4S
1 x 6 Clear Fir	16FCB	0.75" X 5.5"	6' - 20' R/L	1000 BF	Douglas Fir	Clear S4S
1 x 8 Clear Fir	18FCB	0.75" X 7.25"	6' - 20' R/L	1000 BF	Douglas Fir	Clear S4S
1 x 10 Clear Fir	110FCB	0.75" X 9.25"	6' - 20' R/L	1000 BF	Douglas Fir	Clear S4S
1 x 12 Clear Fir	112FCB	0.75" X 11.25"	6' - 20' R/L	1000 BF	Douglas Fir	Clear S4S
5/4 x 6 Clear Fir	546FCB	1" X 5.5"	6' - 20' R/L	1000 BF	Douglas Fir	Clear S4S
5/4 x 8 Clear Fir	548FCB	1" X 7.25"	6' - 20' R/L	1000 BF	Douglas Fir	Clear S4S
2 x 4 Clear Fir	24FCB	1.5" X 3.5"	6' - 20' R/L	1000 BF	Douglas Fir	Clear S4S
2 x 6 Clear Fir	26FCB	1.5" X 5.5"	6' - 20' R/L	1000 BF	Douglas Fir	Clear S4S
2 x 8 Clear Fir	28FCB	1.5" X 7.25"	6' - 20' R/L	1000 BF	Douglas Fir	Clear S4S
2 x 10 Clear Fir	210FCB	1.5" X 9.25"	6' - 20' R/L	1000 BF	Douglas Fir	Clear S4S
2 x 12 Clear Fir	212FCB	1.5" X 11.25"	6' - 20' R/L	1000 BF	Douglas Fir	Clear S4S

Features & Benefits:

-The highest quality C&btr Douglas Fir, excellent for exterior millwork

-All material is S4S, Mixed Grain, and Kiln Dried

-Sold in full units or job pack quantities

C&btr S4S Radiata Pine



Available Sizes:

ltem	Actual Size	Lengths	Grade	Species
1x6 Clear Pine	0.75" x 5.5"	12' & 16'	C&Btr	Radiata Pine
1x8 Clear Pine	0.75" x 7.25"	12' & 16'	C&Btr	Radiata Pine
1x12 Clear Pine	0.75" x 11.25"	12' & 16'	C&Btr	Radiata Pine

Features & Benefits:

-Imported from New Zealand and cut from some of the finest Radiata Pine in the world

-Clear stain of paint grade

-Available in prime 12' and 16' lengths

-Square edge corners

-Sold by the piece

Clear S4S Red Oak



Available Sizes:

Item	SKU	Actual Size	Lengths	Unit Size	Species	Grade
1 x 4 Clear Oak	14ROCB	0.75" X 3.5"	8' - 15' R/L	250 BF	Red Oak	Clear S4S
1 x 6 Clear Oak	16ROCB	0.75" X 5.5"	8' - 15' R/L	250 BF	Red Oak	Clear S4S
1 x 8 Clear Oak	18ROCB	0.75" X 7.25"	8' - 15' R/L	250 BF	Red Oak	Clear S4S
1 x 12 Clear Oak	112ROCB	0.75" X 11.25"	8' - 15' R/L	250 BF	Red Oak	Clear S4S
<u>1 X 12 Cieur Ouk</u>	112ROCB	0.75 × 11.25	0 - 13 N/L	230 DF	neu Ouk	CIEUT 343

1 x12 Oak Veneer 11216ROVB 0.75" X 11.25" 16' - Red Oak Clear Veneer

Features & Benefits:

-Clear S4S grade

-Stains exceptionally well

-Smooth surface with a mixed grain

-Great for stairs, trim work, baseboards, and more

WEBSITE LINK

Forest Products Supply

Fir Porch Flooring



Available Sizes:

Item	SKU	Actual Size	Lengths	Unit Size	Coverage	Grade
1 x 4 T&G Fir Flooring	14FFCBPL	23/32" x 3-1/8"	8' - 16' Evens	3000 LF	400 LF/SQ	C&btr Mixed Grain
1 x 4 T&G VG Fir Flooring	14FFCBV	23/32" x 3-1/8"	6' - 16' Random	3000 LF	400 LF/SQ	C&Btr Vertical Grain
1 x 4 T&G Fir Flooring Pulled To Length	14_FFCBPL	23/32" x 3-1/8"	8', 10', 12'	-	400 LF/SQ	C&btr Mixed Grain

Features & Benefits:

-100% premium clear Douglas Fir that Historically matches traditional porch flooring

-Mixed grain and vertical grain options

-Available in a random length mix, or 8' - 12' specified lengths

-400 lineal feet per 100 square feet of coverage


WEBSITE LINK

Fir Beaded Ceiling



Available Sizes:

ltem	SKU	Actual Size	Lengths	Unit Size	Coverage	Grade
1 x 4 Fir Beaded R/L	14FCCB	5/8" x 3-1/8"	6' - 20' R/L	3700 LF	400 LF/SQ	C&btr Mixed Grain
1 x4 Fir Beaded Specified	14_FCCB	5/8" x 3-1/8"	8', 10', 12'	-	400 LF/SQ	C&btr Mixed Grain



Features & Benefits:

- -100% premium clear Douglas Fir
- -Mixed grain C&btr stain grade
- -Available in a random length mix, or 8' or 12' specified lengths
- -400 lineal feet per 100 square feet of coverage

WEB<u>SITE LINK</u>

T&G Roof Decking





Available Sizes:

Item	SKU	Lengths	Profile	Exposure	Grade
2 x 6 Roof Decking	26_FCMWP4	12' - 20'	T&G WP4	4-7/8"	Select Struc F&L

Features & Benefits:

-Great for roof decking, loft floors, and outdoor patios

-Face coverage = 4-7/8", so factor 246 LF per square

-Select Struc grade for appearance and strength. Beautiful color, grain, and knot structure.

-Simple span of 6'-8' is easily achievable, but always check with local designs and load factors

TigerDeck Decking



Available Sizes:

Item	Actual Size	Lengths	Application
1x6 Grooved Decking	0.72" x 5.44"	8' - 20' R/L	Deck Boards
5/4x6 Grooved Decking	0.94" x 5.44"	6' - 20' R/L	Deck Boards
ltem	Actual Size	Lengths	Application
1x6 Smooth	0.72" x 5.44"	18'	Fascia/Risers
5/4x6 Smooth	0.94" x 5.44"	Varies	Fascia/Risers
5/4x8 Smooth	0.94" x 7.13"	Varies	Fascia/Risers
5/4x10 Smooth	0.94" x 9.13"	Varies	Fascia
5/4x12 Smooth	0.94" x 11.13"	Varies	Stepping/Jacks
4x4 Smooth	3.44" x 3.44"	Varies	Posts
2x4 Smooth	1.44" x 3.44"	Varies	Railing
5/4x6 Top Rail	0.94" x 5.44"	Varies	Railing
5/4x4 Sub Rail	0.94" x 3.44"	Varies	Railing
1x6 Reversable Porch Panel	0.75" x 5.12"	Varies	Porch Flooring
Item	Coverage	Application	
Bow Wrench		Installation	
Tiger Clips	100 Sq Ft @ 16" O.C.	Deck Clips	_
Tiger Clips 45 Degree Angle	100 Sq Ft @ 16" O.C.	Deck Clips	_
TigeDeck Plugs & Screws	100/Kit	Plugs & Screws	_
TigerDeck Countersink Bit		Drill Bit	_

TigerDeck Decking



Features & Benefits:

-South American Hardwood timber that is milled in USA


-Last 2-3 times longer than Cedar or Treated and comes with a 25 year warranty

-Half the cost of comparable IPE

-Naturally resistant to rot, insects and decay

-Incredibly dense and strong; 5/4" decking can span 24" O.C.

-Low maintenance and easy care



WEBSITE LINK

Forest Products Supply

Cutek




Available Size:

Item	SKU	Size	Coverage	Finish
Cutek UV Protectant	CUTEK	1 Gallon	600 - 800 Sq Ft	Clear
Tigertone Dye	CUTEKTT	3.2 Ounces	÷.	Tigerwood Tint

Features & Benefits:

-Protects from the effects of moisture – minimizes warping, cupping, and splitting

- -Protects from the inside out
- -Works with all exterior wood species and most engineered wood products
- -Tigertone is specially designed to match the natural color of TigerDeck



Zuri Premium PVC Decking



Available Sizes:

ltem	Actual Size	Profile	Lengths	Colors
5/4" x 6" Deck Board	1" x 5-1/2"	S4S & Grooved	12', 16', 20'	All Zuri Colors
12' Trim Board	3-1/2" x 2"	S4S & Grooved	12'	All Zuri Colors
12" Fascia Board	3/4" x 11-1/4"	<i>S4S</i>	12'	All Zuri Colors




Features & Benefits:

-Eye-catching color and grain that impeccably matches that of real exotic wood

-Extremely durable acrylic cap that is scratch, stain, fade, and moisture resistant

-Guaranteed resistance to UV light and color fade that is backed by a 25-year Color Fastness Warranty

-Multiple grain and color patterns to create natural variety and prevent repetition



Zuri PVC Decking is a one-of-a-kind decking product that uses state of the art technology to mimic the **real look and grain of exotic wood.**

Zuri embosses actual photos of real wood color and grain onto the deck board and protects it with a leading clear acrylic cap.

It's the first PVC decking product to perform as good as it looks.