

2024 CATALOG















THE LEADING WHOLESALE DISTRIBUTOR OF BUILDING MATERIALS IN THE MIDWEST









2024 Product Catalog

Welcome to our Product Catalog. We have compiled a comprehensive list of everything we stock and sell. It encompasses over 2,000 different products that are available every single day. Of course, we also have the ability to special order just about anything; if it's wood, we can source it.

We're a family-run company that's been in the wood products industry for over a hundred years, and we're currently on our third generation of family ownership and management.

Our whole philosophy is to source the best building materials in the world and provide quick and reliable access to them for any sized job, big or small.

Thank you for your support!



Page Guide

1.....8: Introduction

9.....12: Commodity Lumber Products

13.....17: Treated Lumber Products

18....20: Long Length Douglas Fir & Douglas Fir Timbers

21....38: OSB, Plywood, & Specialty Panels

39.....53: Boards, Pattern Stock

54.....71: Western Red Cedar

72.....83: Specialty Porch & Decking

84.....97: Engineered Wood - Featuring Trus Joist

98...108: James Hardie Siding, Trim, & Accessories

109..115: *Trim & PVC Products*

116..121: Affinity Panelized Stone, Accessories & Specialty Sidings

122..123: Concrete Forming Products



Product Brochure

Fast Facts:

- -30 Acres and 250,000 Sq Ft of Enclosed Warehouse Space
- -16 Sales Reps, 18 Drivers, 28 Yardmen, 3 Office Admins
- -23 Flatbeds, 3 Hotshot Trailers, 2 Roll-off Trailers
- -Over 2,000 SKU's in Inventory and On Ground
- -7 Midwest Distribution Centers in Total
- -Family Owned and Operated



Remanufacturing Facility

We have a full remanufacturing facility capable of Precision End Trimming lumber to exact lengths. We also have a comprehensive timber operation with state-of-the-art equipment that can resize and surface (S4S) both Douglas Fir and Western Red Cedar timbers.

P.E.T. Saw:





Beam Saw and Planer:





Our Website

http://www.fp-supply.com/st-louis-resources.html



Visit our website for more information on all of our products.

Simply go to www.fp-supply.com, and then go to resources and select St. Louis.

Here you'll have detailed access to all of our products. Every product page includes relevant information you're looking for, including available sizes, photos, videos, PDF's of installation guides, product brochures, MSDS sheets, specifier's guides, and more.

The best part is that everything is designed for the dealer to be able to share with their customers, so we don't include any pricing on these pages. Use this as a selling tool and share these product pages and links with your customers to help close sales. It's also a mobile friendly site, so you can access this on a jobsite with a smartphone or tablet.

We also have access to our price pages online via a user login page. With this, you can quote jobs at all hours of the day and have quick and easy access to all of our pricing.

Our Posters

https://www.fp-supply.com/fp-posters.html



We have created **New Posters** intended for product store signage.

Our new posters are designed to be both informative and eye-catching to help educate your customers and drive sales. They are available **free of charge** and are easy to put on a wall, cork board, countertop, etc.

If you would like to request some posters for your store, go to https://www.fp-supply.com/fp-posters.html and fill out our online form or call us at 314-961-6195.

The posters measure 20" x 30" and feature a QR code that can be scanned that takes the customer to our website for more comprehensive information.

Available Posters:

Pattern Stock	Affinity Stone
PVC Exterior Moulding	TigerDeck
Pine Plywood Siding	Deckorators Decking
Premium Boards	Douglas Fir Timbers
James Hardie	Cedar Timbers
James Hardie Artisan Siding	Cedar Shakes & Singles
WynnWood Boards	GatorBar

Stay Connected and Learn



https://www.youtube.com/@forestproductssupply

We post product videos, installation instructions, featured projects, and more on our YouTube channel. We plan to post regular Product Knowledge videos.



https://www.instagram.com/forest_products_supply/

We post content of our products being used in the field. This is a simple and easy way to see how material is used, learn about products, and see good work. We like to engage the whole supply chain and often repost content from suppliers, contractors, and builders. Sometimes, a picture is worth a thousand words.



http://eepurl.com/dvF2d5

We send out weekly marketing emails that highlight specific products. We tend to focus on the peripheral items and these emails are a quick and easy way to learn about what we stock, the features and benefits, general installation guidelines, and FAQ's. We also include a fun trivia question in every email.

SPF Studs & Dimensional Lumber



Available Stud Sizes:

Item	Unit Size	Premium	Selects/Market	FingerJoint
2x4x92-5/8"	294	\square	\square	
2x4x96"	294	✓		
2x4x104-5/8"	294		✓	✓
2x4x116-5/8"	294	✓		
2x6x92-5/8"	189	\blacksquare	\square	
2x6x96"	189	☑		
2x6x104-5/8"	189			⋈
2x6x116-5/8"	189		Ø	

⁻Special trim sizes are available via a custom cut program at our Kansas City facility

Available Dimensional Sizes:

Item	Unit Size	Lengths	4-Square	Hiline	MSR 1650	#2&btr
2 x 4	294	8' - 20'		$\overline{\checkmark}$		
2 x 6	189	8' - 20'		\checkmark		
2 x 8	147	8' - 20'				

2x4x16 Mercer "Silver Bullets" SPF





Available Sizes:

Item	Actual Size	Grade Stamp	Unit Size	Species	KD HT Stamp
2x4x16 Silver Bullets	1.5" x 3.5" x 16'	#3	294	Norway Spruce	Yes

- -Excellent value for price
- -Premium Norway Spruce fiber
- -Excellent for plate framing, concrete forming, bracing, shoring, railing, purlins, packaging, and crating
- -Vast majority of material within unit is premium 4-Square quality
- -Standard US dimensions with paper wrapped bundles of 294 pieces

Yellow Pine Dimension Lumber



Available Sizes:

Item	Unit Size	Lengths	#1 YP	#2 YP	MSR 2400
2 x 4	208	8' - 20'	$\overline{\checkmark}$	$\overline{\checkmark}$	
2 x 6	128	8' - 20'	$\overline{\checkmark}$	$\overline{\checkmark}$	V
2 x 8	96	8' - 20'	$\overline{\checkmark}$	$\overline{\checkmark}$	V
2 x 10	80	8' - 20'	$\overline{\checkmark}$		
2 x 12	64	8' - 20'	$\overline{\checkmark}$		V
4 x 4	52	8', 12', 16'		$\overline{\checkmark}$	

- -Superior strength to SPF and Douglas Fir; excellent for floor joist and roof trusses
- -We carry the deepest inventory of MSR 2400 Yellow Pine
- -Contact us for mill direct quotes





Available Sizes:

Item	Actual Size	Lengths	Grade	Finish	HT Stamp
4x4 Yellow Pine	3-1/2" x 3-1/2"	8' - 16'	#2	KD S4S	Yes
4x4 Douglas Fir	3-1/2" x 3-1/2"	8' - 12'	D Grade	KD S4S	No

- -Untreated 4x4 Timbers
- -#2 SYP is for crating, cribbing, and other industrial applications
- -D Grade Douglas Fir is a great option for furniture, mail boxes, railing, and craft projects

MCA Treated Lumber



Item	Grade	Lengths	Treatment	Color	Unit Size
2 x 4	#1 Yellow Pine	8'-16'	MCA Ground Contact	Green	104
2 x 6	#1 Yellow Pine	8'-20'	MCA Ground Contact	Green	64
2 x 8	#1 Yellow Pine	8'-20'	MCA Ground Contact	Green	48
2 x 10	#1 Yellow Pine	8'-20'	MCA Ground Contact	Green	40
2 x 12	#1 Yellow Pine	8'-20'	MCA Ground Contact	Green	32
5/4 x 6	Standard	8'-20'	MCA Ground Contact	Green	96
5/4 x 6	Premium	10' - 16'	MCA Ground Contact	Green	96
4 x 4	#2 Yellow Pine	8'-10'	MCA Ground Contact	Green	52
6 x 6	#2 Yellow Pine	8'-16'	MCA Ground Contact	Green	32

- -Available in less than unit and job-pack quantities
- -All MCA treated lumber is a .15 MCA Ground Contact treatment
- -Light green treatment that naturally fades with time

CCA Treated Timbers




Available Sizes:

Item	SKU	Lengths	Unit Size	Grade	Treatment
4 x 4 Treated	44_T2	8' - 16'	65	#2&btr SYP	.60 CCA Ground Contact
4 x 6 Treated	46_T2	8' - 20'	48	#2&btr SYP	.60 CCA Ground Contact
6 x 6 Treated	66_T2	8' - 24'	32	#2&btr SYP	.60 CCA Ground Contact
8 x 8 Treated	88_T2	8' - 20'	18	#2&btr SYP	.60 CCA Ground Contact

- -Strong .60 CCA Ground Contact treatment to prevent rot and decay
- -A true #2&btr grade with $\sim\!\!30\%$ meeting a #1 grade
- -Very high quality with four square edges and extremely limited splits
- -Available in less than unit and job-pack quantities
- -Custom sizes available on a special-order basis

Big V Tongue & Groove Treated



Item	Grade	Lengths	Treatment	Color	Unit Size
2 x 6 T&G	#1 Yellow Pine	12' & 16'	MCA Ground Contact	Green	64
2 x 8 T&G	#1 Yellow Pine	12' & 16'	MCA Ground Contact	Green	48

-Big V T&G allows boards to slide into place seamlessly despite any crook or bow

Treated Boards, Spindles, Fencing





Item	Grade	Lengths	Treatment	Color	Unit Size
1 x 6 Boards	#2 Yellow Pine	8', 12', 16'	MCA Ground Contact	Green	128
1 x 8 Boards	#2 Yellow Pine	12', 16'	MCA Ground Contact	Green	80
2 x 2 Spindles	#1 Yellow Pine	42", 8'	MCA Ground Contact	Green	360/192
1 x 6 Dog Ear	#2 Yellow Pine	6', 8'	MCA Ground Contact	Green	240
3 x 5 Landscape Timbers	#2 Yellow Pine	8'	MCA Ground Contact	Green	77

Fire Treated Lumber





Available Sizes:

			_		
Interi	or F	ıre	I rei	atea	1

Item	SKU	Lengths	Grade	Application
2 x 4 Interior Fire Treated	24_FT2	8', 10', 12', 16'	#2 Yellow Pine	Interior
2 x 6 Interior Fire Treated	26_FT2	8', 12', 16'	#2 Yellow Pine	Interior
2 x 8 Interior Fire Treated	28_FT2	12', 16'	#2 Yellow Pine	Interior
2 x 10 Interior Fire Treated	210_FT2	12', 16'	#2 Yellow Pine	Interior
2 x 12 Interior Fire Treated	212_FT2	12', 16'	#2 Yellow Pine	Interior

Exterior	Eiro	Troatod
EXCEITOR	riie	rreuteu

Item	SKU	Lengths	Grade	Application
2 x 4 Exterior Fire Treated	24_FTX2	12', 16'	#2 Yellow Pine	Exterior
2 x 6 Exterior Fire Treated	26_FTX2	12', 16'	#2 Yellow Pine	Exterior
2 x 8 Exterior Fire Treated	28_FTX2	16'	#2 Yellow Pine	Exterior
2 x 10 Exterior Fire Treated	210_FTX2	12', 16'	#2 Yellow Pine	Exterior
2 x 12 Exterior Fire Treated	212_FTX2	12', 16'	#2 Yellow Pine	Exterior

- -Available in both Interior and Exterior fire treated
- -Fully pressure impregnated treatment; no surface coatings
- -All board are individually stamped with fire treatment and rating

Premium Furring Strips



Available Sizes:

Item	SKU	Unit Size	Grade	Species
1 x 2 x 8	128FSP	648	Premium	SPF
1 x 3 x 8	138FSP	480	Premium	SPF
2 x 2 x8	228FSP	420	Premium	SPF

- -Available in full units or half packs
- -Premium grade with virtually no bark or wane
- -Paper wrapped and sub-bundled
- -Special order sizes and cuts are available in full unit quantities

Long Length Douglas Fir



Available Sizes:

Item	Lengths	Unit Size	Grade	Finish	Species
2 x 6	22' - 28'	189	#2&btr	Kiln Dried	Douglas Fir
2 x 8	22' - 28'	126	#2&btr	Kiln Dried	Douglas Fir
2 x 10	22' - 28'	105	#2&btr	Kiln Dried	Douglas Fir
2 x 12	22' - 28'	84	#2&btr	Kiln Dried	Douglas Fir

- -Available in less than unit quantities
- -Our longest available solid sawn material
- -Excellent for roof rafters or long floor joists

Douglas Fir Timbers






Available Sizes:

Item	Actual Size	Species	Grade	Lengths	Surface	Green/KD
4 x 4	4" x 4"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
4 x 6	4" x 6"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
4 x 8	4" x 8"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
4 x 10	4" x 10"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
4 x 12	4" x 12"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
6 x 6	6" x 6"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
6 x 8	6" x 8"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
6 x 10	6" x 10"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
6 x 12	6" x 12"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
6 x 16	6" x 16"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
8 x 8	8" x 8"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
8 x 12	8" x 12"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
8 x 16	8" x 16"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
10 x 10	10" x 10"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
12 x 12	12" x 12"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green

- -Premium appearance grade timber that is 100% Free of Heart Center and Free of Wane
- -Beautiful auburn coloring and even grain
- -#1 Grade for predictable strength bearing and spans
- -More affordable than comparable Western Red Cedar sizes
- -Available in custom sizes and in an S4S finish

Woodtone Structural Posts





Actual: 7 1/4" x 7 1/4" Inside: 4 1/4" x 4 1/4"



Actual: 5 1/2" x 5 1/2" Inside: 2 5/8" x 2 5/8"

Available Sizes:

Item	Actual Dimension	Lengths	Unit Size	Species	Texture	Finish
6 x 6 Primed SPF	5-1/2" x 5-1/2"	10' & 12'	45	SPF	Resawn	Primed
8 x 8 Primed SPF	7-1/4" x 7-1/4"	10' & 12'	28	SPF	Resawn	Primed
6 x 6 Cedar	5-1/2" x 5-1/2"	10' & 12'	45	Cedar	Resawn	Raw Cedar
O X O CEGUI	J-1/2 X J-1/2	10 & 12	43	Cedai	Nesuvii	nuw ceuur
8 x 8 Cedar	7-1/4" x 7-1/4"	10' & 12'	28	Cedar	Resawn	Raw Cedar

- -Engineered to eliminate heavy checking, splits, warp, twist, and bow
- -Lightweight and easy to position
- -Hollow core allows for electrical to be run through the post
- -Available in a primed and paint ready SPF, and a raw Western Red Cedar
- -Fully structural with load tables that can be designed into structural support posts

OSB Panels



Dimension	Unit Size	Rating
4'x8'	140	Exposure 1
4' x 8'	85	Exposure 1
4' x 8'	78	Exposure 1
4' x 8'	85	-
4' x 8'	78	Exposure 1
4' x 9'	82	Exposure 1
4' x 10'	87	Exposure 1
4' x 9'	78	Exposure 1
4'x8'	72	Exposure 1
4' x 8'	72	Exposure 1
4' x 8'	70	Exposure 1
4' x 8'	68	Exposure 1
4' x 8'	68	Struc-1
4' x 8'	63	Exposure 1
4' x 8'	54	Exposure 1
4' x 8'	54	Struc-1
4' x 8'	48	Exposure 1
4' x 8'	48	Exposure 1
4' x 8'	48	Exposure 1
4' x 8'	45	Exposure 1
4' x 8'	30	Exposure 1
	4'x8' 4'x8' 4'x8' 4'x8' 4'x8' 4'x8' 4'x9' 4'x10' 4'x9' 4'x8'	4'x8' 85 4'x8' 78 4'x8' 85 4'x8' 78 4'x8' 78 4'x9' 82 4'x10' 87 4'x9' 78 4'x8' 72 4'x8' 70 4'x8' 68 4'x8' 68 4'x8' 54 4'x8' 54 4'x8' 48 4'x8' 45

Edge Gold T&G Subfloor





Available Sizes:

Item	Panel Size	Unit Size	Fastner Grid	Drainage System
3/4" T&G	4' x 8'	48 pcs	Yes	Yes
Special Order:				
7/8" T&G	4' x 8'	39 pcs	Yes	Yes
1-1/8" T&G	4' x 8'	30 pcs	Yes	Yes

- -Pound for pound the best bang for your buck in sub-flooring
- -50 Year Warranty and a 200 day no-sand guarantee
- -Down Pore Drainage System ensures that water properly drains, protecting against edge swell and sanding before installing hardwood flooring or tile
- -Fastener Grid that ships face-up, ready for easy and accurate installation
- -Roughly 20% less than the cost of Advantech

Advantech T&G Subfloor





Available Sizes:

Item	Panel Size	Unit Size	PS2 Span	Fastener Grid
3/4" T&G	4' x 8'	45	24" O.C.	Yes
1-1/8" T&G	4' x 8'	30	48" O.C.	Yes
Special Order:				
7/8" T&G	4'x8'	40	32" O.C.	Yes

- -The #1 ranked sub-floor product for over a decade
- -Lifetime warranty and a 500-day no-sand guarantee
- -Three times the bending strength of commodity OSB for superior stiffness and reliability
- -A built-in 1/8" gap between each panel for proper spacing

Zip System Sheathing




Available Sizes:

Item	SKU	Panel Size	Unit Size	Color	Rating
7/16" - 8'	7168Z	4' x 8'	80	Green	Struc-1
7/16" - 9'	7169Z	4' x 9'	70	Green	Struc-1
7/16" - 10'	71610Z	4' x 10'	60	Green	Struc-1
1/2"	128Z	4' x 8'	70	Red	Struc-1
5/8"	588Z	4' x 8'	55	Red	Struc-1

- -Engineered with a built-in water and energy barrier
- -Installs 40% faster than traditional OSB with housewrap
- -Roughly \$190 in annual heating and cooling savings in the St. Louis area for an average sized home versus traditional OSB with housewrap
- -All panels are Struc-1 Rated

Zip System R-Sheathing



Available Sizes:

Item	SKU	Panel Size	Unit Size	R-Rating
7/16" R-3.6	15168Z	4' x 8'	32	0.5" Foam R-3.6
7/16" R-6.6	17168Z	4' x 8'	31	1" Foam R-6.6
7/16" R-9.6	R97168Z	4' x 8'	23	1.5" Foam R-9.6
7/16" R-12.6	R127168Z	4' x 8'	18	2" Foam R-12.6

- -Engineered with a built-in water and energy barrier for extremely good thermal efficiency
- -A one-piece panel for easy installation
- -All panels are Struc-1 Rated

Advantech Sub-Floor Adhesive











AdvanTech™ Subfloor Adhesive (6 cans/case)

AdvanTech™ Subfloor Adhesive Cleaner (6 cans/case)

AdvanTech™ Pro-Grade Foam Applicator Gun (4 guns/case)

AdvanTech™ Subfloor Adhesive Starter Kit

(1 starter kit = 6 cans adhesive, 1 can cleaner, 1 gun)

- -More cost-effective than traditional sub-floor adhesive
- -400 Lineal Foot of coverage per can (16 4x8 sheets)
- -10 Year Squeak-Free Guarantee when used with TJI Engineered Joists and Advantech T&G Sub-Floor
- -Can be installed in extreme temperature ranges; adheres to wet or frozen wood
- -Low odor & limited mess

Zip Tape & Flashing



SKU	Item Description	Unit of Sale
430ZT	4" x 30' Zip Tape	1 Roll
4ZT	4" x 90' Zip Tape	12 Rolls
6ZT	6" x 90' Zip Tape	4 Rolls
950ZT	9" x 50' Zip Tape	1 Roll
1250ZT	12" x 50' Zip Tape	1 Roll
320ZST	3" x 20' Zip *Stretch* Tape	1 Roll
620ZST	6" x 20' Zip *Stretch* Tape	1 Roll
6ZST	6" x 75' Zip *Stretch* Tape	1 Roll
1020ZST	10" x 20' Zip *Stretch* Tape	1 Roll
10ZST	10" x 75' Zip *Stretch* Tape	1 Roll
ZTG	Zip Tape Gun	1 Gun
ZTR	Zip Tape Roller	1 Roller
29ZLF	29 Ounce Zip Liquid Flash	1 Cartridge

4" Zip Tape Coverage One 90' roll will cover seven panels on average

- -Zip System yields an estimated 11% annual heating and cooling savings in the St. Louis market compared to a traditional house wrapped home
- -Tape can be applied in wet and dry conditions
- -30 year warranty with an allowable 180 day sun exposure
- -Incredibly versatile, and can be used for corners, valleys, window flashing, sills, ridges, and more

Zip Peel & Stick Underlayment



Available Sizes:

Item	Туре	SKU	Actual Size	Coverage
Zip Peel and Stick Underlayment	Standard	ZPS	3' x 66'	200 Sq Ft
Zip Peel and Stick Underlayment	High Temperature	ZPSHT	3' x 66'	200 Sq Ft

- -Use to meet code requirements for ice barrier or as a waterproofing roofing underlayment
- -High-performance self-adhered rubberized asphalt product that seals around nails
- -Protect areas at risk of leaks or water damage due to ice dams or wind-driven rain, such as at eaves and valleys, or entire roof application
- -Slip-resistant surface for ease of application
- -Leak-free Guarantee

Fir Plywood




Item	Thickness	Panel Size	Unit Size	Species
3/8" CDX	11/32"	4' x 8'	90	Douglas Fir
1/2" CDX 4-Ply	15/32"	4' x 8'	66	Douglas Fir
1/2" CDX 5-Ply	15/32"	4' x 8'	66	Douglas Fir
5/8" CDX 4-Ply	19/32"	4' x 8'	53	Douglas Fir
5/8" CDX 5-Ply	19/32"	4' x 8'	53	Douglas Fir
3/4" CDX	23/32"	4' x 8'	44	Douglas Fir
1" CDX	31/32"	4' x 8'	33	Douglas Fir
	-			
3/4" CD T&G	23/32"	4' x 8'	44	Douglas Fir
3/4" Sturd-I-Floor T&G	23/32"	4' x 8'	44	Douglas Fir
3/4" BB Plyform	23/32"	4' x 8'	44	Douglas Fir
1/2" ACX	15/32"	4' x 8'	66	Douglas Fir
1/2" AB Marine	15/32"	4' x 8'	66	Douglas Fir
3/4" ACX	23/32"	4' x 8'	44	Douglas Fir
3/4" AB Marine	23/32"	4' x 8'	44	Douglas Fir

- -Generally, less susceptible to warping and delamination than Yellow Pine
- -Strong, stiff, and durable excellent for roof sheathing or T&G subfloor

MDO & HDO Plywood





Available Sizes:

Item	Thickness	Panel Size	Unit Size	Species
1/2" MDO 1 Side	15/32"	4'x8'	66	Douglas Fir
1/2" MDO 2 Side	15/32"	4' x 8'	66	Douglas Fir
3/4" MDO 1 Side	23/32"	4' x 8'	44	Douglas Fir
3/4" MDO 2 Side	23/32"	4'x8'	44	Douglas Fir
1/2" HDO 1 Side	15/32"	4' x 8'	66	Douglas Fir
3/4" HDO 1 Side	23/32"	4' x 8'	44	Douglas Fir

- -MDO panels have a cardboard like fiber overlay that takes paint exceptionally well
- -MDO panels are commonly used for exterior signs
- -HDO panels have an extremely tough and durable resin impregnated fiber face
- -HDO panels are excellent for concrete forming and industrial applications with frequent chemical or gas contact
- -All MDO and HDO panels contain 100% water resistant adhesives

Yellow Pine Plywood



Available Sizes:

Item	Thickness	Size	Unit Size	Species
3/8" CD	3/8"	4'x8'	90	Yellow Pine
1/2" CD 4-Ply	15/32"	4'x8'	70	Yellow Pine
5/8" CD 4-Ply	19/32"	4'x8'	56	Yellow Pine
3/4" CD	23/32"	4' x 8'	46	Yellow Pine
3/4" Sturd-I-Floor T&G	23/32"	4'x8'	48	Yellow Pine
1/2" CD Struc 1	15/32"	4' x 8'	70	Yellow Pine
5/8" CD Struc 1	19/32"	4'x8'	56	Yellow Pine
3/4" BBOES Plyform	23/32"	4' x 8'	48	Yellow Pine

- -Premium mill quality GP, Hunt, and Weyerhaeuser stock
- -Mill direct quotes available

Yellow Pine Industrial Select Grade Plywood





Available Sizes:


Item	Actual Size	Unit Size	Species	Grade
3/8" Select Ply	3/8" 4' x 8'	90	Yellow Pine	Select
1/2" Select Ply	15/32" 4' x 8'	72	Yellow Pine	Select
5/8" Select Ply	19/32" 4' x 8'	58	Yellow Pine	Select
3/4" Select Ply	23/32" 4' x 8'	48	Yellow Pine	Select

- -Downfall Industrial grade plywood that has been manually re-sorted to pull out the best quality
- -Great overall value priced roughly 15-20% less than regular rated sheathing
- -Excellent option for packaging, crating, boxing, bins, plyform, simple construction, and other industrial applications
- -All panels will be within tolerance on thickness and have four good square edges

Sanded Plywood

AC Radiata BC Yellow Pine






Available Sizes:

Item	Thickness	Size	Unit Size	Species	Grade
3/8" BC	11/32"	4'x8'	45	Yellw Pine	ВС
1/2" BC	15/32"	4' x 8'	36	Yellw Pine	ВС
5/8" BC	19/32"	4' x 8'	29	Yellw Pine	ВС
3/4" BC	23/32"	4' x 8'	24	Yellw Pine	ВС
1/4" AC Radiata	1/4"	4' x 8'	160	Radiata Pine	AC
3/8" AC Radiata	11/32"	4' x 8'	108	Radiata Pine	AC
1/2" AC Radiata	15/32"	4' x 8'	80	Radiata Pine	AC
5/8" AC Radiata	19/32"	4' x 8'	65	Radiata Pine	AC
3/4" AC Radiata	23/32"	4' x 8'	49	Radiata Pine	AC
1" AC Radiata	31/32"	4'x8'	39	Radiata Pine	AC
1/2" AC Fir	15/32"	4' x 8'	66	Douglas Fir	AC
3/4" AC Fir	19/32"	4' x 8'	44	Douglas Fir	AC

- -Excellent for painting and finished work like cabinetry and shelving
- -Available in less than unit quantities

Pine Plywood Siding



Available Sizes:

Item	Thickness	Size	Unit Size	Species	Grade
3/8" 2" o.c. Beadboard	11/32"	4' x 8'	122	Radiata Pine	Premium
3/8" 8" o.c. T1-11	11/32"	4' x 8'	90	Pine	Premium & Deco
5/8" 4" o.c. T1-11	19/32"	4' x 8'	58	Pine	Premium & Deco
5/8" 8" o.c. T1-11	19/32"	4' x 8'	58	Pine	Premium & Deco
5/8" 12" o.c. RB&B	19/32"	4' x 8'	58	Pine	Premium & Deco

- -Easy to install shiplap panels
- -Fully approved for exterior siding
- -Available in both a premium and deco grade, and less than unit quantities
- -Premium will have six repair patches or less and be both painted or stained. Deco grade has no limit on repair patches and will use a glue adhesive to fill gaps, holes, and voids and is generally intended to be painted.

Pressure Treated Plywood



Available Sizes:

Item	Actual Thickness	Panel Size	Unit Size	Treatment
1/2" Treated	15/32"	4'x8'	70	MCA / CCA
5/8" Treated	19/32"	4' x 8'	58	MCA / CCA
3/4" Treated	23/32"	4'x8'	46	MCA / CCA

- -Premium MCA Treatment
- -Prevents rot and decay excellent for exterior or moist and damp applications
- -Available in less than unit quantities

Fire Treated Plywood





Available Sizes:

Item	Application	Panel Size	Treatment	Edge Profile
1/2" CD	Interior	4' x 8'	Fire-Retardant	Square Edge
5/8" CD	Interior	4'x8'	Fire-Retardant	Square Edge
3/4" CD	Interior	4'x8'	Fire-Retardant	Square Edge
3/4" AC	Interior	4'x8'	Fire-Retardant	Square Edge
3/4" SIF T&G	Interior	4' x 8'	Fire-Retardant	Tongue & Groove
1/2" CD	Exterior	4'x8'	Fire-Retardant	Square Edge
5/8" CD	Exterior	4'x8'	Fire-Retardant	Square Edge
3/4" CD	Exterior	4'x8'	Fire-Retardant	Square Edge

- -Fully pressure impregnated treatment, no top-coatings or false protection
- -Class A Fire Treated
- -When exposed to fire, non-combustible gas and water vapor are produced and a layer of protective char forms

MDF Panels





Available Sizes:

Item	Actual Size	Brand	Unit Size	Finish	Moisture Content
1/4" MDF	1/4" x 49" x 97"	Roseburg Medite	96	Raw MDF	4-6%
3/8" MDF	3/8" x 49" x 97"	Roseburg Medite	60	Raw MDF	4-6%
1/2" MDF	1/2" x 49" x 97"	Roseburg Medite	48	Raw MDF	4-6%
3/4" MDF	3/4" x 49" x 97"	Roseburg Medite	30	Raw MDF	4-6%

- -Premium MDF panels manufactured to exacting standards
- -Commonly used for furniture, cabinets, door parts, store fixtures, toys & musical instruments
- -Can be routed, cut, and ripped to size
- -Perfectly flat surface that takes paint extremely well

Exacor Panels



Available Sizes:

Item	Thickness	Panel Size	Pieces/Unit	Weight/Panel	Application
1/2" 4 x 8 Exacor	1/2"	48" x 96"	38	88 LBS	Underlayment/Sheathing
Special Order:					
Item	Thickness	Panel Size	Pieces/Unit	Weight/Panel	Application
5/8" 4 x 8 Exacor	5/8"	48" x 96"	28	118 LBS	Exterior Sheathing
5/8" 4 x 9 Exacor	5/8"	48" x 108"	25	133 LBS	Exterior Sheathing
5/8" 4 x 10 Exacor	5/8"	48" x 120"	24	147 LBS	Exterior Sheathing
1/2" 4 x 9 Exacor	1/2"	48" x 108"	33	99 LBS	Exterior Sheathing
1/2" 4 x 10 Exacor	1/2"	48" x 120"	32	110 LBS	Exterior Sheathing

Features & Benefits:

Underlayment

- -Speeds up construction time by two full weeks
- -Works better for high humidity environments, such as St. Louis
- -Streamlined ordering process
- -Major jobsite storage improvements

Exterior Sheathing

- -Meets fire code requirements
- -Streamlined ordering process
- -Available in 9' and 10' panels
- -Can be pre-assembled on wall panels for panelized construction

Boards and Pattern Stock

We've developed a portfolio of high-quality boards and pattern stock that are well designed, affordable, and easy to sell.

The WynnWood Boards and Pattern Stock Advantage

- -Premium Canadian ESLP that supersedes standard #2 grading rules
- $A~1/16^{th}$ micro-eased edge on all S4S boards, and the highest quality finish of any board or pattern stock in North America
- -Convenient unit sizes and excellent packaging and sub-bundling
- -The widest mix of available product and pattern for any conceivable project



Boards

- Premium #2 Canfor Wynnwood Premier
- Clear Finger Jointed Double Primed Radiata Pine



Nickel Gap/V-Groove

- Premium #2 WynnWood Premier
- Clear Finger Jointed Double Primed Radiata Pine



Carsiding

- Premium #2 WynnWood Premier and #3 Rustic Classic
- -1x6 and 1x8(8'-16')



Beaded

- Premium #2 WynnWood Premier
- 1x4 (12' & 16')

Canfor WynnWood Boards





Available Sizes:

Item	Lengths	Unit Size	Grade	Finish	Species
1 x 4	8' - 16'	280	#2 Premier	S4S Eased Edge	ESLP
1 x 6	8' - 16'	180	#2 Premier	S4S Eased Edge	ESLP
1 x 8	8' - 16'	140	#2 Premier	S4S Eased Edge	ESLP
1 x 10	8' - 16'	100	#2 Premier	S4S Eased Edge	ESLP
1 x 12	8' - 16'	80	#2 Premier	S4S Eased Edge	ESLP

- -The highest quality finish of any board in North America
- -Engelmann Spruce and Lodgepole Pine mix; small and limited knot structure
- -Supersedes NLGA or WWPA grades with 50% less wane, almost no blue stain and strict limits on end splits.
- -Micro-eased 1/16th-inch radius edge
- -All boards are end waxed and stamped KDHT

Primed Radiata Pine



Available Sizes:

Item	Actual Size	Lengths	Unit Size	Species	Grade	Finish
1 x 4 S4S	0.75" x 3.5"	12' & 16'	99	Radiata Pine	Clear FJ	Double Primed
1 x 6 S4S	0.75" x 5.5"	12' & 16'	63	Radiata Pine	Clear FJ	Double Primed
1 x 8 S4S	0.75" x 7.25"	12' & 16'	45	Radiata Pine	Clear FJ	Double Primed
1 x 10 S4S	0.75" x 9.25"	16'	36	Radiata Pine	Clear FJ	Double Primed
1 x 12 S4S	0.75" x 11.25"	12' & 16'	36	Radiata Pine	Clear FJ	Double Primed
5/4 x 6 S4S	1" x 5.5"	16'	42	Radiata Pine	Clear FJ	Double Primed
5/4 x 8 S4S	1" x 7.25"	16'	36	Radiata Pine	Clear FJ	Double Primed
5/4 x 12 S4S	1" x 11.25"	16'	24	Radiata Pine	Clear FJ	Double Primed

- -Imported Chilean Radiata Pine
- -100% clear finger-jointed blocks
- -Double primed boards featuring oil based first coat and acrylic latex second coat
- -Excellent for interior trim
- -One year warranty on primer, 10 year on substrate glue

#3 Common Boards



Available Sizes:

Item	Lengths	Unit Size	Grade	KDHT Stamp
1 x 4	8' - 16'	462	#3 PPLP	Yes
1 x 6	8' - 16'	336	#3 PPLP	Yes
1 x 8	8' - 16'	252	#3 PPLP	Yes
1 x 10	16'	210	#3 PPLP	Yes
1 x 12	8' - 16'	132	#3 PPLP	Yes

- -All #3 boards are Ponderosa Pine Lodgepole Pine mix and KDHT stamped
- -Excellent for concrete forming, industrial packaging and crating, and roofing
- -Sold in full units only

Industrial Boards





Available Sizes:

Item	Lengths	Mill	Grade	Species	HT Stamp
1x4	16'	WynnWood	#4 +	White Wood	Yes

- -A mill downfall grade that contains a good mix of #3 and even #2 grade boards
- -1x4 is an excellent solution for crating, roof purlins, and concrete forming
- -Excellent price and value compared to #3 boards
- -All boards are KDHT stamped


WP4/116 Carsiding



Available Sizes:

Item	Lengths	Unit Size	Exposure	Coverage	Grade	Pattern
1x6 Carsiding	8' - 16'	180	5"	240 LF/SQ	#2 Premier	WP4/116
1x8 Carsiding	8' - 16'	140	6.75"	180 LF/SQ	#2 Premier	WP4/116

Pine Beaded Ceiling




Available Sizes:

Item	Lengths	Unit Size	Exposure	Coverage	Grade	Pattern
1x4 Beaded	12' & 16'	280	3"	400 LF/SQ	#2 Premier	E&CB/WP4

Nickel Gap Shiplap







Available Sizes:

Item	Lengths	Unit Size	Exposure	Coverage	Grade	Finish
1x6 Primed Nickel Gap	16'	63	5"	240 LF/SQ	Clear FJ Radiata	Double Primed
1x8 Primed Nickel Gap	16'	45	6.75"	180 LF/SQ	Clear FJ Radiata	Double Primed
1x6 Raw Pine Nickel Gap	8' - 16'	180	5"	240 LF/SQ	#2 Premier	Raw Pine
1x8 Raw Pine Nickel Gap	8' - 16'	140	6.75"	180 LF/SQ	#2 Premier	Raw Pine

- -Raw Pine product is a #2 White Pine; can be stained, whitewashed, or painted
- -Clear primed product is a double primed finger jointed Radiata Pine

Woodtone Pre-Finished Wall & Ceiling


Two profiles to choose from.




Available Sizes:

Item	SKU	Actual Size	Lengths	Coverage	Species
1x6 V-Groove Pre-Finished	WT1616V	3/4" x 5-1/2"	16'	240 LF/SQ	#2 Prem ESLP
1x8 Shiplap Pre-Finished	WT1816SL	3/4" x 7-1/4"	16'	185 LF/SQ	#2 Prem ESLP







- -Pre-stained material making for a streamlined and efficient install
- -Premium #2 ESLP knotty substrate
- -End-matched and all 16' lengths
- -Intended for interior or protected exterior applications

Primed Centurion Finger Jointed Radiata Pine



Available Sizes:

Item	SKU	Lengths	Unit Size	Species	Finish
1 x 4 Centurion S4S	1416CFJ	16'	252	FJ Radiata Pine	Double Primed
1 x 6 Centurion S4S	1616CFJ	16'	147	FJ Radiata Pine	Double Primed
1 x 8 Centurion S4S	1816CFJ	16'	105	FJ Radiata Pine	Double Primed
1 x 12 Centurion S4S	11216CFJ	16'	84	FJ Radiata Pine	Double Primed
1 x 6 Centurion Beaded/V-Groove	1616CFJECB	16'	147	FJ Radiata Pine	Double Primed
1 x 8 Centurion Beaded/V-Groove	1816CFJECB	16'	105	FJ Radiata Pine	Double Primed
1 x 6 Centurion Nickel Gap T&G	1616CNG	16'	147	FJ Radiata Pine	Double Primed
1 x 8 Centurion Nickel Gap T&G	1816CNG	16'	105	FJ Radiata Pine	Double Primed

- -Manufactured from New Zealand Radiata Pine to the highest precision standard
- -Approved for exterior use and is backed by a 50-year warranty against fungal decay, rot, and insect attack.
- -Pre-coated with a 100% acrylic primer and UV sealant undercoat
- -One of the highest quality finishes for a pristine installed look
- -Installs just like wood and can be cut, fastened and installed with regular woodworking tools

Clear S4S Solid Poplar



Available Sizes:

Item	SKU	Actual Size	Lengths	Unit Size	Species	Grade
1 x 4 Poplar	14PCB	0.75" x 3.5"	8' - 16' R/L	250 BF	Poplar	Clear S4S Solid
1 x 6 Poplar	16PCB	0.75" x 5.5"	8' - 16' R/L	250 BF	Poplar	Clear S4S Solid
1 x 8 Poplar	18PCB	0.75" x 7.25"	8' - 16' R/L	250 BF	Poplar	Clear S4S Solid
1 x 12 Poplar	112PCB	0.75" x 11.25"	8' - 16' R/L	250 BF	Poplar	Clear S4S Solid
5/4 x 6 Poplar	546PCB	1" x 5.5"	8' - 16' R/L	250 BF	Poplar	Clear S4S Solid
5/4 x 8 Poplar	548PCB	1" x 7.25"	8' - 16' R/L	250 BF	Poplar	Clear S4S Solid
1 x 4 Pulled to Length	14_PCB	0.75" x 3.5"	8', 10', 12'	-	Poplar	Clear S4S Solid
1 x 6 Pulled to Length	16_PCB	0.75" x 5.5"	8', 10', 12'	-	Poplar	Clear S4S Solid
1 x 8 Pulled to Length	18_PCB	0.75" x 7.25"	8', 10', 12'	-	Poplar	Clear S4S Solid

- -C&btr S4S will be a clear board with the rare pencil sized knot
- -Light, soft, and carpenter friendly wood that will easily cut and nail
- -High level of dimensional stability
- -Excellent for painting or staining
- -Great for trim work, stairs, cabinets, shelving, and more

Clear S4S Finger Joint Poplar



Available Sizes:

Item	SKU	Actual Size	Lengths	Unit Size	Species	Grade
1 x 4 FJ Poplar	14PCBFJ	0.75" x 3.5"	10' - 16'	84 PCS	Poplar	Clear S4S FJ
1 x 6 FJ Poplar	16PCBFJ	0.75" x 5.5"	10' - 16'	48 PCS	Poplar	Clear S4S FJ
1 x 8 FJ Poplar	18PCBFJ	0.75" x 7.25"	10' - 16'	48 PCS	Poplar	Clear S4S FJ
1 x 12 FJ Poplar	112PCBFJ	0.75" x 11.25"	10' - 16'	48 PCS	Poplar	Clear S4S FJ
5/4 x 12 FJ Poplar	5412PCBFJ	1" x 11.25"	10' - 16'	32 PCS	Poplar	Clear S4S FJ

- -Clear blocks for excellent paint adhesion and appearance
- -Finger Jointed for prime lengths
- -Machines and cuts just like regular poplar
- -Great for trim work, cabinetry, and shelving
- -All material is S4S, square edge

C&btr Douglas Fir



Available Sizes:

Item	SKU	Actual Size	Lengths	Unit Size	Species	Grade
1 x 4 Clear Fir	14FCB	0.75" x 3.5"	6' - 20' R/L	1000 Board Feet	Douglas Fir	Clear S4S
1 x 6 Clear Fir	16FCB	0.75" x 5.5"	6' - 20' R/L	1000 Board Feet	Douglas Fir	Clear S4S
1 x 6 Nickel Gap/V2E	16FCBNG	0.75" x 5.25"	6' - 20' R/L	1000 Board Feet	Douglas Fir	Clear S4S
1 x 8 Clear Fir	18FCB	0.75" x 7.25"	6' - 20' R/L	1000 Board Feet	Douglas Fir	Clear S4S
1 x 10 Clear Fir	110FCB	0.75" x 9.25"	6' - 20' R/L	1000 Board Feet	Douglas Fir	Clear S4S
1 x 12 Clear Fir	112FCB	0.75" x 11.25"	6' - 20' R/L	1000 Board Feet	Douglas Fir	Clear S4S
5/4 x 6 Clear Fir	546FCB	1" x 5.5"	6' - 20' R/L	1000 Board Feet	Douglas Fir	Clear S4S
5/4 x 8 Clear Fir	548FCB	1" x 7.25"	6' - 20' R/L	1000 Board Feet	Douglas Fir	Clear S4S
2 x 4 Clear Fir	24FCB	1.5" x 3.5"	6' - 20' R/L	1000 Board Feet	Douglas Fir	Clear S4S
2 x 6 Clear Fir	26FCB	1.5" x 5.5"	6' - 20' R/L	1000 Board Feet	Douglas Fir	Clear S4S
2 x 8 Clear Fir	28FCB	1.5" x 7.25"	6' - 20' R/L	1000 Board Feet	Douglas Fir	Clear S4S
2 x 10 Clear Fir	210FCB	1.5" x 9.25"	6' - 20' R/L	1000 Board Feet	Douglas Fir	Clear S4S
2 x 12 Clear Fir	212FCB	1.5" x 11.25"	6' - 20' R/L	1000 Board Feet	Douglas Fir	Clear S4S

- -The highest quality C&btr Douglas Fir, excellent for exterior millwork
- -All material is S4S, Mixed Grain, and Kiln Dried
- -Sold in full units or job pack quantities

C&btr S4S Radiata Pine



Available Sizes:

Item	Actual Size	Lengths	Grade	Species
1 x 4 Clear Pine	0.75" x 3.5"	Varies	C&Btr	Radiata Pine
1 x 6 Clear Pine	0.75" x 5.5"	Varies	C&Btr	Radiata Pine
1 x 8 Clear Pine	0.75" x 7.25"	Varies	C&Btr	Radiata Pine
1 x 12 Clear Pine	0.75" x 11.25"	Varies	C&Btr	Radiata Pine

- -Imported from New Zealand and cut from some of the finest Radiata Pine in the world
- -Clear stain of paint grade
- -Available in prime 12' and 16' lengths

Clear S4S Red Oak




Available Sizes:

Item	SKU	Actual Size	Lengths	Unit Size	Species	Grade
1 x 4 Clear Oak	14ROCB	0.75" X 3.5"	8' - 15' R/L	250 BF	Red Oak	Clear 545
1 x 6 Clear Oak	16ROCB	0.75" X 5.5"	8' - 15' R/L	250 BF	Red Oak	Clear S4S
1 x 8 Clear Oak	18ROCB	0.75" X 7.25"	8' - 15' R/L	250 BF	Red Oak	Clear S4S
1 x 12 Clear Oak	112ROCB	0.75" X 11.25"	8' - 15' R/L	250 BF	Red Oak	Clear 545

- -Clear S4S grade
- -Stains exceptionally well
- -Smooth surface with a mixed grain
- -Great for stairs, trim work, baseboards, and more

Log Cabin Siding





Available Sizes:

Item	SKU	Lengths	Exposure	Coverage	Species
2x8 Log Cabin	28_LCS	12', 14', 16'	6-5/8"	181 LF/Square	SPF
2x8 Hand Hewn Log Cabin	28_HHLCS	16'	6-5/8"	181 LF/Square	SPF

- -Replicates the look of log cabin siding in an easy to install shiplap connection
- -Milled out of an SPF whitewood
- -The Hand Hewn is a more rustic look that replicates an axe cut with irregular cuts and hewns throughout
- -Smooth Log Cabin has a 3/4" reveal between each piece and Hand Hewn is what is known as log to log

Western Red Cedar



Cedar is in our DNA, and we focus only on sourcing highquality material from the best manufacturers in the world.

Factors we look for are:

Fiber Quality – We stock premium coastal Western Red Cedar

Color – *The darker and richer, the better*

Texture & Grain – We want to showcase the natural beauty of Cedar

Assortment – We have the deepest inventory of on-ground Cedar

Our Proud Partners:





Cedar Decking



Interfor Regal AK Architect Knotty Decking



Available Sizes:

Item	Actual Size	Lengths	Species	Grade	Finish
2 x 4 KD Regal	1-9/16" x 3-9/16"	8' - 16'	Western Red Cedar	Architectural Knotty	Kiln Dried
2 x 6 KD Regal	1-9/16" x 3-9/16"	8' - 20'	Western Red Cedar	Architectural Knotty	Kiln Dried

- -Coastal Western Red Cedar milled in British Columbia
- -The premier Architectural Knotty decking in the Midwest
- -Kiln Dried decking: more dimensionally stable, easier to stain, and lighter
- -Beautiful rich auburn color with tight uniform grain
- -Contains natural oils and resins that make it resistant to rot, decay, and insects
- -All knots are sound and tight, maximum knot size = $2^{7/8"}$ and wane is strictly limited to the reverse face only

5/4 x 6 Western Red Cedar Decking



Available Sizes:

Item	Actual Size	Lengths	Species	Grade
5/4 x 6 Cedar	1-1/32" x 5-1/2"	8' - 20'	Western Red Cedar	Architectural Knotty

- -Roughly 25% less than 2x6 Cedar decking
- -Contains natural oils and resins that make it resistant to rot, decay, and insects
- -All knots are sound and tight
- -Maximum knot size = $2^{3/4}$

Cedar Boards





Available Sizes:

Item	Actual Size	Lengths	Finish	Grade
1x4	3/4" x 3-9/16"	8'-20'	Smooth/Rough	Appearance
1x6	3/4" x 5-9/16"	8'-20'	Smooth/Rough	Appearance
1x8	3/4" x 7-3/8"	8'-20'	Smooth/Rough	Appearance
1x10	3/4" x 9-3/8"	8'-20'	Smooth/Rough	Appearance
1x12	3/4" x 11-3/8"	8'-20'	Smooth/Rough	Appearance

- -True Western Red Cedar milled in British Columbia
- -Appearance Grade no-hole knotty boards; straight, uniform grain and even texture
- -"No Prior Select" meaning that grades are *not pulled out* during production
- -S1S2E (smooth one side, two edges)

Cedar Timbers





Available Sizes:

Item	Actual Size	Lengths	Grade	KD/Green
4 x 4 Rough	3-11/16" x 3-11/16"	8' - 16'	Appearance	Green
4 x 6 Rough	4" x 6"	8' - 20'	Appearance	Green
4 x 8 Rough	4" x 8"	8' - 20'	Appearance	Green
4 x 10 Rough	4" x 10"	8' - 20'	Appearance	Green
4 x 12 Rough	4" x 12"	8' - 20'	Appearance	Green
6 x 6 Rough	6" x 6"	8' - 20'	Appearance	Green
6 x 8 Rough	6" x 8"	8' - 20'	Appearance	Green
6 x 12 Rough	6" x 12"	8' - 24'	Appearance	Green
8 x 8 Rough	8" x 8"	8' - 20'	Appearance	Green
8 x 12 Rough	8" x 12"	8' - 20'	Appearance	Green
10 x 10 Rough	10" x 10"	8' - 24'	Appearance	Green
12 x 12 Rough	12" x 12"	8' - 24'	Appearance	Green
4 x 4 Smooth	3-11/16" x 3-11/16"	8' - 16'	Appearance	Green
6 x 6 Smooth	5-1/2" x 5-1/2"	8' - 20'	Appearance	Green

- -Premium coastal Western Red Cedar milled in British Columbia
- -Appearance grade no hole knotty cedar with four square edges
- -Great for both interior appearance applications, and exterior structural posts/beams

Cedar Dimensional



Available Sizes:

Item	Actual Size	Lengths	KD/Green	Grade
2x2 Smooth	1-9/16" x 1-9/16"	3', 4', 8'	Green	Interfor Regal A.K.
2x4 Smooth	1-9/16" x 3-9/16"	8' - 20'	Green	Interfor Regal A.K.
2x6 Smooth	1-9/16" x 5-9/16"	8' - 20'	Green	Interfor Regal A.K.
2x8 Smooth	1-9/16" x 7-3/8"	8' - 20'	Green	Interfor Special
2x10 Smooth	1-9/16" x 9-3/8"	8' - 20'	Green	Interfor Special
2x12 Smooth	1-9/16" x 11-3/8"	8' - 16'	Green	Interfor Special
2x4 Rough	1-3/4" x 3-3/4"	8' - 20'	Green	Interfor Special
2x6 Rough	1-3/4" x 5-3/4"	8' - 20'	Green	Interfor Special
2x8 Rough	1-3/4" x 7-3/4"	8' - 20'	Green	Interfor Special
2x10 Rough	1-3/4" x 9-3/4"	8' - 20'	Green	Interfor Special
2x12 Rough	1-3/4" x 11-3/4"	8' - 20'	Green	Interfor Special

- -Premium coastal Western Red Cedar milled in British Columbia
- -All Cedar is a no-hole knotty appearance grade with extremely limited wane
- -Rough cedar is a full rough cut and run through a rougher header for a high-quality appearance

Cedar Split Rail Fencing



Item	Length	Girth	Species	Unit Size
10' Split Rail	10'	12" - 14"	Red Cedar	155
2-Hole Line Post	64"	18"+	Red Cedar	72
2-Hole Corner Post	64"	18"+	Red Cedar	72
2-Hole End Post	64"	18"+	Red Cedar	72
3-Hole Line Post	78"	18"+	Red Cedar	72
3-Hole Corner Post	78"	18"+	Red Cedar	72
3-Hole End Post	78"	18"+	Red Cedar	72

2-Hole posts are 34"-40" tall once installed. 3-Hole posts are 48"-54" tall once installed

Cedar Dog Ear Fencing



Item	SKU	Actual Size	Finish	Unit Size	Species
3/4" x 6' Dog Ear	166CDE	3/4" x 5-1/2" x 6'	Rough/Rough	336	Western Red
5/8" x 6' Dog Ear	5866CDJ	5/8" x 5-1/2" x 6'	Rough/Rough	528	Japanese Sugi

Modern Horizontal Cedar Fencing









Item	Size	Species	Qty per 8' Section
Line Post	4x4x8	Western Red Cedar	1 piece
Middle Support Post	2x4x8	Western Red Cedar	1 piece
Horizontal Boards	1x6x8	Western Red Cedar	13 pieces
Top Cap (optional)	1x6x8	Western Red Cedar	1 piece
Fascia (optional)	1x4x8	Western Red Cedar	1 piece

- -Creates a modern and sophisticated look, perfect for restaurants and patios
- -Long lasting, easy to maintain, and fast installation

Primed Cedar Bevel Siding




Available Sizes:

Item	Actual Size	Lengths	Exposure	Finish	Grade	Seasoning
1/2" x 6" Primed Bevel	1/2" x 5-3/8"	16'	4"	Primed	Clear VG FJ	Kiln Dried

- -Cedar bevel siding in prime 16' lengths
- -Pre-primed and ready to paint
- -Fully reversible, rough sawn face, smooth backside
- -Lightweight and easy to install

Cedar Bevel Siding



Item	Exposure	Coverage	Lengths	Kiln Dried	Grade
1/2" x 6"Clear	4"	300 LF/SQ	3' - 20' R/L	Yes	Clear
1/2" x 8" Clear	6"	200 LF/SQ	3' - 20' R/L	Yes	Clear
3/4" x 8" Knotty	6"	200 LF/SQ	8' - 20'	Yes	Arch. Knotty
3/4" x 10" Knotty	8"	150 LF/SQ	8' - 20'	Yes	Arch. Knotty

- -Premium coastal Western Red Cedar siding milled in British Columbia
- -Contains natural oils and resins that make it resistant to rot, decay, and insects
- -Kiln dried, lightweight, and easy to work with

Cedar V-Joint Siding






Available Sizes:

Item	Actual Size	Finish	Coverage	Lengths	KD/Green	Grade
1x6 V-Joint	11/16" x 5-3/8"	Smooth/Rough	240 LF/SQ	8' - 20'	KD	Architect Knotty
1x8 V-Joint	11/16" x 7-3/8"	Smooth/Rough	180 LF/SQ	8' - 20'	KD	Architect Knotty

Cedar Channel Siding





Available Sizes:

Item	Exposure	Finish	Coverage	Lengths	KD/Green	Grade
1x8 Channel	6-1/4"	Rough	195 LF/SQ	8' - 20'	KD	Architect Knotty
1x10 Channel	8-1/4"	Rough	145 LF/SQ	8' - 20'	KD	Architect Knotty


Cedar Nickel Gap

Rough Face



Smooth Face





Elite Fineline (1/8th Gap) Paneling

Available Sizes:

Item	Lengths	Exposure	Coverage	Finish	Species
1x6 Fineline	8' - 16'	5"	240 LF/SQ	Smooth/Rough	Western Red Cedar
1x8 Fineline	8' - 16'	6-3/4"	180 LF/SQ	Smooth/Rough	Western Red Cedar

- -Modern tongue & groove profile with a built-in 1/8" nickel gap
- -Premium coastal Western Red Cedar
- -Reversible product with a rough sawn face and smooth back

Wavy Edge Cedar Siding



Available Sizes:

Item	Actual Dimension	Lengths	Exposure	Coverage
1x10 Wavy Edge	15/16" x 10"	8' -16'	7.5"	160 LF/SQ

- -Coastal Western Red Cedar milled in British Columbia
- -Tight-knot appearance grade
- -Natural and variable wavy edge for an authentic rustic look

Shakertown Cedar Panel Siding






Available Sizes:

Item	Size	Coverage	Finish
7" Even Butt Keyway Style	7" Face x 8' Panel	22 Pcs/Square	Raw Cedar

- -Strikingly beautiful and professional look
- -Pre-assembled panel with the highest quality Cedar Shingle
- -Even butt and keyway style for clean modern age look
- -Self aligning, blind nailing line, and overlapping end joint for fast and easy installation
- -Can be special ordered with a factory finish stain

Rainscreen





Available Sizes:

Item	SKU	Thickness	Actual Size	Coverage
Rainscreen	SLICKER	6mm	.25" x 39.37" x 46.5'	150 Sq Ft
Rainscreen WRB	SLICKERHP	6mm	.25" x 39.37" x 61.5'	200 Sq Ft

- -Provides protection for wall systems by eliminating moisture between siding and sheathing (Recommended for wood siding but is compatible with fiber cement, vinyl, manufactured stone, stucco, and metal)
- -Patented vertical channels direct the bulk of moisture out of the wall assembly (make sure the slicker is installed with the vertical channels oriented up and down so water is able to escape)
- -Slicker HP contains a commercial grade housewrap layer for an easy one piece install
- -Reduces premature peeling or blistering of siding
- -Eliminates the need for furring strips
- -Separates the cladding from water resistive barrier


Cedar Shakes



Available Sizes:

Item	Length	Thickness	Exposure	Grade	Coverage
Medium Shakes	24"	1/2" - 3/4"	10"	#1 Grade	20 Sq Ft/Bundle
Heavy Shakes	24"	3/4" - 5/4"	10"	#1 Grade	20 Sq Ft/Bundle
Heavy Class C Fire Treated	24"	3/4" - 5/4"	10"	#1 Grade	20 Sq Ft/Bundle
Heavy CCA Treated	24"	3/4" - 5/4"	10"	#1 Grade	20 Sq Ft/Bundle

- -Shakes are hand-split to leave a less uniform more natural and rustic look
- -Cedar Shake & Shingle Bureau Certified #1 Blue Label Quality the absolute best
- -Available in raw Cedar, Class C Fire Treated, or CCA Treated
- -24" long with a 10" exposure varying widths 4" 14" wide




Available Sizes:

			Roof		W	'all
Item	Length	Grade	Exposure	Coverage	Exposure	Coverage
		#1 Blue Label				
16" Fivex	16"	100% Edge Grain	5"	25 Sq Ft	7"	33 Sq Ft
		#1 Blue Label				
18" Perfections	18"	100% Edge Grain	5.5"	25 Sq Ft	7.5"	33 Sq Ft
		#1 Blue Label				
24" Royals	24"	100% Edge Grain	7.5"	25 Sq Ft	10.5"	33 Sq Ft

- -Shingles are uniformly sawn for a consistent and even thickness and provide a uniform machine-like look
- -Cedar Shake & Shingle Bureau Certified #1 Blue Label Quality the absolute best
- -Can be used for booth roofing and sidewalls
- -Varying widths ranging from 3"-14" wide; average width is 6"-8" wide

Cedar Shake & Shingle Accessories





Available Sizes:

Item	Length	Grade	Coverage
		#1 Blue Label	
Hip & Ridge	24"	100% Edge Grain	16-2/3 LF
#3 Starter	18"	#3 Grade	50 Sq Ft
#4 Undercourse	18"	#4 Grade	50 Sq Ft

Cedar Breather



ItemSKUThicknessActual SizeCoverageCedar BreatherCB200.27" (Without Compression).27" x 39" x 61.5'200 Sq Ft

Fir Porch Flooring






Available Sizes:

Item	SKU	Actual Size	Lengths	Unit Size	Coverage	Grade
1 x 4 T&G Fir Flooring	14FFCBPL	23/32" x 3-1/8"	8' - 16' Evens	3000 LF	400 LF/SQ	C&btr Mixed Grain
1 x 4 T&G VG Fir Flooring	14FFCBV	23/32" x 3-1/8"	6' - 16' Random	3000 LF	400 LF/SQ	C&Btr Vertical Grain
1 x 4 T&G Fir Flooring Pulled To Length	14_FFCBPL	23/32" x 3-1/8"	8', 10', 12'	-	400 LF/SQ	C&btr Mixed Grain


- -100% premium clear Douglas Fir that Historically matches traditional porch flooring
- -Mixed grain and vertical grain options
- -Available in a random length mix, or 8' 12' specified lengths
- -400 lineal feet per 100 square feet of coverage

Fir Beaded Ceiling



Available Sizes:

Item	SKU	Actual Size	Lengths	Unit Size	Coverage	Grade
1 x 4 Fir Beaded R/L	14FCCB	5/8" x 3-1/8"	6' - 20' R/L	3700 LF	400 LF/SQ	C&btr Mixed Grain
1 x4 Fir Beaded Specified	14_FCCB	5/8" x 3-1/8"	8', 12'	(=)	400 LF/SQ	C&btr Mixed Grain



- -100% premium clear Douglas Fir
- -Mixed grain C&btr stain grade
- -Available in a random length mix, or 8' or 12' specified lengths
- -400 lineal feet per 100 square feet of coverage

T&G Roof Decking






Available Sizes:

Item	Lengths	Profile	Exposure	Coverage	Species	Grade
2x6 T&G Fir	12'-20'	T&G WP4	4-7/8"	246 LF/SQ	Fir & Larch	Select

- -Great for roof decking, loft floors, and outdoor patios
- -Face coverage = 4-7/8", so factor 246 LF per square
- -Premium Select grade for appearance and strength. Beautiful color, grain, and knot structure.
- -Simple span of 6'-8' is easily achievable, but always check with local designs and load factors

Fir 3x6 T&G Select Dex





Available Sizes:

Item	Actual Size	Lengths	Coverage	Species	Grade	Unit Size
3x6 Select Dex	2-1/2" x 5-1/4"	8' - 20'	230 LF/Square	Douglas Fir	KD Select Dex	104

- -Premium Select Dex grade (similar to Select Struc)
- -V-Groove exposed face
- -Kiln Dried and cut from slow growth timber for added dimensional stability
- -Double T&G connection
- -5-1/4" exposed face
- -Simple spans of 12'-14' are easily achievable, but always check with local designs and load factors

TigerDeck Decking



- -South American Hardwood timber that is milled in USA
- -Last 2-3 times longer than Cedar or Treated and comes with a 25 year warranty
- -Half the cost of comparable IPE
- -Naturally resistant to rot, insects and decay
- -Incredibly dense and strong; 5/4" decking can span 24" O.C.
- -Low maintenance and easy care



TigerDeck Decking






Available Sizes:

Item	Actual Size	Lengths	Application
1x6 Grooved Decking	0.72" x 5.44"	8' - 20' R/L	Deck Boards
5/4x6 Grooved Decking	0.94" x 5.44"	6' - 20' R/L	Deck Boards
Item	Actual Size	Lengths	Application
1x6 Smooth	0.72" x 5.44"	18'	Fascia/Risers
5/4x6 Smooth	0.94" x 5.44"	Varies	Fascia/Risers
5/4x8 Smooth	0.94" x 7.13"	Varies	Fascia/Risers
5/4x10 Smooth	0.94" x 9.13"	Varies	Fascia
5/4x12 Smooth	0.94" x 11.13"	Varies	Stepping/Jacks
4x4 Smooth	3.44" x 3.44"	Varies	Posts
2x4 Smooth	1.44" x 3.44"	Varies	Railing
5/4x6 Top Rail	0.94" x 5.44"	Varies	Railing
5/4x4 Sub Rail	0.94" x 3.44"	Varies	Railing
1x6 Reversable Porch Panel	0.75" x 5.12"	Varies	Porch Flooring
Item	Coverage	Application	
Bow Wrench		Installation	
Tiger Clips	100 Sq Ft @ 16" O.C.	Deck Clips	
Tiger Clips 45 Degree Angle	100 Sq Ft @ 16" O.C.	Deck Clips	
TigeDeck Plugs & Screws	100/Kit	Plugs & Screws	
TigerDeck Countersink Bit		Drill Bit	T-0 - 20

TigerDeck Rainscreen Siding



Profile:



Available Sizes:

Item	Material	Actual Size	Available Lengths
1x6 Rainscreen Siding	TigerDeck	0.7" x 5.125"	8' - 14'
Accessories			
Item	Brand	Coverage	
Rainscreen Clips & Screws	Viking Clip	235 Sq Ft	_
Rainscreen Clips & Screws	Viking Clip	50 Sq Ft	_

- -Modern and clean look, well suited for commercial and multi-family projects
- -Extremely durable and tough (50+ year life expectancy)
- -Simply clip system installation and beautiful natural color and grain

Cutek






Available Size:

Item	SKU	Size	Coverage	Finish
Cutek UV Protectant	CUTEK	1 Gallon	600 - 800 Sq Ft	Clear
Tigertone Dye	CUTEKTT	3.2 Ounces		Tigerwood Tint

- -Protects from the effects of moisture minimizes warping, cupping, and splitting
- -Protects from the inside out
- -Works with all exterior wood species and most engineered wood products
- -Tigertone is specially designed to match the natural color of TigerDeck



Deckorators Decking - Venture

A wood-plastic composite deck board that offers the best combination of value and performance. Venture Decking features a natural woodgrain in two colors Saltwater (gray) and Sandbar (brown).

Available Sizes:

Line	Туре	Item	Actual Size	Unit Size
Venture	Grooved Deck Board	5/4 x 6 x 12' Grooved	15/16" x 5-1/2" x 12'	48
Venture	Grooved Deck Board	5/4 x 6 x 16' Grooved	15/16" x 5-1/2" x 16'	48
Venture	Grooved Deck Board	5/4 x 6 x 20' Grooved	15/16" x 5-1/2" x 20'	48
Venture	Solid Deck Board	5/4 x 6 x 16' Solid	15/16" x 5-1/2" x 16'	48
Venture	Solid Deck Board	5/4 x 6 x 20' Solid	15/16" x 5-1/2" x 20'	48
Venture	Fascia	1 x 12 x 12' Fascia	1/2" x 11-1/4" x 12'	40




Available Colors:





Available Profiles: Grooved-Edge



- -Scratch-resistant polyethylene cap with a strong, dense composite core
- -Capped on three sides and through the groove
- -Fluted backside; lightweight and easy to maneuver and position
- -Easy to clean with soap and water, and resistant to rot, mold, and scratches
- -Spans 16" on-center
- -Backed by a 25-year limited warranty: 25-year Structural, 25-year Stain & Fade, and 25-year Limited Removal & Replacement Warranty

Deckorators Decking - Vista

A wood-plastic composite deck board with the look of exotic hardwoods without the maintenance. Deckorators Vista Line comes in four different colors Driftwood, Silverwood, Ironwood, and Dunewood.

Available Sizes:

Line	Type	Item	Actual Size	Unit Size
Vista	Grooved Deck Board	5/4 x 6 x 12' Grooved	7/8" x 5-1/2" x 12'	48
Vista	Grooved Deck Board	5/4 x 6 x 16' Grooved	7/8" x 5-1/2" x 16'	48
Vista	Grooved Deck Board	5/4 x 6 x 20' Grooved	7/8" x 5-1/2" x 20'	48
Vista	Solid Deck Board	5/4 x 6 x 16' Solid	7/8" x 5-1/2" x 16'	48
Vista	Solid Deck Board	5/4 x 6 x 20' Solid	7/8" x 5-1/2" x 20'	48
Vista	Riser	1 x 8 x 12' Riser	1/2" x 8" x 12'	40
Vista	Fascia	1 x 12 x 12' Fascia	1/2" x 11-1/4" x 12'	40



Available Colors:



Available Profiles:

Grooved-Edge		Solid-Edge	
	3		

- -Now manufactured with Enhanced Traction for increased slip resistance
- -Scratch-resistant cap with a strong, dense composite core
- -Excellent value; works for a wide range of budgets and home styles
- -Multi-tone colors for an authentic and real wood-like look
- -Industry-leading warranty: 25-year Structural, 25-year Stain & Fade, and 25-year Removal & Replacement

Deckorators Decking - Voyage

A mineral-based composite technology line, which provides the industry's best strength-to-weight ratio. Featuring a fiber-like structure similar to wood, Voyage has unmatched strength that is nearly 35% lighter than traditional composites and similar in weight to PVC.

Available Sizes:

Line	Туре	Item	Actual Size	Unit Size
Voyage	Grooved Deck Board	5/4 x 6 x 12' Grooved	7/8" x 5-1/2" x 12'	48
Voyage	Grooved Deck Board	5/4 x 6 x 16' Grooved	7/8" x 5-1/2" x 16'	48
Voyage	Grooved Deck Board	5/4 x 6 x 20' Grooved	7/8" x 5-1/2" x 20'	48
Voyage	Solid Deck Board	5/4 x 6 x 16' Solid	7/8" x 5-1/2" x 16'	48
Voyage	Solid Deck Board	5/4 x 6 x 20' Solid	7/8" x 5-1/2" x 20'	48
Voyage	Riser	1 x 8 x 12' Riser	7/16" x 8" x 12'	40
Voyage	Fascia	1 x 12 x 12' Fascia	7/16" x 11-1/4" x 12'	40
Voyage	Dark Slate Accent Board	5/4 x 6 x 21' Solid	7/8" x 5-1/2" x 21'	48
Voyage	Dark Slate Accent Riser	1 x 8 x 12' Riser	7/16" x 8" x 12'	40
Voyage	Dark Slate Accent Fascia	1 x 12 x 12' Fascia	7/16" x 11-1/4" x 12'	40



Available Colors:



Available Profiles:

Grooved-Edge	Solid-Edge	
5	3	
(

- -Mineral Based Composite technology
- -Virtually zero thermal expansion and contraction
- -Incredible strength and durability; virtually impossible to crack and break
- -Lightweight easy to work with and install; 35% lighter than traditional wood plastic composites
- -Approved for ground contact and water installation
- -Won't splinter, sag, chalk, or crack
- -Stain and fade-resistant cap stock
- -Can be used as residential and commercial cladding

Deckorators Porch Flooring

A mineral based composite porch flooring board with the look of exotic hardwoods without the maintenance. Deckorators Porch Flooring comes in two colors: Kettle and Chicory. It's a great option for a low maintenance porch flooring.

Available Sizes:

Line	Item	Actual Size	Colors	Material
Porch Flooring	1 x 4 x 12' T&G	7/8" x 3-1/8" x 12'	Kettle & Chicory	Mineral Based Composite
Porch Flooring	1 x 4 x 16' T&G	7/8" x 3-1/8" x 16'	Kettle & Chicory	Mineral Based Composite
Porch Flooring	1 x 4 x 12' Solid	7/8" x 3-1/2" x 12'	Kettle & Chicory	Mineral Based Composite







- Mineral Based Composite technology
- Virtually zero thermal expansion and contraction
- Incredible strength and durability; virtually impossible to crack and break
- Lightweight easy to work with and install; 35% lighter than traditional wood plastic composites
- Approved for ground contact and water installation
- Won't splinter, sag, chalk, or crack
- Stain and fade-resistant cap stock
- Industry-leading warranty: 50-year Structural, 25-year Stain & Fade, and 25-year Removal & Replacement

Engineered Wood Products



Trus Joist Engineered Wood Products are the #1 rated I-Joist by Builder Magazine, and have been for 15 years running.

They are the only brand with a full suite of engineered wood products including I-Joists, LVL Microllam, PSL Parallam, and LSL Timberstrand.


From performance, to assortment, to quality, Trus Joist is the clear market leader and has the proven performance that builders trust nationwide. Additionally, we have a team of five engineers that can help with questions, design, and trouble-shooting from start to finish.

Our Services

Consulting



Design



Jobsite Delivery





TJI I-Joists



Available Sizes:

Item	SKU	Flange	L/360 Span*	L/480 Span*	Lengths	Unit Size
9-1/2" TJI 110	9TJI110	1-3/4"	17'-2"	15'-6"	12' - 48'	43
11-7/8" TJI 110	11TJI110	1-3/4"	19'-4"	18'-5"	12' - 48'	43
11-7/8" TJI 210	11TJI210	2-1/16"	21'-2"	19'-3"	12' - 48'	37
11-7/8" TJI 360	11TJI360	2-5/16"	23'-2"	19'-8"	12' - 48'	35
11-7/8" TJI 560	11TJI560	3-1/2"	26'-3"	23'-8"	12' - 48'	23
14" TJI 360	14TJI360	2-5/16"	26'-3"	23'-8"	12' - 48'	35
14" TJI 560	14TJI560	3-1/2"	29'-9"	26'-10"	12' - 48'	23
16" TJI 360	16TJI360	2-5/16"	29'-0"	26'-3"	12' - 48'	35
16" TJI 560	16TJI560	3-1/2"	32'-11"	29'-3"	12' - 48'	23

^{*16&}quot; O.C. 40 PSF Live Load / 10 PSF Dead Load -- We recommend L/480 for best results

- -The #1 rated I-Joist by Builder Magazine for 15 years running
- -LVL flange for superior fastening power and squeak-free floor
- -Pre-notched holes for easy to run mechanicals
- -Multiple depths and flange widths for any conceivable design
- -18" and 20" TJI's are available on a special-order basis

Timberstrand Fire Code Approved Floor Joists



Available Sizes:

Item	SKU	Flange	L/360 Span*	L/480 Span*	Lengths	Unit Size
11-7/8" Timberstrand	1511TS	1-1/2"	20' - 10"	18' - 10"	12' - 48'	28

^{*16&}quot; O.C. 40 PSF Live Load / 10 PSF Dead Load -- We recommend L/480 for best results

- -Meets newest IRC and ICC code for foundation level fire code approval
- -Superior strength and span rating to 2x10 or 2x12 Yellow Pine
- -Perfectly straight and consistent, and will prevent floor squeaks
- -Compatible with the entire Trus Joist system
- -Cost-effective solution no need for sheetrock or additional labor to meet code

LVL Microllam



Available Sizes:

Depth	Width	SKU	Lengths	E Value	Overlay	Unit Size
5-1/2"	1-3/4"	5ML	12'-48'	2.0 E	Watershed	48
7-1/4"	1-3/4"	7ML	12'-48'	2.0 E	Watershed	36
9-1/4"	1-3/4"	914ML	12'-48'	2.0 E	Watershed	30
9-1/2"	1-3/4"	9ML	12'-48'	2.0 E	Watershed	30
11-1/4"	1-3/4"	1114ML	12'-48'	2.0 E	Watershed	24
11-7/8"	1-3/4"	11ML	12'-48'	2.0 E	Watershed	24
14"	1-3/4"	14ML	12'-48'	2.0 E	Watershed	18
16"	1-3/4"	16ML	12'-48'	2.0 E	Watershed	18
18"	1-3/4"	18ML	12'-48'	2.0 E	Watershed	12
20"	1-3/4"	20ML	12'-48'	2.0 E	Watershed	12
24"	1-3/4"	24ML	12'-48'	2.0 E	Watershed	12

- -Waxy watershed overlay finish that beads water and improves long-term storage
- -A large mix of depths and lengths for any conceivable application
- -Available beam sizing and design by our engineers

Timberstrand Headers & Beams



Available Sizes:

Width	Depth	SKU	Lengths	E-Value	Unit Size
1-3/4"	9-1/2"	19_TH	12' - 48'	1.55 E	30
1-3/4"	11-7/8"	111_TH	12' - 48'	1.55 E	24
1-3/4"	14"	114_TH	12' - 48'	1.55 E	18
3-1/2"	5-1/2"	35_TH	12' - 48'	1.55 E	24
3-1/2"	7-1/4"	37_TH	12' - 48'	1.55 E	18
3-1/2"	9-1/2"	 39 TH	12' - 48'	1.55 E	15
3-1/2"	11-7/8"	311 TH	12' - 48'	1.55 E	12
3-1/2"	14"	314_TH	12' - 48'	1.55 E	9

- -Perfectly straight no bowing, twisting, or warping
- -A less expensive alternative to LVL beams and headers
- -A larger allowable hole zone for mechanicals like plumbing and electrical
- -Available beam sizing and design by our engineers

Timberstrand Framing



Available Sizes:

Item	SKU	Actual Size	Lengths	E-Value
2 x 4 Stud	2410458TS	1-1/2" x 3-1/2"	104-5/8"	1.30 E
2 x 6 Stud	2610458TS	1-1/2" x 5-1/2"	104-5/8"	1.30 E
2 x 4 Framing	24_TS	1-1/2" x 3-1/2"	12' - 48'	1.30 E
2 x 6 Framing	26_TS	1-1/2" x 5-1/2"	12' - 48'	1.30 E
2 x 8 Framing	28_TS	1-1/2" x 7-1/4"	12' - 48'	1.30 E
2 x 4 Treated Plate	2416TSP	1-1/2" x 3-1/2"	16'	1.30 E
2 x 6 Treated Plate	2616TSP	1-1/2" x 5-1/2"	16'	1.30 E

- -Perfectly straight no bowing, twisting, or warping
- -A major component in tall walls and two story rooms
- -Excellent for kitchens and bathrooms where you need perfectly straight walls
- Helps resist tile, grout, and sheetrock cracks and ensures that cabinets, doors and windows work smoothly and hang straight

PSL Parallams



Available Sizes:

Item	Lengths	Brand	E-Value	Application
3-1/2" x 9-1/4"	8'-48'	Trus Joist Parallam	2.0 E	Beams
3-1/2" x 9-1/2"	8'-48'	Trus Joist Parallam	2.0 E	Beams
3-1/2" x 11-1/4"	8'-48'	Trus Joist Parallam	2.0 E	Beams
3-1/2" x 11-7/8"	8'-48'	Trus Joist Parallam	2.0 E	Beams
3-1/2" x 14"	8'-48'	Trus Joist Parallam	2.0 E	Beams
3-1/2" x 16"	8'-48'	Trus Joist Parallam	2.0 E	Beams
3-1/2" x 18"	8'-48'	Trus Joist Parallam	2.0 E	Beams
5-1/4" x 9-1/4"	8'-48'	Trus Joist Parallam	2.0 E	Beams
5-1/4" x 9-1/2"	8'-48'	Trus Joist Parallam	2.0 E	Beams
5-1/4" x 11-1/4"	8'-48'	Trus Joist Parallam	2.0 E	Beams
5-1/4" x 11-7/8"	8'-48'	Trus Joist Parallam	2.0 E	Beams
5-1/4" x 14"	8'-48'	Trus Joist Parallam	2.0 E	Beams
5-1/4" x 16"	8'-48'	Trus Joist Parallam	2.0 E	Beams
5-1/4" x 18"	8'-48'	Trus Joist Parallam	2.0 E	Beams
3-1/2" x 3-1/2"	8'-48'	Trus Joist Parallam	1.8 E	Columns & Posts
3-1/2" x 5-1/4"	8'-48'	Trus Joist Parallam	1.8 E	Columns & Posts
3-1/2" x 7"	8'-48'	Trus Joist Parallam	1.8 E	Columns & Posts
5-1/4" x 5-1/4"	8'-48'	Trus Joist Parallam	1.8 E	Columns & Posts
5-1/4" x 7"	8'-48'	Trus Joist Parallam	1.8 E	Columns & Posts
7" x 7"	8'-48'	Trus Joist Parallam	1.8 E	Columns & Posts

- -Parallams are the biggest and strongest beams in the EWP family, and are made using parallel strands of lumber that are pressed and glued to form one solid beam
- -One piece install, no need for multiple plys and fastening

Douglas Fir Glulam Beams



Available Sizes:

Size	SKU	Lengths	Design Value	Species	Grade
3-1/2" x 9-1/2"	39 <u>_</u> GL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural
3-1/2" x 11-7/8"	311GL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural
3-1/2" x 14"	314GL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural
5-1/2" x 9-1/2"	59GL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural
5-1/2" x 11-7/8"	511GL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural
5-1/2" x 14"	514GL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural
5-1/2" x 16"	516 <u></u> GL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural

- -Only Glulam that matches dimensional lumber sizes (3-1/2" and 5-1/2")
 - -Ensures a perfect fit when framing no sheetrock or structural connection issues
- -Only Glulam that has an Architectural appearance
 - -Sanded face and micro-eased edge, knots and voids are filled
 - -Takes stains exceptionally well
- -Matches Engineered Wood depths for seamless compatibility
- -1.9 True E Stress Rating

Douglas Fir Treated Glulam Beams



Available Sizes:

Size	SKU	Lengths	Design Value	Species	Grade	Treatment
3-1/2" x 9-1/2"	39 <u></u> TGL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
3-1/2" x 11-7/8"	311TGL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
3-1/2" x 14"	314TGL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
3-1/2" x 16"	316TGL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
5-1/2" x 9-1/2"	59TGL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
5-1/2" x 11-7/8"	511TGL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
5-1/2" x 14"	514TGL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
5-1/2" x 16"	516TGL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
5-1/2" x 5-1/2"	55TGL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated

- -Allows for a one piece install that meets code
- -Treated with a honey color stain, leaving a visually appealing and attractive beam
- -Can be stained any color using an oil based stain
- -Helps you eliminate posts and columns, opening up lower level patios and yard space
- -Easier to work with than steel cuts, nails, and handles just like regular timber

LVL Scaffold Plank



Available Sizes:

Item	SKU	Actual Size	Design Value	Unit Size	APA & OSHA Certified
LVL Scaffold Plank	916MLS	1-1/2" x 9-1/4" x 16'	2.0 E	50 pcs	Yes

- -APA & OSHA Approved
- -2.0E for safe and predictable performance
- -Every piece is inspected and machine stress rated
- -End waxed and painted
- -Designed for multiple uses with proper care

LSL Stair Stringers and Steps



Available Sizes:

Item	SKU	Actual Size	Length	Max 2 Stringer Simple Span
Stair Tread	SS	1" x 11-1/2"	16'	45"
11-7/8" Stringer	11RB	1-1/4" x 11-7/8"	16', 20'	8'-4"
14" Stringer	1416RB	1-1/4" x 14"	16'	11'-8"

- -The best performing stair system for quiet, sturdy, and long-lasting stairs
- -Engineered wood that is perfectly straight and uniform, and will resist bowing, shrinking, and splitting
- -Better nail holding capability that will eliminate squeaky stairs
- -Limited product warranty

LSSU125

Simpson Hangers

1-3/4"x 8-1/2" Slopeable/Skewable Hanger

1-3/4" Width - TJI 110 Series, LVL, Timberstrand

SKU/ Model #		<u>Description</u>
	HUS1.81/10	1-3/4"x 9-1/4" Flush Face Mount Hanger Heavy
	IUS1.81/9	1-3/4"x 9-1/2" Flush Face Mount Hanger
	ITS1.81/9.5	1-3/4"x 9-1/2" Top Mount Hanger
	ITS1.81/11.88	1-3/4"x 11-7/8" Top Mount Hanger
	IUS1.81/11.88	1-3/4"x 11-7/8" Flush Face Mount
	SUR1.81/11	1-3/4"x 11-7/8" Flush Face Mount Hanger Skewed Right
	SUL1.81/11	1-3/4"x 11-7/8" Flush Face Mount Hanger Skewed Left
	IUS1.81/14	1-3/4"x 14" Flush Face Mount Hanger
	ITS1.81/14	1-3/4"x 14" Top Mount Hanger



2-1/16" - Width TJI 210 Series			
IUS2.06/9	2-1/16"x 9-1/2" Flush Face Mount Hanger		
ITS2.06/11.88	2-1/16"x11-7/8" Top Mount Hanger		
SUL2.1/11	2-1/16"x 11-7/8 Flush Face Mount Skewed Left 45 Deg.		
SUR2.1/11	2-1/16"x 11-7/8 Flush Face Mount Skewed Right 45 Deg.		
LSSU2.1	2-1/16"x 8-1/2" Slopeable/ Skewable Hanger		
MIT4.28	4-1/8"x 11-7/8" Top Mount Double Hanger		
HUL4.28/11	4-1/8"x11-7/8" Flush Face Mount Skewed Left 45 Deg.		
HUR4.28/11	4-1/8"x11-7/8" Flush Face Mount Skewed Right 45 Deg.		



2-5/16" Width - TJI 360 Series			
IUS2.37	2-5/16"x 11-7/8" Flush Face Pount Hanger		
ITS2.37/11.88	2-5/16"x11-7/8" Top Mount Hanger		
MIT3511.88-2	4-5/8"x11-7/8" Top mount Double Hanger		
IUS2.37/14	2-5/16"x14" Flush Face Mount Hanger		
ITS2.37/14	2-5/16"x 14" Top Mount Hanger		
MIT3516	2-5/16"x 16" Top Mount Hanger (optional Nailing holes)		
ITS2.37/16	2-5/16"x 16" Top Mount Hanger		
SUR2.37/11	2-5/16"x 11-3/16" Flush Face Mount Skewed Right		
SUL2.37/16	2-5/16"x 11-3/16" Flush Face Mount Skewed Left		
LSSUI35	2-5/16"x 8-1/2" Slopeable/Skewable Hanger		



HHUS410	3-1/2"x 9" Flush Face Mount Hanger (up to 14")
HUC410	3-1/2"x 9-1/4" Flush Face Mount Concealed Hanger
MIT49.5	3-1/2"x 9-1/2" Top Mount Hanger
ITS3.56/11.88	3-1/2"x11-7/8" Top Mount Hanger
MIT411.88	3-1/2"x11-7/8" Top Mount Hanger
MIT414	3-1/2"x14" Top Mount Hanger
MIT416	3-1/2"x 16" Top Mount Hanger
SUR410/45	3-1/2"x 8-1/2" Flush Face Mount Hanger Skewed Right
SUL410/45	3-1/2"x 8-1/2" Flush Face Mount Hanger Skewed Left
LSSU410	3-1/2x 9-1/4 Slopeable/Skeweable Hanger



5-1/4" Width - Triple LVL, Parallam				
HHUS5.50/10 5-1/4"x9" Flush Face Mount Hanger (up to 14")				
HB5.50/11.88 5-1/4"x 11-7/8' Top Mount Hanger				

Laminated Nailed & Glued Columns



Available Sizes:

3 PLY FULLY TREATED COLUMNS

Stock Item	Length	Treated	Weight
3 PLY 2x6 4-1/2" x 5-7/16"	10'	FULL	96
3 PLY 2x6 4-1/2" x 5-7/16"	12'	FULL	115
3 PLY 2x6 4-1/2" x 5-7/16"	14'	FULL	143
3 PLY 2x6 4-1/2" x 5-7/16"	16'	FULL	154

4 PLT FULLY TREATED COL	UIVIIVS	
Special Order Item	Length	Tr
The second secon		


Special Order Item	Length	Treated	Weight
4 PLY 2x6 6-0" x 5-7/16"	10'	FULL	128
4 PLY 2x6 6-0" x 5-7/16"	12'	FULL	154
4 PLY 2x6 6-0" x 5-7/16"	14'	FULL	180
4 PLY 2x6 6-0" x 5-7/16"	16'	FULL	205

3 PLY PARTIALLY TREATED	COLUMNS		
Stock Item	Length	Treated	Weight
3 PLY 2x6 4-1/2" x 5-7/16"	18'	BTM 8'	140
3 PLY 2x6 4-1/2" x 5-7/16"	20'	BTM 8'	152
3 PLY 2x6 4-1/2" x 5-7/16"	22'	BTM 8'	165
3 PLY 2x6 4-1/2" x 5-7/16"	24'	BTM 8'	178
3 PLY 2x6 4-1/2" x 5-7/16"	26'	BTM 8'	190
3 PLY 2x6 4-1/2" x 5-7/16"	28'	BTM 8'	203
3 PLY 2x6 4-1/2" x 5-7/16"	30'	BTM 8'	215
3 PLY 2x6 4-1/2" x 5-7/16"	32'	BTM 8'	228

Special Order Item	Length	Treated	Weight
4 PLY 2x6 6-0" x 5-7/16"	18'	BTM 8'	187
4 PLY 2x6 6-0" x 5-7/16"	20'	BTM 8'	203
4 PLY 2x6 6-0" x 5-7/16"	22'	BTM 8'	212
4 PLY 2x6 6-0" x 5-7/16"	24'	BTM 8'	238
4 PLY 2x6 6-0" x 5-7/16"	26'	BTM 8'	253
4 PLY 2x6 6-0" x 5-7/16"	28'	BTM 8'	270
4 PLY 2x6 6-0" x 5-7/16"	30'	BTM 8'	289
4 PLY 2x6 6-0" x 5-7/16"	32'	BTM 8'	309

- -Grade #1 KD Yellow Pine (including treated portion)
- -Treatment .60 CCA Treated Lower 8' except 10'-16' Fully Treated
- -Finger Jointed Bonded with permanent adhesive
- -Construction Adhesive applied between plies

Yellow Pine Bullnose Stair Tread



Item	SKU	Actual Size	Lengths	Unit Size	Grade
2x12 Bullnose	21214YPBN	1-1/2" x 11-1/4"	14'	64	#1 Yellow Pine

- -#1 Yellow Pine
- -14' Material
- -Can be installed during framing
- -A full 1-1/2" thick
- -Can be stained and left exposed or covered with carpet to fit any household style
- -Available by the unit or by the piece



Forest Products Supply

James Hardie Fiber Cement Siding





Statement Collection

The statement collection is James Hardie's pre-finished siding and trim collection in their core colors. All statement items are in stock and ready for prompt shipment, including lap siding, shingles, panels, trim and soffit.

Primed Collection

The primed collection is James Hardie's siding and trim collection in a basic primed finish. Primed collection items are available in wide variety of substrates.

Dream Collection

The dream collection is James Hardie's custom color collection. All of James Hardie's substrates are available in over 700 different colors and can be special ordered to the piece in a quick three-week lead time.

Magnolia Collection

The Magnolia collection is an exclusive color colletion hand picked by Joanna Gaines. A specific set of James Hardie's substrates are available in 16 different colors and can be special ordered to the piece in a quick three-week lead time.






Available Sizes:

Plank, Panel, Shingle and Batten Color Offering:



- -All lap, shingles, panels, and battens are in stock and available in ALL 16 colors
- -Available in job-pack and less than unit quantities





Available Sizes:

Trim Color Offering



^{*} Available in Arctic White, Cobble Stone, and Timber Bark

- -Pre-finished trim is available in six colors in both smooth and rough sawn trim
- -Available in job-pack and less than unit quantities

James Hardie - Primed Lap, Trim, and Soffit

Available Sizes:

	Drima	d Lap Siding		
Item	Description	SKU	Pcs/Square	Unit Size
ARS STEADERS	5.25" X 12' Primed Cedarmill	HPLKCM5		360
Lap Siding	6.25" X 12' Primed Cedarmill	HPLKCM6	25 20	308
Lap Siding	7.25" X 12' Primed Cedarmill		0.000	252
Lap Siding		HPLKCM7	17	
Lap Siding	8.25" X 12' Primed Cedarmill	HPLKCM8	15	230
Lap Siding	9.25" X 12' Primed Cedarmill	HPLKCM9	13	190
Lap Siding	12" X 12' Primed Cedarmill	HPLKCM12	10	152
Lap Siding	5.25" X 12' Primed Smooth	HPLKSM5	25	360
Lap Siding	6.25" X 12' Primed Smooth	HPLKSM6	20	308
Lap Siding	7.25" X 12' Primed Smooth	HPLKSM7	17	252
Lap Siding	8.25" X 12' Primed Smooth	HPLKSM8	15	230
Lap Siding	9.25" X 12' Primed Smooth	HPLKSM9	13	190
Lap Siding	12" X 12' Primed Smooth	HPLKSM12	10	152
	Pri	med Trim		
ltem	Description	SKU	Actual Size	Unit Size
Trim	4/4 x 2.5" Smooth Batten	442BSSM	0.75" x 2.5" x 12'	360
Trim	4/4 x 2.5" Rustic Batten	442BS	0.75" x 2.5" x 12'	360
Trim	4/4 x 4" Smooth Primed	44412HT	0.75" x 3.5" x 12'	312
Trim	4/4 x 6" Smooth Primed	44612HT	0.75" x 5.5" x 12'	208
Trim	4/4 x 8" Smooth Primed	44812HT	0.75" x 7.25" x 12'	156
Trim	4/4 x 12" Smooth Primed	441212HT	0.75" x 9.25" x 12'	104
Trim	5/4 x 4" Smooth Primed	54412HT	1" x 3.5" x 12'	240
Trim	5/4 x 6" Smooth Primed	54612HT	1" x 5.5" x 12'	160
Trim	5/4 x 8" Smooth Primed	54812HT	1" x 7.25" x 12'	120
Trim	5/4 x 12" Smooth Primed	541212HT	1" x 11.25" x 12'	80
	Prir	ned Soffit		
Description	Description	SKU	Actual Size	Unit Size
Soffit	12" Smooth Solid	HSFTSM12	12" x 12'	200
Soffit	16" Smooth Solid	HSFTSM16	16" x 12'	150
Soffit	24" Smooth Solid	HSFTSM24	24" x 8'	100
Soffit	12" Smooth Vented	HSFTSM12V	12" x 12'	200
	16" Smooth Vented	HSFTSM16V	16" x 12'	150
Soffit	Ib Smooth Venten			



Available Sizes:

Primed Panels						
Item	Description	SKU	Thickness	Unit Size		
Panels	4' x 8' Smooth Panel - PRIMED	HPNLSM8	5/16"	50		
Panels	4' x 9' Smooth Panel - PRIMED	HPNLSM9	5/16"	50		
Panels	4' x 10' Smooth Panel - PRIMED	HPNLSM10	5/16"	50		
Panels	4' x 8' Cedarmill Panel - PRIMED	HPNLCM8	5/16"	50		
Panels	4' x 9' Cedarmill Panel - PRIMED	HPNLCM9	5/16"	50		
Panels	4' x 10' Cedarmill Panel - PRIMED	HPNLCM10	5/16"	50		
Panels	4' x 8' Sierra 8" O.C. Panel - PRIMED	HPNLS88	5/16"	50		
Panels	4' x 9' Sierra 8" O.C. Panel - PRIMED	HPNLS89	5/16"	50		
Panels	4' x 10' Sierra 8" O.C. Panel - PRIMED	HPNLS810	5/16"	50		
Panels	4' x 8' Stucco Panel - PRIMED	HPNLST8	5/16"	50		
Panels	4' x 9' Stucco Panel - PRIMED	HPNLST9	5/16"	50		
Panels	4' x 10' Stucco Panel - PRIMED	HPNLST10	5/16"	50		

	Primed Sh	ingles		
Item	Description	SKU	Thickness	Unit Size
Shingles	Straight Edge Shingles - PRIMED	HSHGSE	1/4"	2 Squares
Shingles	Staggered Edge Shingles - PRIMED	HSHGSTG	1/4"	2 Squares


HardieBacker						
Item	Description	SKU	Thickness	Unit Size		
Backer	1/4" 3' x 5' Hardiebacker	HB145	0.25"	60		
Backer	1/2" (0.42" actual) 3' x 5' Hardiebacker	HB125	0.42"	50		

James Hardie - Dream Collection

Item	Description	Pcs/Square	Colors	Lead Time
Lap Siding	5.25" X 12' Cedarmill Lap - DREAM	25	All Dream Colors	3 Weeks
Lap Siding	6.25" X 12' Cedarmill Lap - DREAM	20	All Dream Colors	3 Weeks
Lap Siding	7.25" X 12' Cedarmill Lap - DREAM	17	All Dream Colors	3 Weeks
ap Siding	8.25" X 12' Cedarmill Lap - DREAM	15	All Dream Colors	3 Weeks
ap Siding	5.25" X 12' Smooth Lap - DREAM	25	All Dream Colors	3 Weeks
ap Siding	6.25" X 12' Smooth Lap - DREAM	20	All Dream Colors	3 Weeks
ap Siding	7.25" X 12' Smooth Lap - DREAM	17	All Dream Colors	3 Weeks
ap Siding	8.25" X 12' Smooth Lap - DREAM	15	All Dream Colors	3 Weeks
ap Siding	8.25" X 12' Beaded Smooth Lap - DREAM	15	All Dream Colors	3 Weeks
Ch:l	Straight Edge Shingles - DREAM		All Dream Colors	234/
Shingles		1		3 Weeks
Shingles	Staggered Edge Shingles - DREAM	1	All Dream Colors	3 Weeks
Panels	4' X 8' Smooth Panel - DREAM	3.1	All Dream Colors	3 Weeks
Panels	4' X 8' Cedarmill Panel - DREAM	3.1	All Dream Colors	3 Weeks
Panels	4' X 10' Smooth Panel - DREAM	2.5	All Dream Colors	3 Weeks
Panels	4' X 10' Cedarmill Panel - DREAM	2.5	All Dream Colors	3 Weeks
N-44	A/A 2 511 Secretal Bottom DDSAAA		All Days are Calars	214
Battens	4/4 x 2.5" Smooth Batten - DREAM		All Dream Colors	3 Weeks
Battens	4/4 x 2.5" Rough Sawn Batten - DREAM		All Dream Colors	3 Weeks
ltem	Description	Actual Size	Colors	Lead Time
Trim	5/4 x 4 Trim - DREAM	1" x 3.5" x 12'	All Dream Colors	3 Weeks
Γrim	5/4 x 6 Trim - DREAM	1" x 5.5" x 12'	All Dream Colors	3 Weeks
Γrim	5/4 x 8 Trim - DREAM	1" x 7.25" x 12'	All Dream Colors	3 Weeks
Γrim	5/4 x 10 Trim - DREAM	1" x 9.25" x 12'	All Dream Colors	3 Weeks
Trim	5/4 x 12 Trim - DREAM	1" x 11.25" x 12'	All Dream Colors	3 Weeks
-100g	T	I I		
rim	4/4 x 4 Trim - DREAM	0.75" x 3.5" x 12'	All Dream Colors	3 Weeks
rim	4/4 x 6 Trim - DREAM	0.75" x 5.5" x 12'	All Dream Colors	3 Weeks
rim	4/4 x 8 Trim - DREAM	0.75" x 7.25" x 12'	All Dream Colors	3 Weeks
rim	4/4 x 10 Trim - DREAM	0.75" x 9.25" x 12'	All Dream Colors	3 Weeks
rim	4/4 x 12 Trim - DREAM	0.75" x 11.25" x 12'	All Dream Colors	3 Weeks
	DI-st	A -4 C	C-1	1 1
tem	Description	Actual Size	Colors	Lead Time
Soffit	12" Cedarmill Non-Vented - DREAM	12" x 12'	All Dream Colors	3 Weeks
offit	16" Cedarmill Non-Vented - DREAM	16" x 12'	All Dream Colors	3 Weeks
offit	24" Cedarmill Non-Vented - DREAM	24" x 8'	All Dream Colors	3 Weeks
offit	12" Cedarmill Vented - DREAM	12" x 12'	All Dream Colors	3 Weeks
Soffit	16" Cedarmill Vented - DREAM	16" x 12'	All Dream Colors	3 Weeks
Soffit	24" Cedarmill Vented - DREAM	24" x 8'	All Dream Colors	3 Weeks

James Hardie Artisan Collection

The James Hardie Artisan Collections is a unique line of siding profiles that combine the quality and performance of James Hardie, with the craftsman look of classic siding profiles. Artisan is an extremely high performing siding product and very reasonably priced. It can be used for entire exterior siding, gable and dormer accents, as well as porch and patio ceilings and soffits.



Available Sizes:

Item	FP SKU	Actual Size	Exposure	Pcs/Square	Unit Size	Texture	Finish
Artisan V-Groove	HPLKAVG8	5/8" x 8.25" x 12'	7"	14.3	126 Pcs	Smooth	Primed
Artisan Shiplap	HPLKAS10	5/8" x 10.25" x 12'	9"	11.1	105 Pcs	Smooth	Primed
* Special Order Only:							
Artisan Channel *	HPLKSC10	5/8" x 10.25" x 12'	9"	11.1	105 Pcs	Smooth	Primed

- -Unique Craftsman Profiles
- -Slick blind nail design for hidden fasteners
- -Backed by James Hardie's proven performance and 30-year warranty
- -Can be mitered for clean professional corners
- -Primed and can be painted any color

James Hardie Magnolia Collection

The Magnolia Collection is a custom curated selection of colors hand-picked by Chip and Joanna Gaines. It features sixteen different color options that are warm and timeless to create spectacular curb appeal. Mix and match in various styles of lap siding, board and batten, and shingle to make your home uniquely you.





Available Sizes:

Collection	ltem	Finish	Actual Size	Coverage
Magnolia	5.25" x 12' Lap Siding	Smooth or Cedarmill	5.25" x 12' (4" Exposure)	25 Pcs/Square
Magnolia	6.25" x 12' Lap Siding	Smooth or Cedarmill	6.25" x 12' (5" Exposure)	20 Pcs/Square
Magnolia	7.25" x 12' Lap Siding	Smooth or Cedarmill	7.25" x 12' (6" Exposure)	17 Pcs/Square
Magnolia	8.25" x 12' Lap Siding	Smooth or Cedarmill	8.25" x 12' (7" Exposure)	15 Pcs/Square
Magnolia	4 x 10 Panels	Smooth or Cedarmill	4' x 10'	2.5 Pcs/Square
Magnolia	Batten Strips	Smooth or Rustic	0.75" x 2.5" x 12'	-
Magnolia	Straight Edge Shingles	Cedarmill	48" x 16" (7" Exposure)	43 Pcs/Square
Magnolia Magnolia	Straight Edge Shingles 5/4 x 4 x 12' Trim	Cedarmill Smooth or Rustic	48" x 16" (7" Exposure) 1" x 3.5" x 12'	43 Pcs/Square -
_				·
Magnolia	5/4 x 4 x 12' Trim	Smooth or Rustic	1" x 3.5" x 12'	·
Magnolia Magnolia	5/4 x 4 x 12' Trim 5/4 x 6 x 12' Trim	Smooth or Rustic Smooth or Rustic	1" x 3.5" x 12' 1" x 5.5" x 12'	·
Magnolia Magnolia Magnolia	5/4 x 4 x 12' Trim 5/4 x 6 x 12' Trim 5/4 x 8 x 12' Trim	Smooth or Rustic Smooth or Rustic Smooth or Rustic	1" x 3.5" x 12' 1" x 5.5" x 12' 1" x 7.25" x 12'	·

- -Custom curated color selection hand-picked by Chip and Joanna Gaines
- -Special order job packs. Can be ordered by the piece

Hardie Color Match Caulk & Touch Up Paint





Available Sizes:

Color	Touch Up Paint SKU	Caulk SKU	Color	Touch Up Paint SKU	Caulk SKU
ARCTIC WHITE	HPAWKP	HCAW	EVENING BLUE	HPEBKP	HCEB
COBBLESTONE	HPCSKP	HCCS	DEEP OCEAN	HPDOKP	HCDO
LIGHT MIST	HPLMKP	HCLM	MONTEREY TAUPE	HPMTKP	HCMT
PEARL GRAY	HPPGKP	HCPG	NAVAJO BEIGE	HPNBKP	HCNB
AGED PEWTER	HPAPKP	HCAP	KHAKI BROWN	НРКВКР	НСКВ
RICH ESPRESSO	HPREKP	HCRE	TIMBEBARK	НРТВКР	НСТВ
GRAY SLATE	HPGSKP	HCGS	HEATHERED MOSS	НРНМКР	НСНМ
IRON GRAY	HPIGKP	HCIG	MOUNTAIN SAGE	HPMSKP	HCMS
BOOTHBAY BLUE	НРВВКР	НСВВ	COUNTRYLANE RED	HPCRKP	HCCR

Caulk Features & Benefits:

- -OSI Quad Caulk for exterior door, window, and siding applications
- -Color Matched to James Hardie Colors
- -UV & Water Resistant will not crack or yellow
- -1 tube covers 29 lineal feet at 1/4" bead width, or 13 lineal feet at a 3/8" bead width

Gecko Gauges





Available Sizes:

SKU	PCS/ Packaging	Applicable Widths	Adjustable
GECKO	2	5.25"-9.25" Siding	Yes

- -Speeds up installation by 47%, according to studies
- -Allows for a single person install of lap siding
- -Adjustable: works with various siding widths
- -Ensures a professional installation with perfect and exact spacing between boards

Bear Skins





Available Sizes:

Item	SKU	Pad Size	Coverage	Hardie Colors
Gray Bear Skin	HSBG	50 pcs	4-5 Squares	Whites, Blues, Grays
Tan Bear Skin	HSBT	50 pcs	4-5 Squares	Tans & Taupes
Dark Brown Beark Skin	HSBDB	50 pcs	4-5 Squares	Browns

Features & Benefits:

-Peel and stick: Sheets are pre-cut with a stick-it adhesive for the fastest application possible.

-Portable: Clips to belt or tool pouch

-Durable: 20 year UV rating

-Prevents moisture from penetrating butt joint

-Low-cost option to professionally finish James Hardie siding jobs

EasyTrim Reveals



EasyTrim Reveals® are a two-piece aluminum trim system that snaps together to protect your siding. Compatible with a wide range of siding solutions, EasyTrim Reveals® will save you time during installation while providing best-in-class weather protection and durability for the future.

EasyTrim works best with James Hardie panel siding and provides for a fast and simple installation that provides best-in-class water management, hidden fastening, and NO CAULKING. Builders and developers love EasyTrim because it simply works. It's easy to install, its saves their crews time, and it looks great.

Available Sizes:

Item	Application	SKU	Length	Finish
EZ3	Panel Inside Corner	03EZPR	10'	Primed
EZ 13	Panel Outside Corner	13EZPR	10'	Primed
EZ 14	Panel Outside X Corner	14EZPR	10'	Primed
EZ 4	Panel Horizontal Z Trim	04EZPR	10'	Primed
EZ 5	Panel Horizontal Reveal H Trim	05EZPR	10'	Primed
EZ 10	Panel Horizontal Base B Trim	10EZPR	10'	Primed
EZ 8	Panel General J Trim	08EZPR	10'	Primed
EZ 9	Panel Soffit J Trim	09EZPR	10'	Primed
EZ 7	Panel Vertical 2-Piece U Trim	07EZPR	10'	Primed
EZ 23	Panel Vertical 2-Piece Flat Trim	23EZPR	10'	Primed
EZ 28	Panel Window Drip Cap	28EZPR	10'	Primed
EZ 60	Perforated Vented Starter Strip	60EZPR	10'	Primed

EasyTrim Reveals

EZ 14

INSIDE CORNER




OUTSIDE CORNERS



VERTICAL TRIMS



HORIZONTAL TRIMS








X Outside Corner

5/16" Trim

SLIMLINE" TRIMS (SLT)



J TRIMS





WINDOW FLASHING





Miratec Trim



Available Sizes:

Item	SKU	Actual Size	Lengths	Unit Size	Finish
1 x 2	12BM	0.75" x 2"	16'	168	Primed
1 x 4	14M	0.75" x 3.5"	16'	144	Primed
1 x 6	16M	0.75" x 5.5"	16'	96	Primed
1 x 8	18M	0.75"x 7.25"	16'	72	Primed
1 x 10	110M	0.75"x 9.25"	16'	60	Primed
1 x 12	112M	0.75"x 11.25"	16'	48	Primed
1 x 16	116M	0.75"x 15.5"	16'	30	Primed
5/4 x 4	544M	1" x 3.5"	16'	108	Primed
5/4 x 6	546M	1" x 5.5"	16'	72	Primed
5/4 x 8	548M	1" x 7.25"	16'	54	Primed
5/4 x 10	5410M	1" x 9.25"	16'	45	Primed
5/4 x 12	5412M	1" x 11.25"	16'	36	Primed
5/4 x 16	5416M	1" x 15.5"	16'	24	Primed
5/8 x 4	584M	0.625" x 3.5"	16'	240	Primed

- -Industry best 50-year warranty resists moisture, rot and termites
- -Half the cost of PVC and other premium composite trims
- -Excellent woodgrain finish and pairs well with James Hardie siding

PVC Trim





Available Sizes:

Item	Actual Size	Lengths	Unit Size	Texture	Protective Film
1 x 4	0.75" x 3.5"	12' & 18'	260	Smooth/Woodgrain	Yes
1 x 6	0.75" x 5.5"	12' & 18'	160	Smooth/Woodgrain	Yes
1 x 8	0.75" x 7.25"	12' & 18'	108	Smooth/Woodgrain	Yes
1 x 10	0.75" x 9.25"	18'	90	Smooth/Woodgrain	Yes
1 x 12	0.75" x 11.25"	12' & 18'	72	Smooth/Woodgrain	Yes
1 x 16	0.75" x 15.25"	18'	54	Smooth/Woodgrain	Yes
5/4 x 4	1" x 3.5"	18'	208	Smooth/Woodgrain	Yes
5/4 x 6	1" x 5.5"	18'	128	Smooth/Woodgrain	Yes
5/4 x 8	1" x 7.25"	18'	96	Smooth/Woodgrain	Yes
5/4 x 10	1" x 9.25"	18'	80	Smooth/Woodgrain	Yes
5/4 x 12	1" x 11.25"	18'	64	Smooth/Woodgrain	Yes

- -100% cellular PVC
- -Low maintenance. Moisture and termite proof.
- -Mold and mildew resistant
- -Lifetime Never Rot Warranty
- -Lightweight and easy to work with
- -Pre-finished white, but can be painted other colors

PVC Panels & Beadboard






Available Panel Sizes:

Thickness	Width	Available Lengths	Texture
3/8"	4'	8', 10'	Smooth/Smooth
1/2"	4'	8', 10'	Smooth/Smooth
3/4"	4'	8', 10', 12'	Smooth/Smooth
1"	4'	8'	Smooth/Smooth

Available Beadboard Sizes:


Item	Actual Size	Lengths	Unit Size	Texture	Profile
1/2" x 6" Beaded/V-Groove	0.5" x 5.25"	18'	224	Smooth	Beaded/V-Groove

Profile:




PVC Mouldings Profiles:


Crowns



Moulds



Trims



Caps, Sills, and Stops



PVC Columns





Available Sizes & Profiles:

Item	Actual Outside Dimension	Lengths	Unit Size	Texture	Corners
8 x 8 Column Wrap	8" x 8"	9'	12	Smooth	Pre-Cut & Pre-Mitered
Special Order Only:					
10 x 10 Column Wrap	10" x 10"	9'	12	Smooth	Pre-Cut & Pre-Mitered


Item	Column Size	Corners	Unit Size
Classic Cap & Base	8" x 8"	Pre-Cut & Pre-Mitered	4
Estate Cap & Base	8" x 8"	Pre-Cut & Pre-Mitered	4
Special Order Only:			
Classic Cap & Base	10" x 10"	Pre-Cut & Pre-Mitered	4
Estate Cap & Base	10" x 10"	Pre-Cut & Pre-Mitered	4





Affinity Panelized Stone





Available Sizes:

Stone:				
Item	Actual Panel Size	Texture	Profile	Box Size
Aspen	12" High x 24" Wide	Ridge Cut & Cliff Ledge	Flats & Corners	5 Pcs (10 Sq Ft)
Cambridge	12" High x 24" Wide	Ridge Cut & Cliff Ledge	Flats & Corners	5 Pcs (10 Sq Ft)
Redwood	12" High x 24" Wide	Ridge Cut & Cliff Ledge	Flats & Corners	5 Pcs (10 Sq Ft)
Glacier	12" High x 24" Wide	Ridge Cut & Cliff Ledge	Flats & Corners	5 Pcs (10 Sq Ft)
Yukon	12" High x 24" Wide	Ridge Cut & Cliff Ledge	Flats & Corners	5 Pcs (10 Sq Ft)

- -Superior panel design that virtually eliminates panel seams to the naked eye
- -Superb color selection designed specifically for the Midwest
- -Intuitive and simple installation
- -Bracketed tongue and groove system for seamless panel to panel connections
- -Can be installed in any weather by any tradesmen
- -100% American Made (manufactured in Illinois)
- -Zero cut column kits
- -Great for Commercial or Residential Projects
- -Primarily used in exterior siding, but can also be used for interior fireplaces and accent walls.

Affinity Panelized Stone

Available Colors and Profiles:



Affinity Column Kits



Available Kits:

Column Kits:

Item	Actual Panel Size	Texture	Column Height	Box Size
Aspen Column Kit	12" High x 18.5" Wide	Ridge Cut & Cliff Ledge	3 Feet	12 Pcs
Cambridge Column Kit	12" High x 18.5" Wide	Ridge Cut & Cliff Ledge	3 Feet	12 Pcs
Redwood Column Kit	12" High x 18.5" Wide	Ridge Cut & Cliff Ledge	3 Feet	12 Pcs
Glacier Column Kit	12" High x 18.5" Wide	Ridge Cut & Cliff Ledge	3 Feet	12 Pcs
Yukon Column Kit	12" High x 18.5" Wide	Ridge Cut & Cliff Ledge	3 Feet	12 Pcs

- -Zero-cut column kits; pre-designed to simply install with no cuts or extra field work
- -Pre-built two-piece framing column that wraps around 6x6 post
- -Finished column measures 20" x 20" x 38" Tall
- -Intuitive and simple installation
- -Bracketed tongue and groove system for seamless panel to panel connections
- -Can be installed in any weather by any tradesmen

Affinity Accessories

Available Accessories:

Accessories:			
Item	Actual Size	Color	Box Size
Starter Strip	10' Long	-	Sold Individually
Wainscot Cap (Top Flange)	24" Wide	Sandstone / Ivory/ Gray/ Charcoal	10 Pcs (20 LF)
Wainscot Cap (Bottom Flange)	24" Wide	Sandstone / Ivory/ Gray/ Charcoal	10 Pcs (20 LF)
Hearth Stone	20" x 20"	Sandstone / Ivory/ Gray/ Charcoal	Sold Individually
Light Block	8" Wide x 10" High	Sandstone / Ivory/ Gray	Sold Individually
Single Receptacle Block	6" Wide x 8" High	Sandstone / Ivory/ Gray	Sold Individually
Double Receptacle Block	8" Wide x 8" High	Sandstone / Ivory/ Gray	Sold Individually
Hose Bib	5" Wide x 5" High	Sandstone / Ivory/ Gray	Sold Individually
Metal Edge Trim	2" x 2" x 98"	Sandstone / Ivory/ Black	Sold Individually
Affinity Screws	1-5/8"	-	100/500
No Cut Column Kits:			
6x6 Post Frame	14" Wide x 37.5" High	-	Sold Individually
Column Cap (W/ Post Opening)	22" x 22"	Sandstone / Ivory/ Gray/ Charcoal	Sold Individually
Post Lag Screws	22" x 22"	-	Sold Individually



FastPlank Aluminum Siding



Available Sizes:


ling &	Trin	1
--------	------	---

Item	Application	Size	Unit of Sale
6" Plank	Siding	6" x 16'	6 Pcs
Inside/Outside Corner	Corner Trim	12'	1 Pc
Two Piece J Trim	J Trim	12'	1 Pc
Two Piece Vertical Trim	Intermediate Trim	12'	1 Pc
One Piece J Trim	Window/Door Trim	12'	1 Pc
Perforated Starter	Starter Strip	12'	1 Pc

Connectors

Item	Application	Box Size
Wall Clip Connecter	Siding Clip	100 Pcs
Plank Connecter	Horizontal Plank Connector	50 Pcs
Plank Backer	Bottom & Top Edge Backer	50 Pcs
Wood Screw #10	Screws	250 Pcs

- -Extraordinary long-term durability and performance
- -Made with a thick and high-quality aluminum
- -Fantastic design for intuitive, easy, and fast installation
- -Modern colors and look
- -Excellent for commercial buildings



Woodtone RusticSeries™

RusticSeries[™] Lap is the original two-tone lap siding option; Combining the natural warmth and beauty of wood with the durability of fiber cement and composite products.



Available Sizes:

Brand	Item	SKU	Actual Size	Coverage	Texture	Unit of Sale
Woodtone RusticSeries™	Lap Siding	WTPLK8	8.25" x 12'	15 Pcs/Sq	Cedarmill	4 Pcs
Woodtone RusticSeries™	Cedarmill Panels	WTPNLCM10_	4' x 10'	2.5 Pcs/Sq	Cedarmill	1 Pc
Woodtone RusticSeries™	Rustic Battens	442RSWT	3/4" x 2.5" x 12'	-	Cedarmill	1 Pc

Stocking Colors:



- -Composite siding with the appearance of wood
- -Two-tone factory coated for consistency and durability
- -Lap siding, Cedarmill Panels, and Rustic Battens profiles available
- -20-year coating warranty

GatorBar Rebar



Available Sizes:

Item	SKU	Thickness	Length	Weight	Bundle Size
#3 GatorBar	GB3	3/8" (10mm)	20'	1.8 lbs/stick	25 pcs
#4 GatorBar	GB4	1/2" (13mm)	20'	3.3 lbs/stick	14 pcs

Bends

Item	SKU	Thickness	Bundle Size
#3 24" x 24" GatorBar 90 Bend	GB32490	3/8" (10mm)	25 pcs
#4 24" x 24" GatorBar 90 Bend	GB42490	1/2" (13mm)	10 pcs

- -100% made in the USA
- -More affordable, lighter, and stronger than traditional steel rebar
- -Increases the lifespan of the concrete
- -Price stability pricing does not fluctuate like steel
- -Completely rust resistant, even in high chloride and corrosive environments
- -ICC certified for structural use
- -#3 GatorBar is equivalent to #4 Steel

Benderboard Concrete Form



Available Sizes:

Item	Thickness	Size	Unit Size	Species
12" x 16' Benderboard	1/4"	12" x 16'	200	Hardboard

- -Flexible and bendable for curves, radiuses, and bends
- -Full 16' lengths
- -Hardboard surface for a smooth matte concrete finish
- -Competitively priced and very affordable











800.522.8905

9264 Manchester Rd, St. Louis, MO 63144 www.fp-supply.com